

<b>Anti-malarial compounds.</b>					
<b>TerraQSAR™ - LOGP computed octanol/water partition coefficients (CLOGPs).</b>					
<b>For toxicity and effect values, such as mammalian (rat/mouse) intravenous LD50, fish (fathead minnow) 96-hr LC50, estrogen receptor binding affinity (RBA), use TerraQSAR-RMIV, TerraQSAR-FHM, and TerraQSAR-E2-RBA, or consult TerraBase Inc.</b>					
<b>CAS</b>	<b>Name</b>	<b>Formula</b>	<b>SMILES</b>	<b>CLOGP</b>	<b>MW</b>
21702-93-2	cloguanamil	C9H8ClN5O	Clc1cc(ccc1C#N)NC(=O)NC(N)=N	2.02	237.65
50924-49-7	mizoribine	C9H13N3O6	OC[C@@]2([H])O[C@@]([H])(N1C=N/C(=C1/O)C(=O)N)[C@@]([O])([H])[C@@]2(O)[H]	-1.12	259.22
152-47-6	sulfalene	C11H12N4O3S	O=S(=O)(Nc1ncnc1/OC)c2ccc(N)cc2	1.68	280.31
516-21-2	cycloguanil	C11H14ClN5	c1cc(Cl)ccc1N2C(N)=NC(N)=NC2(C)C	-0.83	251.72
537-21-3	chloroguanil	C11H15Cl2N5	Clc1cc(ccc1/Cl)NC(=N)NC(=N)NC(C)C	-0.83	288.18
500-92-5	Chloroguanide; Proguanil	C11H16ClN5	c1cc(Cl)ccc1NC(=N)NC(=N)NC(C)C	-0.83	253.74
80-08-0	Dapsone; 4,4'-diaminodiphenyl sulfone;	C12H12N2O2S	O=S(=O)(c(ccc(N)c1)c1)c(ccc(N)c2)c2	0.97	248.30
58-14-0	Pyrimethamine; 2,4-diamino-6-ethyl-5-phenylpyrimidine, 3'-chloro	C12H13ClN4	CCc1nc(N)nc(N)c1c2ccc(Cl)cc2	2.69	248.72
2447-57-6	sulfadoxine	C12H14N4O4S	c1cc(N)ccc1S(=O)(=O)Nc2c(OC)c(OC)ncn2	1.17	310.33
3378-93-6	clociguanil	C12H15Cl2N5O	NC1=NC(N)=NC(C)(C)N1OCc2ccc(Cl)c(Cl)c2	-0.83	316.19
495-84-1	salinazid	C13H11N3O2	Oc1cccc1/C=N/NC(=O)c2ccncc2	0.46	241.25
T-4871-001	peroxide ketal; T-4871-001	C13H16O3	c1cccc1C2(OC)OOC3(C)(C)C=C2	1.90	220.27
T-1493-632	3-aza-phenanthrene-9-yl, 6-Br; N(Hept)2	C13H9BrN2	c1cncc2c3cc(Br)ccc3c(C(O)CN(CCC(C)CC)CC)cc12	0.00	0.00
738-70-5	trimethoprim; Pyrimethamine	C14H18N4O3	COc2cc(Cc1cnc(N)nc1N)cc(OC)c2OC	0.91	290.32
T-4744-007	artemisinin deriv.; T-4744-007	C14H20O7	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@]34OO2)C(=O)[C@@]([H])(OO)O[C@H]14	1.37	300.31
T-4744-008	artemisinin deriv.; T-4744-008	C14H22O6	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@]34OO2)[C@]([H])(O)[C@@]([H])O[C@H]14	2.71	286.32
T-1493-411	quinolin-4-yl, 7-Cl; 2-Pip	C15H17ClN2O	n1c2cc(Cl)ccc2c(C(O)C4CCCCN4)cc1	2.29	276.77
T-1493-415	quinolin-4-yl, 8-Cl; 2-Pip	C15H17ClN2O	n1c2c(Cl)cccc2c(C(O)C4CCCCN4)cc1	2.29	276.77
T-4871-002	peroxide ketal; T-4871-002	C15H18O3	c1cccc1C2(OC)OOC3(CCC3)C=C2	2.01	246.31
T-4871-005	peroxide ketal; T-4871-005	C15H18O4	c1cc(OC)ccc1C2(OC)OOC3(CCC3)C=C2	2.04	262.31
T-1493-346	quinolin-4-yl, 7-Cl; N(Et)2	C15H19ClN2O	n1c2cc(Cl)ccc2c(C(O)CN(CC)CC)cc1	3.04	278.78
T-1493-410	quinolin-4-yl, 2-Cl; N(Et)2	C15H19ClN2O	n1c2cccc2c(C(O)CN(CC)CC)cc1(Cl)	3.04	278.78
T-4744-002	artemisinin deriv.; T-4744-002	C15H20O5	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@]34OO2)C(=O)[C@@]([H])(O)[C@H]14	4.91	280.32
T-4744-014	artemisinin deriv.; T-4744-014	C15H20O5	O1C2(C)CC[C@@]3([H])[C@H](C)CCC([C@]34OO2)=C(C)C(=O)O[C@H]14	4.65	280.32
525-61-1	quinocide	C15H21N3O	COc2cc1ccncc1c(c2)NCCC[C@](N)C	2.22	259.35
90-34-6	Primaquine	C15H21N3O	c1c(OC)cc(NC(C)CCCN)c2ncccc12	2.26	259.35
63968-64-9	artemisinin	C15H22O5	[H][C@]12OC3(C)CC[C@@]4([H])C(C)CCC(C24O3)[C@@]([H])(C)C(=O)O1	2.49	282.34
T-4744-013	artemisinin deriv.; T-4744-013	C15H22O5	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@]34OO2)[C@H](C)C(=O)O[C@H]14	2.45	282.34
T-4744-003	artemisinin deriv.; T-4744-003	C15H22O6	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@]34OO2)C(=O)[C@@]([H])(OO)O[C@H]14	3.40	298.34
T-4744-012	artemisinin deriv.; T-4744-012	C15H22O6	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@]34OO2)[C@@]5(CO5)[C@@]([H])(O)O[C@H]14	2.52	298.34
T-4744-011	artemisinin deriv.; T-4744-011	C15H22O7	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@]34OO2)[C@@]5(CO5)[C@@]([H])(OO)O[C@H]14	2.56	314.33
58944-73-3	sinefungin	C15H23N7O5	N/C1=N/C=NC2=C1N=CN2[C@]3([H])O[C@]([H])([C@]([N])([H])CC[C@@]([N])([H])C(=O)O)[C@]([O])([H])[C@]3(O)[H]	-0.35	381.39
T-5359-009	antimalarial cpd.; T-5359-009	C15H25N3	NCCCNC3CCN(CC3)Cc4cccc4	1.69	247.39
103577-45-3	lansoprazole	C16H14F3N3O2S	c1cccc2nc(nc12)S(=O)Cc3nccc(c3C)OCC(F)(F)F	2.20	369.37
T-1493-317	2-trifluoromethyl-quinolin-4-yl, 2,8-(CF3)2; CH2-2-Pip	C16H14F6N2	n1c(C(F)(F)F)cc(C4CCCCN4)c2cccc(C(F)(F)F)c12	3.24	348.29

T-5305-009	WR 226253	C16H15Cl2F3N2O	Clc1cc(Cl)cc2c(C(O)C3CCCCN3)cc(C(F)(F)F)nc12	2.76	379.21
102625-70-7	pantoprazole	C16H15F2N3O4S	n1ccc(OC)c(OC)c1CS(=O)c2nc3cc(OC(F)F)ccc3n2	2.17	383.37
T-1493-369	2-trifluoromethyl-quinolin-4-yl, 2-CF3, 6-Cl; 2-Pip	C16H16ClF3N2O	n1c(C(F)(F)F)cc(C(O)C4CCCCN4)c2cc(Cl)ccc12	2.76	344.76
T-5305-003	WR 228974	C16H16ClF3N2O	Clc1cccc2c(C(O)C3CCCCN3)cc(C(F)(F)F)nc12	2.76	344.76
T-1493-399	2-trifluoromethyl-quinolin-4-yl, 2-CF3, 8-F; 2-Pip	C16H16F4N2O	n1c(C(F)(F)F)cc(C(O)C4CCCCN4)c2cccc(F)c12	2.76	328.31
T-1493-400	2-trifluoromethyl-quinolin-4-yl, 2-CF3, 6-F; 2-Pip	C16H16F4N2O	n1c(C(F)(F)F)cc(C(O)C4CCCCN4)c2cc(F)ccc12	2.76	328.31
T-1493-323	2-trifluoromethyl-quinolin-4-yl, 2,8-(CF3)2; NH-Pr	C16H16F6N2O	n1c(C(F)(F)F)cc(C(O)CNCCC)c2cccc(C(F)(F)F)c12	3.28	366.31
77-46-3	acedapsone; 4,4'-sulfonylbisacetanilide	C16H16N2O4S	CC(=O)Nc1ccc(S(=O)(=O)c2ccc(NC(=O)C)cc2)cc1	2.38	332.38
4042-30-2	parvaquone	C16H16O3	O=C2c1cccc1C(=O)C(O)=C2C3([H])CCCC3	1.25	256.30
T-1493-315	2-trifluoromethyl-quinolin-4-yl, 2-CF3, 7,8-(CH)4; 2-Pip	C16H17F3N2O	n1c(C(F)(F)F)cc(C(O)C4CCCCN4)c2cccc12	2.76	310.32
T-1493-402	quinolin-4-yl, 8-CF3; 2-Pip	C16H17F3N2O	n1c2c(C(F)(F)F)cccc2c(C(O)C4CCCCN4)cc1	2.76	310.32
7220-79-3	Methylene Blue	C16H18ClN3S	c1(N(C)(C))cc2c(N3=C4C(=C5C(=[N+](C)(C))C=C4)S2)cc1.[Cl-]	0.60	319.86
T-4871-018	peroxide ketal; T-4871-018	C16H19ClO3	c1cc(Cl)ccc1C2(OC)OOC3(CCCCC3)C=C2	2.22	294.78
T-4871-019	peroxide ketal; T-4871-019	C16H19FO3	c1cc(F)ccc1C2(OC)OOC3(CCCCC3)C=C2	2.19	278.32
T-4871-017	peroxide ketal; T-4871-017	C16H19NO5	c1cc(N(=O)=O)ccc1C2(OC)OOC3(CCCCC3)C=C2	2.26	305.33
P1S-287-338	7-chloro-N-[3-(piperidin-1-yl)propyl]quinolin-4-amine	C16H20ClN3	c1c(Cl)ccc2c(ccnc12)NCCN3CCCC3	4.56	289.81
T-4871-003	peroxide ketal; T-4871-003	C16H20O3	c1cccc1C2(OC)OOC3(CCCCC3)C=C2	2.17	260.33
PS-226-963	AQ-13; 7-chloro-N-[3-(N,N-diethylamino)prop-1-yl)propyl]quinolin-4-amine	C16H22ClN3	c1c(Cl)ccc2c(ccnc12)NCCCN(CC)CC	4.63	291.83
T-4744-009	artemisinin deriv.; T-4744-009	C16H22N2O4S2	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@@]34OO2)C(=NN=C5SC)[C@@]([S5])([H])O[C@H]14	2.76	370.49
T-4744-010	artemisinin deriv.; T-4744-010	C16H22N2O4S2	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@@]34OO2)C(=NN=C5SC)[C@@]([S5])([H])O[C@H]14	2.76	370.49
T-4744-004	artemisinin deriv.; T-4744-004	C16H22N2O5	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@@]34OO2)[C@@]5(N=NCC5)C(=O)O[C@H]14	3.17	322.36
T-4744-006	artemisinin deriv.; T-4744-006	C16H22O5	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@@]34OO2)[C@@]5(CC5)C(=O)O[C@H]14	2.73	294.35
T-4744-019	artemisinin deriv.; T-4744-019	C16H22O7	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@@]34OO2)[C@@]5(CC(=O)O)C(=O)O[C@H]14	1.86	326.35
T-4744-015	artemisinin deriv.; T-4744-015	C16H24O5	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@@]34OO2)C(C)C(=O)O[C@H]14	3.11	296.36
T-4744-016	artemisinin deriv.; T-4744-016	C16H24O5	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@@]34OO2)[C@@]5(CC)C(=O)O[C@H]14	1.86	296.36
T-4744-005	artemisinin deriv.; T-4744-005	C16H24O6	O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@@]34OO2)C(=C(C)[H])[C@@]5(O)O[C@H]14	3.63	312.36
T-3238-009	artemisinin deriv.; T-3238-009	C16H26O5	[H][C@]12OC3(C)CC[C@@]4([H])C(C)CCC(C24O3)[C@@]5([H])C[C@@]5(O)O1	3.41	298.38
T-4792-005	plakortide I	C16H26O5	CCC(=O)/C=C/C[C@@]1(CC)C[C@H](CC)[C@H](C(C=O)OC)OO1	6.20	298.38
T-4792-006	plakortide L	C16H28O4	CCC/C=C/[C@@]1(CC)C[C@H](CC)[C@H](CC(=O)OC)OO1	6.38	284.40
32266-60-7	azomethine H	C17H11NO8S2	c1c(S(=O)(=O)[O-])cc(O)c2c(cc(S(=O)(=O)[O-])cc12)/N=C/c3cccc3O	-2.35	421.40
53230-10-7	mefloquine	C17H16F6N2O	FC(F)(F)c1cccc2c1nc(cc2[C@@](O)([H])[C@@]3([H])CCCCN3)C(F)(F)F	3.28	378.32
T-1493-308	2-trifluoromethyl-quinolin-4-yl, 2,8-(CF3)2; 2-Pip	C17H16F6N2O	n1c(C(F)(F)F)cc(C(O)C4CCCCN4)c2cccc(C(F)(F)F)c12	3.28	378.32
T-1493-309	2-trifluoromethyl-quinolin-4-yl, 2,7-(CF3)2; 2-Pip	C17H16F6N2O	n1c(C(F)(F)F)cc(C(O)C4CCCCN4)c2ccc(C(F)(F)F)c12	3.28	378.32
T-1493-311	2-trifluoromethyl-quinolin-4-yl, 2,6-(CF3)2; 2-Pip	C17H16F6N2O	n1c(C(F)(F)F)cc(C(O)C4CCCCN4)c2cc(C(F)(F)F)cc12	3.28	378.32

51773-92-3	Mefloquin hydrochloride	C17H17ClF6N2O	FC(F)(F)c1cccc2c(C(O)C3[N+](CCCC3)cc(C(F)(F)F)nc12.[Cl-]	3.21	414.78
147059-71-0	trovafloxacin-cyclopropyl derivative; CP-99433	C17H17FN4O3	C1[C@]2([H])[C@@H](N)[C@]2([H])CN1c3c(F)cc4C(=O)C(C(=O)O)=CN(C5CC5)c4n3	2.81	344.35
T-1493-406	quinolin-4-yl, 2-CONH2, 8-CF3; 2-Pip	C17H18F3N3O2	n1c2c(C(F)(F)F)cccc2c(C(O)C4CCCCN4)cc1C(=O)N	2.05	353.34
T-1493-312	2-trifluoromethyl-quinolin-4-yl, 2,8-(CF3)2; NH-Bu	C17H18F6N2O	n1c(C(F)(F)F)cc(C(O)CNCCCC)c2cccc(C(F)(F)F)c12	3.27	380.33
T-1493-396	2-trifluoromethyl-quinolin-4-yl, 2,8-(CF3)2; CH2-NH-Pr	C17H18F6N2O	n1c(C(F)(F)F)cc(C(O)CCNCCC)c2cccc(C(F)(F)F)c12	3.27	380.33
T-1493-397	2-trifluoromethyl-quinolin-4-yl, 2,8-(CF3)2; NH-(t-Bu)	C17H18F6N2O	n1c(C(F)(F)F)cc(C(O)CNC(C)(C)C)c2cccc(C(F)(F)F)c12	3.27	380.33
T-1493-321	2-trifluoromethyl-quinolin-4-yl, 2-CF3, 8-Me; 2-Pip	C17H19F3N2O	n1c(C(F)(F)F)cc(C(O)C4CCCCN4)c2cccc(C)c12	2.76	324.35
T-1493-325	2-trifluoromethyl-quinolin-4-yl, 2-CF3, 6-Me; 2-Pip	C17H19F3N2O	n1c(C(F)(F)F)cc(C(O)C4CCCCN4)c2cc(C)ccc12	2.76	324.35
T-5305-011	WR 073879	C17H19F3N2O	Cc1cccc2c(C(O)C3CCCCN3)cc(C(F)(F)F)nc12	2.76	324.35
T-1493-320	2-trifluoromethyl-quinolin-4-yl, 2-CF3, 6-OMe; 2-Pip	C17H19F3N2O2	n1c(C(F)(F)F)cc(C(O)C4CCCCN4)c2cc(OC)ccc12	2.77	340.35
T-4871-020	peroxide ketal; T-4871-020	C17H19F3O3	c1cc(C(F)(F)F)ccc1C2(OC)OOC3(CCCCC3)C=C2	2.64	328.33
73590-58-6	omeprazole	C17H19N3O3S	n1cc(C)c(OC)c(C)c1CS(=O)C2=Nc3cc(OC)ccc3N2	2.23	345.42
T-4871-010	peroxide ketal; T-4871-010	C17H21ClO3	c1cc(Cl)ccc1C2(OC)OOC3(CCCCC3)C=C2	2.41	308.81
T-4871-011	peroxide ketal; T-4871-011	C17H21FO3	c1cc(F)ccc1C2(OC)OOC3(CCCCC3)C=C2	2.37	292.35
T-4871-004	peroxide ketal; T-4871-004	C17H22O3	c1ccccc1C2(OC)OOC3(CCCCC3)C=C2	2.35	274.36
T-4871-015	peroxide ketal; T-4871-015	C17H22O3S	c1cc(SC)ccc1C2(OC)OOC3(CCCCC3)C=C2	2.46	306.42
T-4871-006	peroxide ketal; T-4871-006	C17H22O4	c1cc(OC)ccc1C2(OC)OOC3(CCCCC3)C=C2	2.25	290.36
T-4871-016	peroxide ketal; T-4871-016	C17H22O5S	c1cc(S(=O)(=O)C)ccc1C2(OC)OOC3(CCCCC3)C=C2	0.53	338.42
T-4744-017	artemisinin deriv.; T-4744-017	C17H26O5	O1C2(C)CC[C@]3([H])[C@H](C)CC[C@]([H])([C@]34OO2)[C@@H](C(C)C)C(=O)O[C@H]14	1.96	310.39
T-3238-015	artemisinin deriv.; T-3238-015	C17H26O6	[H][C@]12OC3(C)CC[C@]4([H])C(C=O)CCC(C24OO3)[C@@H](C)[C@@H](OCC)O1	2.26	326.39
75887-54-6	artemotil	C17H28O5	C1C[C@]2([H])[C@H](C)CC[C@H]3[C@@H](C)[C@@H](OCC)O[C@]4([H])OC1(OO[C@]234)C	3.72	312.41
T-1493-310	2-trifluoromethyl-quinolin-4-yl, 2,8-(CF3)2, 6-OMe; 2-Pip	C18H18F6N2O2	n1c(C(F)(F)F)cc(C(O)C4CCCCN4)c2cc(OC)cc(C(F)(F)F)c12	3.31	408.34
T-5305-015	WR 159314	C18H18F6N2O2	FC(F)(F)c1cc(OC)cc2c(C(O)C3CCCCN3)cc(C(F)(F)F)nc12	3.31	408.34
T-1493-314	2-trifluoromethyl-quinolin-4-yl, 2,8-(CF3)2; CH2-NH-(t-Bu)	C18H20F6N2O	n1c(C(F)(F)F)cc(C(O)CCNC(C)(C)C)c2cccc(C(F)(F)F)c12	3.27	394.36
T-1493-398	2-trifluoromethyl-quinolin-4-yl, 2,8-(CF3)2; C(Me)2-NH-Et	C18H20F6N2O	n1c(C(F)(F)F)cc(C(O)CC(C)(C)NCC)c2cccc(C(F)(F)F)c12	3.29	394.36
T-1493-322	2-trifluoromethyl-quinolin-4-yl, 2-CF3, 6,8-Me2; 2-Pip	C18H21F3N2O	n1c(C(F)(F)F)cc(C(O)C4CCCCN4)c2cc(C)cc(C)c12	2.77	338.37
T-5305-002	WR 073872	C18H21F3N2O	Cc1cc(C)cc2c(C(O)C3CCCCN3)cc(C(F)(F)F)nc12	2.77	338.37
T-4871-009	peroxide ketal; T-4871-009	C18H21F3O4	c1cc(OC(F)(F)F)ccc1C2(OC)OOC3(CCCCC3)C=C2	2.67	358.36
117976-89-3	rabeprazole	C18H21N3O3S	c1cccc2nc(nc12)S(=O)Cc3nccc(c3C)OCCOC	2.23	359.45
P1S-287-336	7-chloro-N-[3-(4-methylpiperidin-1-yl)propyl]quinolin-4-amine	C18H24ClN3	c1c(Cl)ccc2c(ccnc12)NCCCN3CCC(C)CC3	4.63	317.86
17230-85-2	amquinate	C18H24N2O3	O/C2=C1C=C(C(CCC)C(=CC1=N/C=C2/C(=O)OC)N(CC)CC	2.31	316.40
T-4871-012	peroxide ketal; T-4871-012	C18H24O3S	c1cc(SC)ccc1C2(OC)OOC3(CCCCC3)C=C2	2.51	320.45
T-4871-007	peroxide ketal; T-4871-007	C18H24O4	c1cc(OC)ccc1C2(OC)OOC3(CCCCC3)C=C2	2.37	304.39
T-4871-013	peroxide ketal; T-4871-013	C18H24O5S	c1cc(S(=O)(=O)C)ccc1C2(OC)OOC3(CCCCC3)C=C2	0.55	352.45
54-05-7	chloroquine; Aralen	C18H26ClN3	CCN(CC)CCCC(C)Nc1ccnc2cc(Cl)ccc12	4.63	319.88

118-42-3	Hydroxychloroquine; Plaquenil; 2-((4-((7-chloro-4-quinolyl)amino)pentyl)ethylamino)-ethanol	C18H26ClN3O	<chem>c1c(Cl)ccc2c(NC(C)CCCN(CC)CCO)ccnc12</chem>	4.63	335.88
86-78-2	pentaquine	C18H27N3O	<chem>COC=2/C=C/(NCCCCNC(C)(C)[H])C1=NC=CC=C1C=2</chem>	4.58	301.43
T-4744-018	artemisinin deriv.; T-4744-018	C18H28O5	<chem>O1C2(C)CC[C@@]3([H])[C@H](C)CC[C@]([H])([C@]34OO2)[C@@H](CCCC)C(=O)O[C@H]14</chem>	2.35	324.42
T-4792-004	peroxyplakoric acid B3	C18H30O5	<chem>CC/C=C/C=C/CCC[C@@]1(OC)CC[C@H]([C@H](C)C(=O)OC)OO1</chem>	6.82	326.43
50-63-5	Chloroquine diphosphate	C18H32ClN3O8P2	<chem>c12nccc([N+]C(C)CCC[N+](CC)CC)c1ccc(Cl)c2.[O-]P(=O)(O)O.[O-]P(=O)(O)O</chem>	1.45	515.87
T-4792-001	plakortin	C18H32O4	<chem>CC/C=C/[C@H](CC)C[C@@]1(C)C[C@H](CC)[C@@H](CC(=O)OC)OO1</chem>	7.34	312.45
T-4792-002	dihydroplakortin	C18H34O4	<chem>CCCC[C@H](CC)C[C@@]1(C)C[C@H](CC)[C@@H](CC(=O)OC)OO1</chem>	6.87	314.47
T-1493-031	phenanthrene-9-yl, 3,6-(CF3)2; NH-Me	C19H15F6NO	<chem>c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CNC)c12</chem>	3.60	387.32
T-1493-500	2-phenyl-6-trifluoromethylpyrid-4-yl, 2-CF3, 4"-CF3; 2-Pip	C19H18F6N2O	<chem>c1cc(C(F)(F)F)ccc1c2cc(C(O)C4CCCCN4)cc(C(F)(F)F)n2</chem>	3.19	404.35
123407-36-3	arteflene	C19H18F6O3	<chem>O=C3C[C@]1([H])C[C@@]([H])(OO[C@@]1(C)/C=C1c2ccc(cc2C(F)(F)F)C(F)(F)F)[C@@]3(C)[H</chem>	3.52	408.34
T-5307-001	floxacin-type comp.; T-5307-001	C19H20FN3O4	<chem>C1[C@]2([H])[C@@H](N)[C@]2([H])CN1c3c(F)cc4C(=O)C(C(=O)O)=CN(C5CC5)c4c3OC</chem>	2.81	373.38
T-1493-571	monothiophene deriv. (III); 3-CF3; NH-Bu	C19H20F3NOS	<chem>c1cc(C(F)(F)F)cc2c3ccsc3c(C(O)CNCCCC)cc12</chem>	3.78	367.43
T-1493-502	2-phenyl-6-trifluoromethylpyrid-4-yl, 2-CF3, 4"-CF3; NH-Bu	C19H20F6N2O	<chem>c1cc(C(F)(F)F)ccc1c2cc(C(O)CNCCCC)cc(C(F)(F)F)n2</chem>	3.17	406.37
T-1493-503	2-phenyl-6-trifluoromethylpyrid-4-yl, 2-CF3, 2"-CF3; NH-Bu	C19H20F6N2O	<chem>FC(F)(F)c1cccc1c2cc(C(O)CNCCCC)cc(C(F)(F)F)n2</chem>	3.17	406.37
T-1493-554	2-phenyl-6-trifluoromethylpyrid-4-yl, 2-CF3, 3"-CF3; NH-Bu	C19H20F6N2O	<chem>c1c(C(F)(F)F)cccc1c2cc(C(O)CNCCCC)cc(C(F)(F)F)n2</chem>	3.17	406.37
T-1493-427	2-(thien-2-yl)-quinolin-1-yl, 6-Cl; CH(CH2OH)N(Et)2	C19H21ClN2OS	<chem>s1(cccc1c2nc3ccc(Cl)cc3c(C(CO)N(CC)CC)c2</chem>	2.99	360.91
112811-59-3	gatifloxacin [both enantiomers]; see also CAS 160738-57-8, 180200-66-2	C19H22FN3O4	<chem>C4(C(O)=O)=CN(C1CC1)C3=C(C=C(C(N2C[C@H](C)N(CC2))=C3OC)F)C4=O</chem>	2.47	375.40
T-1493-324	2-trifluoromethyl-quinolin-4-yl, 2,8-(CF3)2; N(Pr)2	C19H22F6N2O	<chem>n1c(C(F)(F)F)cc(C(O)CN(CCC)CCC)c2cccc(C(F)(F)F)F)c12</chem>	3.24	408.39
118-10-5	cinchonine	C19H22N2O	<chem>O[C@@]([H])(c1c2cccc2ncc1)[C@]3([H])N4CC[C@@]([H])(C3)[C@]([H])(\C([H])=C(\[H])[H])C4</chem>	3.44	294.40
T-1493-425	2-(thien-2-yl)-quinolin-1-yl, 5'-Br; N(Et)2	C19H22N2OS	<chem>s1(cccc1c2nc3ccccc3c(C(O)CN(CC)CC)c2</chem>	2.85	326.46
T-1493-422	2-(tert-butyl)-quinolin-1-yl, 2-(t-Bu), 6-Cl; 2-Pip	C19H25ClN2O	<chem>CC(C)(C)c2nc3ccc(Cl)cc3c(C(O)C4CCCCN4)c2</chem>	3.63	332.88
T-3238-007	artemisinin deriv.; T-3238-007	C19H26BrN3O4	<chem>[H][C@]12OC3(C)CC[C@@]4([H])C(C)CCC(C24O3)[C@@]([Br])(C)[C@@H](Nc5ncccc5)O1</chem>	2.28	440.34
T-1493-403	quinolin-4-yl, 2-1-Me-c-pent), 6,8-Cl2; N(Bu)2	C19H26Cl2N2O	<chem>n1c2c(Cl)cc(Cl)cc2c(C(O)CN(CCCC)CCCC)cc1</chem>	3.46	369.34
T-1493-424	2-(tert-butyl)-quinolin-1-yl, 2-(t-Bu); 2-Pip	C19H26N2O	<chem>CC(C)(C)c2nc3ccccc3c(C(O)C4CCCCN4)c2</chem>	3.63	298.43
T-4871-014	peroxide ketal; T-4871-014	C19H26O3	<chem>c1cc(CC)ccc1C2(OC)OOC3(CCCCC3)C=C2</chem>	2.69	302.41
T-1493-637	quinolin-5-yl, 8-Cl; N(Bu)2	C19H27ClN2O	<chem>c2nc3c(Cl)ccc(C(O)CN(CCCC)CCCC)c3cc2</chem>	3.40	334.89
T-1493-407	quinolin-4-yl, 2-NH-C4H9; 2-Pip	C19H27N3O	<chem>n1c2cccc2c(C(O)C4CCCCN4)cc1NCCCC</chem>	4.59	313.45
T-1493-409	quinolin-4-yl, 2-OEt; N(Bu)2	C19H28N2O	<chem>n1c2cccc2c(C(O)CN(CCCC)CCCC)cc1</chem>	3.05	300.45
88495-63-0	artesunate	C19H28O8	<chem>OC(=O)CCC(=O)O[C@@]4([H])O[C@]1([H])O[C@@]2(C)CC[C@]3([H])[C@@]1(OO2)[C@@]([H])(C[C@]3(C)[H])[C@]4(C)[H</chem>	2.26	384.43

T-3238-002	artemisinin deriv.; T-3238-002	C19H30O7	[H][C@]12OC3(C)CC[C@@]4([H])C(C)CCC(C24O3)[C@@H](C)[C@@H](OCC(=O)OCC)O1	4.21	370.44
T-3238-003	artemisinin deriv.; T-3238-003	C19H30O7	[H][C@]12OC3(C)CC[C@@]4([H])C(C)CCC(C24O3)[C@@H](C)[C@@H](OCCC(=O)OC)O1	4.08	370.44
255730-18-8	artemifone	C19H31NO6S	CC12CC[C@@]3([H])[C@H](C)CC[C@@]4([H])[C@@H](C)[C@H](N5CCS(=O)(=O)CC5)O[C@]([H])([C@]34OO2)O1	2.37	401.52
53966-34-0	floxacrine	C20H13ClF3NO3	Cl/C1=C/C=C4C(=C1)C(=O)C2=C(C[C@@]([H])(C)C2=O)c3ccc(cc3)C(F)(F)F)N4O	3.22	407.78
147059-72-1	trovafloxacin	C20H15F3N4O3	[H][C@]12[C@@]([H])(N)C1([H])CN(c1c(F)cc3C(=O)C(=CN(c4c(F)ccc(c4)F)c3n1)C(=O)O)C2	2.81	416.36
550-81-2	amopyroquine	C20H16ClN3O	Oc3ccc(Nc1ccnc2cc(Cl)ccc12)cc3Cn4cccc4	3.31	349.82
T-1493-259	2-phenyl-quinolin-4-yl, 6,8-Cl2, 3',4'-Cl2; NH-(c-Pr)	C20H16Cl4N2O	c1c(Cl)c(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CNC4C4)c2	4.78	442.17
T-1493-019	phenanthrene-9-yl, 3,6-(CF3)2; NH-Et	C20H17F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CNCC)cc12	3.62	401.35
T-1493-075	phenanthrene-9-yl, 2,4-(CF3)2; N(Me)2	C20H17F6NO	c1c(C(F)(F)F)cc(C(F)(F)F)c2c3ccccc3c(C(O)CN(C)C)cc12	3.60	401.35
T-1493-078	phenanthrene-9-yl, 2,3-Cl2, 6-Br; 2-Pip	C20H18BrCl2NO	c1c(Cl)c(Cl)cc2c3cc(Br)ccc3c(C(O)C4CCCCN4)cc12	4.88	439.19
T-1493-093	phenanthrene-9-yl, 1,3-Cl2, 6-Br; 2-Pip	C20H18BrCl2NO	c1(Cl)cc(Cl)cc2c3cc(Br)ccc3c(C(O)C4CCCCN4)cc12	4.88	439.19
T-1493-316	2-trifluoromethyl-quinolin-4-yl, 2-CF3, 6-Cl, 7,8-(CH=CH)2; 2-Pip	C20H18ClF3N2O	n1c(C(F)(F)F)cc(C(O)C4CCCCN4)c2cc(Cl)c(cccc5)c5c12	2.90	394.82
T-1493-014	phenanthrene-9-yl, 2,4,6-Cl3; 2-Pip	C20H18Cl3NO	c1c(Cl)cc(Cl)c2c3cc(Cl)ccc3c(C(O)C4CCCCN4)cc12	5.00	394.73
T-1493-026	phenanthrene-9-yl, 2,5,7-Cl3; 2-Pip	C20H18Cl3NO	c1c(Cl)ccc2c3c(Cl)cc(Cl)cc3c(C(O)C4CCCCN4)cc12	5.00	394.73
T-1493-051	phenanthrene-9-yl, 1,3,6-Cl3; 2-Pip	C20H18Cl3NO	c1(Cl)cc(Cl)cc2c3cc(Cl)ccc3c(C(O)C4CCCCN4)cc12	5.00	394.73
T-1493-089	phenanthrene-9-yl, 3,6,7-Cl3; 2-Pip	C20H18Cl3NO	c1cc(Cl)cc2c3cc(Cl)c(Cl)cc3c(C(O)C4CCCCN4)cc12	5.00	394.73
T-1493-112	phenanthrene-9-yl, 2,3,6-Cl3; 2-Pip	C20H18Cl3NO	c1c(Cl)c(Cl)cc2c3cc(Cl)ccc3c(C(O)C4CCCCN4)cc12	5.00	394.73
T-1493-047	phenanthrene-9-yl, 2,6-Br2; 2-Pip	C20H19Br2NO	c1c(Br)ccc2c3cc(Br)ccc3c(C(O)C4CCCCN4)cc12	4.59	449.20
T-1493-153	phenanthrene-9-yl, 3,6-Br2; 2-Pip	C20H19Br2NO	c1cc(Br)cc2c3cc(Br)ccc3c(C(O)C4CCCCN4)cc12	4.59	449.20
P1S-287-247	N-(pyrrolidin-1-yl-2-ethyl)-4-fluorophenyl]-N-(7-chloroquinolin-4-yl)(amine	C20H19ClFN3	c1c(Cl)ccc2c(ccnc12)Nc3ccc(F)c(c3)CN4CCCC4	4.46	355.84
T-1493-049	phenanthrene-9-yl, 2,6-Cl2; 2-Pip	C20H19Cl2NO	c1c(Cl)ccc2c3cc(Cl)ccc3c(C(O)C4CCCCN4)cc12	4.82	360.28
T-1493-096	phenanthrene-9-yl, 1,3,7-Cl3; 2-Pip	C20H19Cl2NO	c1(Cl)cccc2c3ccc(Cl)cc3c(C(O)C4CCCCN4)cc12	4.82	360.28
T-1493-103	phenanthrene-9-yl, 1,3-Cl2; 2-Pip	C20H19Cl2NO	c1(Cl)cc(Cl)cc2c3ccccc3c(C(O)C4CCCCN4)cc12	4.82	360.28
T-1493-132	phenanthrene-9-yl, 5,7-Cl2; 2-Pip	C20H19Cl2NO	c1cccc2c3c(Cl)cc(Cl)cc3c(C(O)C4CCCCN4)cc12	4.82	360.28
T-1493-135	phenanthrene-9-yl, 3,6-Cl2; 2-Pip	C20H19Cl2NO	c1cc(Cl)cc2c3cc(Cl)ccc3c(C(O)C4CCCCN4)cc12	4.82	360.28
T-1493-137	phenanthrene-9-yl, 3,6-Cl2; 2-pyrrolidine-NMe	C20H19Cl2NO	c1cc(Cl)cc2c3cc(Cl)ccc3c(C(O)C4CCCN4C)cc12	4.90	360.28
T-1493-136	phenanthrene-9-yl, 6-Br; 2-Pip	C20H20BrNO	c1cccc2c3cc(Br)ccc3c(C(O)C4CCCCN4)cc12	4.61	370.30
T-1493-166	phenanthrene-9-yl, 2,3-(OCH2-O), 6-Cl; 2-Pip	C20H20ClNO	c1cccc2c3cc(Cl)ccc3c(C(O)C4CCCCN4)cc12	4.70	325.84
T-1493-080	phenanthrene-9-yl, 1,3,6-Cl3; N(Et)2	C20H20Cl3NO	c1(Cl)cc(Cl)cc2c3cc(Cl)ccc3c(C(O)CN(CC)CC)cc12	5.01	396.75
T-1493-120	phenanthrene-9-yl, 3,6-Br2; NH-(t-Bu)	C20H21Br2NO	c1cc(Br)cc2c3cc(Br)ccc3c(C(O)CNC(C)(C)C)cc12	4.43	451.21

P1S-287-246	N-(tert-butylaminoethyl)-4-fluorophenyl]-N-(7-chloroquinolin-4-yl)(amine	C20H21ClFN3	c1c(Cl)ccc2c(ccnc12)Nc3ccc(F)c(c3)CNC(C)(C)C	4.60	357.86
T-1493-062	phenanthrene-9-yl, 2,6-Cl2; N(Et)2	C20H21Cl2NO	c1c(Cl)ccc2c3cc(Cl)ccc3c(C(O)CN(CC)CC)cc12	4.88	362.30
T-1493-042	phenanthrene-9-yl, 2,4-(CF, )2; 2-Pip	C20H21NO	c1cccc2c3ccccc3c(C(O)C4CCCCN4)cc12	4.61	291.39
T-1493-201	phenanthrene-9-yl, -; 2-Pip	C20H21NO	c1cccc2c3ccccc3c(C(O)C4CCCCN4)cc12	4.61	291.39
86-42-0	amodiaquine	C20H22ClN3O	Cl/C3=C/C2=NC=CC(N/C1=C/C(CN(CC)CC)=C(O)C=C1)=C2C=C3	3.81	355.87
T-5307-002	floxacin-type comp.; T-5307-002	C20H22FN3O4	C1[C@]2([H])[C@@H](CN)[C@]2([H])CN1c3c(F)cc4C(=O)C(C(=O)O)=CN(C5CC5)c4c3OC	2.81	387.41
T-1493-504	2-phenyl-6-trifluoromethylpyrid-4-yl, 2-CF3, 4"-CF3; NH(3-Pent)	C20H22F6N2O	c1cc(C(F)(F)F)ccc1c2cc(C(O)CNC(CC)CC)cc(C(F)(F)F)n2	3.20	420.40
T-1493-217	phenanthrene-9-yl, -; NH-(t-Bu)	C20H23NO	c1cccc2c3ccccc3c(C(O)CNC(C)(C)C)cc12	4.38	293.41
T-1493-318	2-trifluoromethyl-quinolin-4-yl, 2,8-(CF3)2; C(Me)2-NH-Bu	C20H24F6N2O	n1c(C(F)(F)F)cc(C(O)CC(C)(C)NCCCC)c2cccc(C(F)(F)F)c12	3.31	422.41
130-95-0	quinine	C20H24N2O2	c1cc([C@](O)([H])[C@]3([H])N(CC4)C[C@]([H])(C=C)C4C3)c2cc(OC)ccc2n1	3.44	324.42
T-1493-412	quinolin-4-yl, quinine	C20H24N2O2	c1cc([C@](O)([H])[C@]3([H])N(CC4)C[C@]([H])(C=C)C4C3)c2cc(OC)ccc2n1	3.44	324.42
T-1493-514	dithiophene deriv.; 6-Cl; N(Bu)2	C20H26ClNOS2	s1ccc2c3cc(Cl)sc3c(C(O)CN(CCCC)CCCC)cc12	4.23	396.02
T-5305-001	WR 187044	C20H26N2O	Cc1cc(C)ccc2c(C(O)C3CCCCN3)c4c(CCC4)nc12	2.85	310.44
T-1493-413	quinolin-4-yl, dihydroquinine	C20H26N2O2	c1cc([C@](O)([H])[C@]3([H])N(CC4)C[C@]([H])(CC)C4C3)c2cc(OC)ccc2n1	3.44	326.44
T-3238-006	artemisinin deriv.; T-3238-006	C20H27BrN2O4	[H][C@]12OC3(C)CC[C@]4([H])C(C)CCC(C24O3)[C@@]([Br])(C)[C@@H](Nc5ncccc5)O1	3.19	439.36
T-1493-405	quinolin-4-yl, 7-CF3; N(Bu)2	C20H27F3N2O	n1c2cc(C(F)(F)F)ccc2c(C(O)CN(CCCC)CCCC)cc1	2.77	368.44
T-1493-577	dithiophene deriv.; -; N(Bu)2	C20H27NOS2	s1ccc2c3ccsc3c(C(O)CN(CCCC)CCCC)cc12	4.27	361.57
T-4871-008	peroxide ketal; T-4871-008	C20H28O6	c1c(OC)c(OC)c(OC)cc1C2(OC)OOC3(CCCCC3)C=C2	2.57	364.44
T-3238-004	artemisinin deriv.; T-3238-004	C20H32O7	[H][C@]12OC3(C)CC[C@]4([H])C(C)CCC(C24O3)[C@@]([H])(C)[C@@H](OCCCC(=O)OC)O1	4.34	384.47
T-1493-003	phenanthrene-9-yl, 1,2,3,4-Cl4, 6-CF3; 2-Pip	C21H16Cl4F3NO	c1(Cl)c(Cl)c(Cl)c(Cl)c2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	4.78	497.17
62669-70-9	Rhodamine 123	C21H17ClN2O3	c1c(N)ccc2c(c4cccc4C(=O)OC)c3ccc(N)cc3[o+]c12.[Cl-]	2.77	380.83
T-1493-036	phenanthrene-9-yl, 1,3-Br2, 6-CF3; 2-Pip	C21H18Br2F3NO	c1(Br)cc(Br)cc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.79	517.19
T-1493-121	phenanthrene-9-yl, 2,3-Br2, 6-CF3; 2-Pip	C21H18Br2F3NO	c1c(Br)c(Br)cc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.79	517.19
T-1493-015	phenanthrene-9-yl, 1,2-Cl2, 6-CF3; 2-Pip	C21H18Cl2F3NO	c1(Cl)c(Cl)ccc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.80	428.28
T-1493-016	phenanthrene-9-yl, 2,4-Cl2, 6-CF3; 2-Pip	C21H18Cl2F3NO	c1c(Cl)cc(Cl)c2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.80	428.28
T-1493-017	phenanthrene-9-yl, 3,4-Cl2, 6-CF3; 2-Pip	C21H18Cl2F3NO	c1cc(Cl)c(Cl)c2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.80	428.28
T-1493-023	phenanthrene-9-yl, 3-CF3, 5,7-Cl2; 2-Pip	C21H18Cl2F3NO	c1cc(C(F)(F)F)cc2c3c(Cl)cc(Cl)cc3c(C(O)C4CCCCN4)cc12	3.80	428.28
T-1493-038	phenanthrene-9-yl, 2,3-Cl2, 6-CF3; 2-Pip	C21H18Cl2F3NO	c1c(Cl)c(Cl)cc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.80	428.28
T-1493-057	phenanthrene-9-yl, 1,3-Cl2, 6-CF3; 2-Pip	C21H18Cl2F3NO	c1(Cl)cc(Cl)cc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.80	428.28
T-1493-067	phenanthrene-9-yl, 3-CF3, 6,7-Cl2; 2-Pip	C21H18Cl2F3NO	c1cc(C(F)(F)F)cc2c3cc(Cl)c(Cl)cc3c(C(O)C4CCCCN4)cc12	3.80	428.28
T-1493-335	2-phenoxy-quinolin-4-yl, 6,8,3',4'-Cl4; 2-Pip	C21H18Cl4N2O2	n1c(Oc3cc(Cl)c(Cl)cc3)cc(C(O)C4CCCCN4)c2cc(Cl)cc(Cl)c12	3.37	472.20
T-1493-072	phenanthrene-9-yl, 2-Br, 6-CF3; 2-Pip	C21H19BrF3NO	c1c(Br)ccc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.80	438.29

T-1493-088	phenanthrene-9-yl, 3-CF3, 6-Br; 2-Pip	C21H19BrF3NO	c1cc(C(F)(F)F)cc2c3cc(Br)ccc3c(C(O)C4CCCCN4)cc12	3.80	438.29
T-1493-111	phenanthrene-9-yl, 3-Br, 6-CF3; 2-Pip	C21H19BrF3NO	c1cc(Br)cc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.80	438.29
T-1493-030	phenanthrene-9-yl, 3-CF3, 6-Cl; 2-Pip	C21H19ClF3NO	c1cc(C(F)(F)F)cc2c3cc(Cl)ccc3c(C(O)C4CCCCN4)cc12	3.80	393.84
T-1493-041	phenanthrene-9-yl, 2-CF3, 7-Cl; 2-Pip	C21H19ClF3NO	c1c(C(F)(F)F)ccc2c3ccc(Cl)cc3c(C(O)C4CCCCN4)cc12	3.80	393.84
T-1493-052	phenanthrene-9-yl, 3-CF3, 7-Cl; 2-Pip	C21H19ClF3NO	c1cc(C(F)(F)F)cc2c3ccc(Cl)cc3c(C(O)C4CCCCN4)cc12	3.80	393.84
T-1493-058	phenanthrene-9-yl, 3-Cl, 6-CF3; 2-Pip	C21H19ClF3NO	c1cc(Cl)cc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.80	393.84
T-1493-059	phenanthrene-9-yl, 2-Cl, 6-CF3; 2-Pip	C21H19ClF3NO	c1c(Cl)ccc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.80	393.84
T-1493-064	phenanthrene-9-yl, 2-Cl, 5-CF3; 2-Pip	C21H19ClF3NO	c1c(Cl)ccc2c3c(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.80	393.84
T-1493-115	phenanthrene-9-yl, 4-CF3, 7-Cl; 2-Pip	C21H19ClF3NO	c1ccc(C(F)(F)F)c2c3ccc(Cl)cc3c(C(O)C4CCCCN4)cc12	3.80	393.84
T-1493-156	phenanthrene-9-yl, 2-Cl, 7-CF3; 2-Pip	C21H19ClF3NO	c1c(Cl)ccc2c3ccc(C(F)(F)F)cc3c(C(O)C4CCCCN4)cc12	3.80	393.84
T-5353-021	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-021	C21H19ClN6	c1cnccc1c2cc(c3ccc(Cl)cc3)nc(n2)NCCn4ccnc4	1.57	390.88
T-5305-016	WR 007936	C21H19Cl3N2O	Clc1cc(Cl)cc2c(C(O)C3CCCCN3)cc(c5ccc(Cl)cc5)nc12	3.40	421.76
T-1493-334	2-phenoxy-quinolin-4-yl, 6,8,4'-Cl3; 2-Pip	C21H19Cl3N2O2	n1c(Oc3ccc(Cl)cc3)cc(C(O)C4CCCCN4)c2cc(Cl)cc(Cl)c12	3.36	437.75
T-1493-011	phenanthrene-9-yl, 3,6-(CF3)2; NH-Pr	C21H19F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CNCC(C)C)cc12	3.63	415.38
T-1493-094	phenanthrene-9-yl, 3,6-(CF3)2; NH-(i-Pr)	C21H19F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CNC(C)C)cc12	3.63	415.38
T-1493-009	phenanthrene-9-yl, 1,3-Cl2, 6-CF3; NH-Bu	C21H20Cl2F3NO	c1(Cl)cc(Cl)cc2c3cc(C(F)(F)F)ccc3c(C(O)CNCCCC)cc12	3.81	430.30
T-1493-238	2-phenyl-quinolin-4-yl, 6,8-Cl2; 2-Pip	C21H20Cl2N2O	c1cccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)C4CCCCN4)c2	3.43	387.31
T-1493-473	2,6-diphenylpyrid-4-yl, 4',4"-Cl2; N(Me)2	C21H20Cl2N2O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CN(C)C)c2	3.52	387.31
T-5305-010	WR 007930	C21H20Cl2N2O	Clc1cc(Cl)cc2c(C(O)C3CCCCN3)cc(c5ccccc5)nc12	3.43	387.31
T-1493-336	2-phenoxy-quinolin-4-yl, 6,4'-Cl2; 2-Pip	C21H20Cl2N2O2	n1c(Oc3ccc(Cl)cc3)cc(C(O)C4CCCCN4)c2cc(Cl)cc12	3.36	403.31
T-1493-395	2-phenyl-quinolin-4-yl, 6,8-Cl2, N-morpholino	C21H20Cl2N2O2	c1cccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN4COCOC4)c2	3.39	403.31
T-1493-390	2-phenyl-quinolin-4-yl, 6-F, 4'-Me; 2-Pip	C21H20F2N2O	c1cc(F)ccc1c2nc3ccc(F)cc3c(C(O)C4CCCCN4)c2	3.34	354.40
T-1493-391	2-phenyl-quinolin-4-yl, 7,4'-F2; 2-Pip	C21H20F2N2O	c1cc(F)ccc1c2nc3cc(F)ccc3c(C(O)C4CCCCN4)c2	3.34	354.40
T-1493-018	phenanthrene-9-yl, 2-CF3; 2-Pip	C21H20F3NO	c1c(C(F)(F)F)ccc2c3ccccc3c(C(O)C4CCCCN4)cc12	3.81	359.39
T-1493-104	phenanthrene-9-yl, 5-CF3; 2-Pip	C21H20F3NO	c1cccc2c3c(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.81	359.39
T-1493-118	phenanthrene-9-yl, 4-CF3; 2-Pip	C21H20F3NO	c1ccc(C(F)(F)F)c2c3ccccc3c(C(O)C4CCCCN4)cc12	3.81	359.39
T-1493-141	phenanthrene-9-yl, 3-CF3; 2-Pip	C21H20F3NO	c1cc(C(F)(F)F)cc2c3ccccc3c(C(O)C4CCCCN4)cc12	3.81	359.39
T-1493-144	phenanthrene-9-yl, 6-CF3; 2-Pip	C21H20F3NO	c1cccc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.81	359.39
T-1493-152	phenanthrene-9-yl, 3-SO2Me, 6-CF3; 2-Pip	C21H20F3NO	c1cccc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.81	359.39
T-1493-161	phenanthrene-9-yl, 7-CF3; 2-Pip	C21H20F3NO	c1cccc2c3ccc(C(F)(F)F)cc3c(C(O)C4CCCCN4)cc12	3.81	359.39
T-5353-013	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-013	C21H20N6	c1cnccc1c2cc(c3ccccc3)nc(n2)NCCn4ccnc4	1.57	356.43

T-1493-264	2-phenyl-quinolin-4-yl, 7-Cl; 2-Pip-6-Me	C21H21ClN2	c1cccc1c2nc3cc(Cl)c(C)cc3c(C4CCCCN4)c2	3.52	336.87
T-1493-221	2-phenyl-quinolin-4-yl, 8-CF3, 4'-Cl; 2-Pip	C21H21ClN2O	c1cc(Cl)ccc1c2nc3ccccc3c(C(O)C4CCCCN4)c2	3.47	352.87
T-1493-358	2-phenyl-quinolin-4-yl, 7-Cl; 2-Pip	C21H21ClN2O	c1cccc1c2nc3cc(Cl)ccc3c(C(O)C4CCCCN4)c2	3.47	352.87
T-1493-362	2-phenyl-quinolin-4-yl, 8-Cl; 2-Pip	C21H21ClN2O	c1cccc1c2nc3c(Cl)ccc3c(C(O)C4CCCCN4)c2	3.47	352.87
T-5305-014	WR 006006	C21H21ClN2O	Clc1cccc2c(C(O)C3CCCCN3)cc(c5ccccc5)nc12	3.47	352.87
T-1493-371	2-phenoxy-quinolin-4-yl, 4'-Cl; 2-Pip	C21H21ClN2O2	n1c(Oc3ccc(Cl)cc3)cc(C(O)C4CCCCN4)c2cccc12	3.36	368.86
T-1493-083	phenanthrene-9-yl, 3,6-Cl2; CH2-2-Pip	C21H21Cl2NO	c1cc(Cl)cc2c3cc(Cl)ccc3c(C(O)CC4CCCCN4)cc12	4.79	374.31
T-1493-247	2-phenyl-quinolin-4-yl, 6,8-Cl2, 4'-Cl; N(Me)-i-Pr	C21H21Cl3N2O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN(C)C(C)C)c2	3.43	423.77
T-1493-638	2-phenyl-quinolin-3-yl, 6,8,4'-Cl3; N(Et)2	C21H21Cl3N2O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3cc2(C(O)CN(CC)CC)	3.41	423.77
T-1493-393	2-phenyl-quinolin-4-yl, -; 2-pyrrolidone	C21H21N3O	c1cccc1c2nc3ccccc3c(C(O)CN=C4NCCC4)c2	3.33	331.42
T-1493-139	phenanthrene-9-yl, 6-Br; 2-Pip-NMe	C21H22BrNO	c1cccc2c3cc(Br)ccc3c(C(O)C4CCCCN4C)cc12	4.69	384.32
T-1493-216	phenanthrene-9-yl, 6-Br; N(CH2)5	C21H22BrNO	c1cccc2c3cc(Br)ccc3c(C(O)CN4CCCCC4)cc12	4.77	384.32
T-1493-189	phenanthrene-9-yl, 2-Cl; N-Pip	C21H22ClNO	c1c(Cl)ccc2c3ccccc3c(C(O)CN4CCCCC4)cc12	4.84	339.87
T-3957-005	MKT-077	C21H22ClN3OS2	c1cccc2N(C)C(Sc12)=C3S/C(N(CC)C3=O)=C\c4ccc[n+][4CC].[Cl-]	4.25	432.01
T-1493-642	2-phenyl-quinolin-3-yl, 7,4'-Cl2; N(Et)2	C21H22Cl2N2O	c1cc(Cl)ccc1c2nc3cc(Cl)ccc3cc2(C(O)CN(CC)CC)	3.42	389.33
T-1493-645	2-phenyl-quinolin-8-yl, 6,4'-Cl2; N(Et)2	C21H22Cl2N2O	c1cc(Cl)ccc1c2nc3c(C(O)CN(CC)CC)cc(Cl)cc3cc2	3.42	389.33
T-1493-233	2-phenyl-quinolin-4-yl, 8-CF3, 4'-Me; 2-Pip	C21H22N2O	c1cccc1c2nc3ccccc3c(C(O)C4CCCCN4)c2	3.53	318.42
T-1493-239	2-phenyl-quinolin-4-yl, 8-CF3, 4'-OMe; 2-Pip	C21H22N2O	c1cccc1c2nc3ccccc3c(C(O)C4CCCCN4)c2	3.53	318.42
T-1493-348	2-phenyl-quinolin-4-yl, 6,8,4'-Me3; 2-Pip	C21H22N2O	c1cccc1c2nc3ccccc3c(C(O)C4CCCCN4)c2	3.53	318.42
T-1493-379	2-phenyl-quinolin-4-yl, 4'-OMe; 2-Pip	C21H22N2O	c1cccc1c2nc3ccccc3c(C(O)C4CCCCN4)c2	3.53	318.42
T-1493-385	2-phenyl-quinolin-4-yl, 6,4'-Me2; 2-Pip	C21H22N2O	c1cccc1c2nc3ccccc3c(C(O)C4CCCCN4)c2	3.53	318.42
T-1493-387	2-phenyl-quinolin-4-yl, 4'-Me; 2-Pip	C21H22N2O	c1cccc1c2nc3ccccc3c(C(O)C4CCCCN4)c2	3.53	318.42
T-1493-388	2-phenyl-quinolin-4-yl, -; 2-Pip	C21H22N2O	c1cccc1c2nc3ccccc3c(C(O)C4CCCCN4)c2	3.53	318.42
T-1493-394	2-phenyl-quinolin-4-yl, 3',5'-Me2; 2-Pip	C21H22N2O	c1cccc1c2nc3ccccc3c(C(O)C4CCCCN4)c2	3.53	318.42
T-1493-155	phenanthrene-9-yl, 2-Br; 2 Pip	C21H23BrN2O	c1c(Br)ccc2c3ccccc3c(C(O)CNC4CCCCN4)cc12	4.01	399.34
T-1493-178	phenanthrene-9-yl, 6-Me; 2-Pip	C21H23NO	c1cccc2c3cc(C)ccc3c(C(O)C4CCCCN4)cc12	4.50	305.42
T-1493-592	anthracene-9-yl, 10-Cl; CH2-NH-Bu	C21H24ClNO	c1cccc2c(C(O)CCNCCCC)c3ccccc3c(Cl)c12	4.82	341.88
T-1493-433	2-phenyl-quinolin-4-yl, 6,8-Cl2; 2-Pip	C21H24Cl2N2O	c1cccc1C2Nc3c(Cl)cc(Cl)cc3C(C(O)C4CCCCN4)C2	4.72	391.34
151096-09-2	moxifloxacin	C21H24FN3O4	COc1c(N4C[C@]5([H])CCCN[C@]5([H])C4)c(F)cc2C(=O)C(C(=O)O)=CN(C3CC3)c12	2.69	401.44
T-1493-566	monothiophene deriv. (III); 3-CF3; N(Pr)2	C21H24F3NOS	c1cc(C(F)(F)F)cc2c3ccsc3c(C(O)CN(CCC)CCC)cc12	3.77	395.49
T-1493-356	2-phenyl-quinolin-4-yl, 6,8,4'-Me3; N(Et)2	C21H24N2O	c1cccc1c2nc3ccccc3c(C(O)CN(CC)CC)c2	3.51	320.44
T-1493-341	2-(thien-2-yl)-quinolin-1-yl, 5'-Br; N(CH2)6	C21H24N2OS	s1(cccc1c2nc3ccccc3c(C(O)CN4CCCCC4)c2	3.00	352.50

T-1493-313	2-trifluoromethyl-quinolin-4-yl, 2,8-(CF <sub>3</sub> ) <sub>2</sub> ; N(Bu) <sub>2</sub>	C21H26F6N2O	n1c(C(F)(F)F)cc(C(O)CN(CCCC)CCCC)c2cccc(C(F)(F)F)c12	3.24	436.44
223661-25-4	bulaquine	C21H27N3O3	C1COC(=O)/C1=C(C)NCCC[C@@H](C)Nc2cc(OC)cc3cccnc23	3.05	369.47
T-5359-006	antimalarial cpd.; T-5359-006	C21H28N4O	c1ncccc1C(=O)NCCCNC3CCN(CC3)Cc4cccc4	4.28	352.48
T-1493-010	phenanthrene-9-yl, 2,4-(CF <sub>3</sub> ) <sub>2</sub> , 6,7-Cl <sub>2</sub> ; 2-Pip	C22H17Cl <sub>2</sub> F <sub>6</sub> NO	c1c(C(F)(F)F)cc(C(F)(F)F)c2c3cc(Cl)c(Cl)cc3c(C(O)C4CCCCN4)cc12	3.62	496.28
T-1493-002	phenanthrene-9-yl, 2,4-(CF <sub>3</sub> ) <sub>2</sub> , 7-Cl; 2-Pip	C22H18ClF <sub>6</sub> NO	c1c(C(F)(F)F)cc(C(F)(F)F)c2c3ccc(Cl)cc3c(C(O)C4CCCCN4)cc12	3.63	461.83
T-1493-006	phenanthrene-9-yl, 2,4-(CF <sub>3</sub> ) <sub>2</sub> , 6-Cl; 2-Pip	C22H18ClF <sub>6</sub> NO	c1c(C(F)(F)F)cc(C(F)(F)F)c2c3cc(Cl)ccc3c(C(O)C4CCCCN4)cc12	3.63	461.83
T-5307-003	floxacin-type comp.; T-5307-003	C22H18F <sub>3</sub> N <sub>3</sub> O <sub>4</sub>	C1[C@]2([H])[C@@H](N)[C@]2([H])CN1c3c(F)cc4C(=O)C(C(=O)O)=CN(c5c(F)cc(F)cc5)c4c3OC	2.81	445.40
T-1493-069	phenanthrene-9-yl, 3,6-(CF <sub>3</sub> ) <sub>2</sub> ; 2-Pip	C22H19F <sub>6</sub> NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCN4)cc12	3.64	427.39
T-1493-082	phenanthrene-9-yl, 3,6-(CF <sub>3</sub> ) <sub>2</sub> ; 3-Pip	C22H19F <sub>6</sub> NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCN4)cc12	3.63	427.39
T-1493-090	phenanthrene-9-yl, 2,6-(CF <sub>3</sub> ) <sub>2</sub> ; 2-Pip	C22H19F <sub>6</sub> NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCN4)cc12	3.64	427.39
T-1493-128	phenanthrene-9-yl, 4,6-(CF <sub>3</sub> ) <sub>2</sub> ; 2-Pip	C22H19F <sub>6</sub> NO	c1ccc(C(F)(F)F)c2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCN4)cc12	3.64	427.39
T-1493-232	2-phenyl-quinolin-4-yl, 6,8-Cl <sub>2</sub> , 4'-Cl; 2-Pip	C22H <sub>21</sub> Cl <sub>3</sub> N <sub>2</sub> O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CC4CCCCN4)c2	3.43	435.78
T-1493-263	2-phenyl-quinolin-4-yl, 6,8,4'-Cl <sub>3</sub> ; NH-(c-pent)	C22H <sub>21</sub> Cl <sub>3</sub> N <sub>2</sub> O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CNC4CCCC4)c2	3.43	435.78
T-1493-265	2-phenyl-quinolin-4-yl, 6,8,4'-Cl <sub>3</sub> ; N-Pip	C22H <sub>21</sub> Cl <sub>3</sub> N <sub>2</sub> O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN5CCCC5)c2	3.40	435.78
T-1493-252	2-phenyl-quinolin-4-yl, 8-CF <sub>3</sub> ; 2-Pip	C22H <sub>21</sub> F <sub>3</sub> N <sub>2</sub> O	c1cccc1c2nc3c(C(F)(F)F)ccc3c(C(O)C4CCCCN4)c2	3.13	386.42
T-5305-018	WR 062175	C22H <sub>21</sub> F <sub>3</sub> N <sub>2</sub> O	FC(F)(F)c1cccc2c(C(O)C3CCCCN3)cc(c5cccc5)n c12	3.13	386.42
T-1493-055	phenanthrene-9-yl, 3,6-(CF <sub>3</sub> ) <sub>2</sub> ; NH-Bu	C22H <sub>21</sub> F <sub>6</sub> NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CNCCC)cc12	3.64	429.40
T-1493-081	phenanthrene-9-yl, 3,6-(CF <sub>3</sub> ) <sub>2</sub> ; CH <sub>2</sub> -NH-(i-Pr)	C22H <sub>21</sub> F <sub>6</sub> NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CCNC(C)C)cc12	3.65	429.40
T-1493-007	phenanthrene-9-yl, 1,3-Cl <sub>2</sub> , 6-CF <sub>3</sub> ; CH <sub>2</sub> -NH-Bu	C22H <sub>22</sub> Cl <sub>2</sub> F <sub>3</sub> N <sub>2</sub> O	c1(Cl)cc(Cl)cc2c3cc(C(F)(F)F)ccc3c(C(O)CCNCCC)cc12	3.80	444.32
T-1493-288	2-phenyl-quinolin-4-yl, 6,8-Cl <sub>2</sub> ; N-Pip	C22H <sub>22</sub> Cl <sub>2</sub> N <sub>2</sub> O	c1cccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN5CCCC5)c2	3.41	401.34
T-1493-365	2-phenyl-quinolin-4-yl, 6,8-Cl <sub>2</sub> ; NH-(c-pent)	C22H <sub>22</sub> Cl <sub>2</sub> N <sub>2</sub> O	c1cccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CNC4CCCC4)c2	3.44	401.34
T-1493-447	2,6-diphenylpyrid-4-yl, 4',4''-Cl <sub>2</sub> ; NH-Pr	C22H <sub>22</sub> Cl <sub>2</sub> N <sub>2</sub> O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CNCCC)c2	3.58	401.34
T-1493-244	2-phenyl-quinolin-4-yl, 6,8,4'-Cl <sub>3</sub> ; 4-Me-piperazine	C22H <sub>22</sub> Cl <sub>3</sub> N <sub>3</sub> O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN4CCN(C)CC4)c2	3.45	450.80
T-1493-382	2-phenyl-quinolin-4-yl, 7-F, 4'-F; N-Pip	C22H <sub>22</sub> F <sub>2</sub> N <sub>2</sub> O	c1cc(F)ccc1c2nc3cc(F)ccc3c(C(O)CN5CCCC5)c2	3.39	368.43
T-1493-164	phenanthrene-9-yl, 3-CF <sub>3</sub> , 6-Me; 2-Pip	C22H <sub>22</sub> F <sub>3</sub> N <sub>2</sub> O	c1cc(C(F)(F)F)cc2c3cc(C)ccc3c(C(O)C4CCCCN4)c c12	3.80	373.42
T-1493-165	phenanthrene-9-yl, 3-Me, 6-CF <sub>3</sub> ; 2-Pip	C22H <sub>22</sub> F <sub>3</sub> N <sub>2</sub> O	c1cc(C)cc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)c c12	3.80	373.42
T-5353-014	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-014	C22H <sub>22</sub> N <sub>6</sub>	c1cnccc1c2cc(c3ccc(C)cc3)nc(n2)NCCCN4ccnc4	1.57	370.46
T-5353-017	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-017	C22H <sub>22</sub> N <sub>6</sub> O	c1cnccc1c2cc(c3ccc(OC)cc3)nc(n2)NCCCN4ccnc4	1.57	386.46
T-5353-015	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-015	C22H <sub>22</sub> N <sub>6</sub> S	c1cnccc1c2cc(c3ccc(SC)cc3)nc(n2)NCCCN4ccnc4	1.56	402.52
T-1493-590	anthracene-9-yl, 3-CF <sub>3</sub> , 10-Cl; CH <sub>2</sub> -NH-Bu	C22H <sub>23</sub> ClF <sub>3</sub> N <sub>2</sub> O	c1c(C(F)(F)F)ccc2c(C(O)CCNCCC)c3cccc3c(Cl) c12	3.83	409.88
T-1493-253	2-phenyl-quinolin-4-yl, 8-Me, 4'-Cl; 2-Pip	C22H <sub>23</sub> ClN <sub>2</sub> O	c1cc(Cl)ccc1c2nc3c(C)ccc3c(C(O)C4CCCCN4)c2	3.48	366.89
T-1493-361	2-phenyl-quinolin-4-yl, 6-Cl; 2-Pip-NMe	C22H <sub>23</sub> ClN <sub>2</sub> O	c1cccc1c2nc3ccc(Cl)cc3c(C(O)C4CCCCN4C)c2	3.45	366.89

T-5305-005	WR 073892	C22H23ClN2O	Cc1cccc2c(C(O)C3CCCCN3)cc(c5ccc(Cl)cc5)nc12	3.48	366.89
T-1493-145	phenanthrene-9-yl, 3,6-Cl2; NH(c-C6H11)	C22H23Cl2NO	c1cc(Cl)cc2c3cc(Cl)ccc3c(C(O)CNC4CCCC4)cc12	4.69	388.34
T-1493-536	3-phenylnaphth-1-yl, 6,4'-Cl2; NH-Bu	C22H23Cl2NO	c1(C(O)CNCCCC)cc(c3ccc(Cl)cc3)cc2cc(Cl)ccc12	5.32	388.34
T-1493-364	2-phenyl-quinolin-4-yl, 7,4'-Cl2; 4-Me-piperazine	C22H23Cl2N3O	c1cc(Cl)ccc1c2nc3cc(Cl)ccc3c(C(O)CN4CCN(C)C4)c2	3.43	416.35
T-1493-381	2-phenyl-quinolin-4-yl, 6,8-Cl2; 4-Me-piperazine	C22H23Cl2N3O	c1cccc1c2nc3c(Cl)cc(Cl)ccc3c(C(O)CN4CCN(C)C4)c2	3.43	416.35
T-1493-248	2-phenyl-quinolin-4-yl, 8-Me, 4'-F; 2-Pip	C22H23FN2O	c1cc(F)ccc1c2nc3c(C)cccc3c(C(O)C4CCCCN4)c2	3.46	350.44
T-1493-392	2-phenyl-quinolin-4-yl, 7,4'-F2; 4-Me-piperazine	C22H23F2N3O	c1cc(F)ccc1c2nc3cc(F)ccc3c(C(O)CN4CCN(C)CC4)c2	3.36	383.44
T-1493-147	phenanthrene-9-yl, 6-OCF3; 2-Pip	C22H23F3N2O2	c1cccc2c3cc(OC(F)(F)F)ccc3c(C(O)CNC4CCCCN4)cc12	3.80	404.43
T-1493-534	3-phenylnaphth-1-yl, 4'-Cl; N(Et)2	C22H24ClNO	c1(C(O)CN(CC)CC)cc(c3ccc(Cl)cc3)cc2cccc12	4.99	353.89
T-5353-032	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-032	C22H24ClN5O	c1cnc1c2cc(c3ccc(Cl)cc3)nc(n2)NCCCN4CCOC4	2.69	409.92
T-1493-240	2-phenyl-quinolin-4-yl, 6-OMe, 7,4'-Cl2; NH-Bu	C22H24Cl2N2O2	c1cc(Cl)ccc1c2nc3cc(Cl)c(OC)cc3c(C(O)CNCCCC)c2	3.40	419.35
T-1493-276	2-phenyl-quinolin-4-yl, 7-OMe, 3,4'-Cl2; N(Et)2	C22H24Cl2N2O2	c1cc(Cl)ccc1c2nc3cc(OC)ccc3c(C(O)CN(CC)CC)c2(Cl)	3.40	419.35
T-1493-291	2-phenyl-quinolin-4-yl, 6-OMe, 3',4'-Cl2; N(Et)2	C22H24Cl2N2O2	c1c(Cl)c(Cl)ccc1c2nc3ccc(OC)cc3c(C(O)CN(CC)C)c2	3.40	419.35
T-1493-040	phenanthrene-9-yl, 1,3,6-Cl3; N(Pr)2	C22H24Cl3NO	c1(Cl)cc(Cl)cc2c3cc(Cl)ccc3c(C(O)CN(CCC)CCC)c12	4.91	424.80
T-5305-008	WR 007552	C22H24N2O	c1cccc1c2nc3c(C)cccc3c(C(O)C4CCCCN4)c2	3.51	332.45
T-1493-267	2-phenyl-quinolin-4-yl, 8-Me; 2-Pip	C22H24N2O	c1cccc1c2nc3c(C)cccc3c(C(O)C4CCCCN4)c2	3.51	332.45
T-1493-287	2-phenyl-quinolin-4-yl, 8-Me, 4'-OMe; 2-Pip	C22H24N2O	c1cccc1c2nc3ccc(C)cc3c(C(O)C4CCCCN4)c2	3.51	332.45
T-1493-350	2-phenyl-quinolin-4-yl, 6-Me, 4'-OMe; 2-Pip	C22H24N2O	Cc1cccc2c(C(O)C3CCCCN3)cc(c5cccc5)nc12	3.51	332.45
T-1493-419	2-phenoxy-quinolin-4-yl, 6-Me, 4'-Me; 2-Pip	C22H24N2O2	n1c(Oc3cccc3)cc(C(O)C4CCCCN4)c2cc(C)ccc12	3.36	348.45
T-1493-028	phenanthrene-9-yl, 2,6-Br2; N(Pr)2	C22H25Br2NO	c1c(Br)ccc2c3cc(Br)ccc3c(C(O)CN(CCC)CCC)cc12	4.59	479.27
T-1493-073	phenanthrene-9-yl, 3,6-Br2; N(Pr)2	C22H25Br2NO	c1cc(Br)cc2c3cc(Br)ccc3c(C(O)CN(CCC)CCC)cc12	4.59	479.27
T-1493-304	2-phenyl-quinolin-4-yl, 6-OMe, 7-Cl, 4'-OMe; N(Et)2	C22H25ClN2O2	c1cccc1c2nc3cc(Cl)c(OC)cc3c(C(O)CN(CC)CC)c2	3.39	384.91
T-1493-061	phenanthrene-9-yl, 2,6-Cl2; N(Pr)2	C22H25Cl2NO	c1c(Cl)ccc2c3cc(Cl)ccc3c(C(O)CN(CCC)CCC)cc12	4.75	390.35
T-5353-024	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-024	C22H25N5O	c1cnc1c2cc(c3cccc3)nc(n2)NCCCN4CCOCC4	2.64	375.48
T-1493-617	phenanthrene-1-yl, 7-Cl; N(Pr)2	C22H26ClNO	c1(C(O)CN(CCC)CCC)cccc2c3cccc3c(Cl)cc12	4.69	355.91
T-1493-507	monothiophene deriv (III).; 1,3,6-Cl3; N(Bu)2	C22H26Cl3NOS	c1(Cl)cc(Cl)cc2c3cc(Cl)sc3c(C(O)CN(CCCC)CCC)cc12	4.63	458.88
T-1493-499	2-phenyl-6-trifluoromethylpyrid-4-yl, 2-CF3, 4'-CF3; NH-(4-Hept)	C22H26F6N2O	c1cc(C(F)(F)F)ccc1c2cc(C(O)CNC(CCC)CCC)cc(C(F)(F)F)n2	3.26	448.45
T-1493-383	2-phenyl-quinolin-4-yl, 6-OMe; N(Et)2	C22H26N2O2	c1cccc1c2nc3ccc(OC)cc3c(C(O)CN(CC)CC)c2	3.38	350.46
T-5187-095	bielschowskysin	C22H26O9	O=C1O[C@H]2C[C@](C)(O)[C@@]3([H])[C@]46C=C(C)[C@]5(O)(O4)[C@@]7([H])O[C@H](O)(C(=C)[C@]7([H])C[C@]@H)(OC(=O)C)C16(C23([H]))	0.24	434.44
T-1493-509	monothiophene deriv (III).; 3-Br, 6-Cl; N(Bu)2	C22H27BrClNOS	c1cc(Br)cc2c3cc(Cl)sc3c(C(O)CN(CCCC)CCC)cc12	3.91	468.89
T-1493-513	monothiophene deriv (III).; 1,3-Cl2; N(Bu)2	C22H27Cl2NOS	c1(Cl)cc(Cl)cc2c3ccc3c(C(O)CN(CCCC)CCC)cc12	3.98	424.43

T-1493-516	monothiophene deriv (II).; 1,3-Cl2; N(Bu)2	C22H27Cl2NOS	c1(Cl)cc(Cl)cc2c3sccc3c(C(O)CN(CCCC)CCCC)cc12	3.98	424.43
T-1493-519	monothiophene deriv (I).; 6-Br; N(Bu)2	C22H28BrNOS	c1csc2c3cc(Br)ccc3c(C(O)CN(CCCC)CCCC)cc12	3.82	434.45
T-1493-557	monothiophene deriv. (II); 3-Br; N(Bu)2	C22H28BrNOS	c1cc(Br)cc2c3sccc3c(C(O)CN(CCCC)CCCC)cc12	3.82	434.45
T-1493-636	4,9-diaza-phenanthren-1-yl, 4'-Cl; N(Bu)2	C22H28ClN3O	n1ccc(C(O)CN(CCCC)CCCC)c2cnc3cc(Cl)ccc3c12	2.40	385.94
T-1493-319	2-trifluoromethyl-quinolin-4-yl, 2,6-(CF3)2; CH2-N(Bu)2	C22H28F6N2O	n1c(C(F)(F)F)cc(C(O)CCN(CCCC)CCCC)c2cc(C(F)(F)F)ccc12	3.25	450.47
T-1493-569	monothiophene deriv. (III); 3-B; N(Bu)2	C22H29NOS	c1cccc2c3ccsc3c(C(O)CN(CCCC)CCCC)cc12	3.83	355.54
T-1493-574	monothiophene deriv. (III); -; N(Bu)2	C22H29NOS	c1cccc2c3ccsc3c(C(O)CN(CCCC)CCCC)cc12	3.83	355.54
T-1493-582	monothiophene deriv (I).; -; N(Bu)2	C22H29NOS	c1csc2c3cccc3c(C(O)CN(CCCC)CCCC)cc12	3.83	355.54
T-5359-008	antimalarial cpd.; T-5359-008	C22H29N3O	c1cccc1C(=O)NCCCNC3CCN(CC3)Cc4cccc4	1.97	351.49
T-1493-602	naphth-1-yl, 4-Br; N(Pent)2	C22H32BrNO	c1(C(O)CN(CCCCC)CCCC)ccc(Br)c2cccc12	3.89	406.41
T-5359-003	antimalarial cpd.; T-5359-003	C22H34N3O	c1cccc1Cc2ccc2(cc2)C(=O)NCCCNC3CCN(CC3)Cc4cccc4	2.35	356.53
T-4792-003	plakortide E	C22H36O4	CC/C=C/[C@H](CC)C/C(C)=C/[C@@]1(CC)C[C@@](CC)(/C=C/C(=O)OC)OO1	5.49	364.53
T-1493-013	phenanthrene-9-yl, 2,4,6-(CF3)3; 2-Pip	C23H18F9NO	c1c(C(F)(F)F)cc(C(F)(F)F)c2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.57	495.39
T-5307-004	floxacin-type comp.; T-5307-004	C23H20F3N3O4	C1[C@]2([H])[C@@H](CN)[C@]2([H])CN1c3c(F)cc4C(=O)C(C(=O)O)=CN(c5c(F)cc(F)cc5)c4c3OC	2.81	459.42
T-1493-456	2,6-diphenylpyrid-4-yl, 4',4''-(CF3)2; NH-Et	C23H20F6N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CNC)c2	3.32	454.41
T-5305-004	WR 157801	C23H20F6N2O	FC(F)(F)c1cccc2c(C(O)C3CCCCN3)cc(c5cc(C(F)(F)F)ccc5)nc12	3.27	454.41
T-1493-426	2-(thien-2-yl)-quinolin-1-yl, 5'-Br; N(Me)-CH2-C6H5	C23H21BrN2OS	s1(cccc1c2nc3cccc(Br)c3c(C(O)CN(C)Cc4cccc4)c2	4.08	453.41
T-1493-053	phenanthrene-9-yl, 3,6-(CF3)2; CH2-2-Pip	C23H21F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CC4CCCCN4)cc12	3.65	441.42
T-1493-208	phenanthrene-9-yl, 6-Br; NH-2-norbornyl	C23H22BrNO	c1cccc2c3cc(Br)ccc3c(C(O)CNC4CC5C=CC4C5)cc12	4.56	408.34
T-1493-454	2,6-diphenylpyrid-4-yl, 4',4''-Cl2; 2-Pip	C23H22Cl2N2O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)C4CCCCN4)c2	3.59	413.35
T-1493-464	2,6-diphenylpyrid-4-yl, 4',4''-Cl2; 2-Pip	C23H22Cl2N2O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)C4CCCCN4)c2	3.59	413.35
T-1493-538	3-phenylnaphth-1-yl, 6,3',4'-Cl3, 7-OMe; 2-Pip	C23H22Cl3NO2	c1(C(O)C4CCCCN4)cc(c3cc(Cl)c(Cl)cc3)cc2cc(Cl)c(OC)cc12	5.75	450.79
T-1493-478	2,6-diphenylpyrid-4-yl, 3',4',3'',4''-Cl4; N(Et)2	C23H22Cl4N2O	c1c(Cl)c(Cl)ccc1c2nc(c3cc(Cl)c(Cl)cc3)cc(C(O)CN(CC)CC)c2	3.62	484.25
T-1493-541	3-phenylnaphth-1-yl, 6-Cl, 7-OMe, 4'-Cl; 2-Pip	C23H23Cl2NO2	c1(C(O)C4CCCCN4)cc(c3ccc(Cl)cc3)cc2cc(Cl)c(O)C)cc12	5.31	416.35
T-1493-004	phenanthrene-9-yl, 3,6-(CF3)2; CH2-NH-Bu	C23H23F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CCNC(C)C)cc12	3.66	443.43
T-1493-005	phenanthrene-9-yl, 3,6-(CF3)2; CH2-NH-(t-Bu)	C23H23F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CCNC(C)C)cc12	3.65	443.43
T-1493-037	phenanthrene-9-yl, 3,6-(CF3)2; NH-(3-Pent)	C23H23F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CNC(CC)CC)cc12	3.66	443.43
T-1493-050	phenanthrene-9-yl, 3,6-(CF3)2; CH2-N(Et)2	C23H23F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CCN(CC)CC)cc12	3.63	443.43
T-1493-476	2,6-diphenylpyrid-4-yl, 4',4''-Br2; N(Et)2	C23H24Br2N2O	c1cc(Br)ccc1c2nc(c3ccc(Br)cc3)cc(C(O)CN(CC)CC)cc12	3.57	504.28
T-1493-024	phenanthrene-9-yl, 3-CF3, 6,7-Cl2; N(Pr)2	C23H24Cl2F3NO	c1cc(C(F)(F)F)cc2c3cc(Cl)c(Cl)cc3c(C(O)CN(CCC)CC)cc12	3.83	458.35
T-1493-065	phenanthrene-9-yl, 3,4-Cl1, 6-CF3; N(Pr)2	C23H24Cl2F3NO	c1cc(Cl)c(Cl)c2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCC)CC)cc12	3.83	458.35
T-1493-181	phenanthrene-9-yl, 3,6-Cl2; quinuclidine	C23H24Cl2NO	c1cc(Cl)cc2c3cc(Cl)ccc3c(C(O)CN45CCC(CC4)CC5)cc12	4.67	401.36

T-1493-471	2,6-diphenylpyrid-4-yl, 4',4''-Cl2; quinuclidine	C23H24Cl2NO	c1cc(Cl)cc2c3cc(Cl)ccc3c(C(O)CN45CCC(CC4)CC5)cc12	4.67	401.36
T-1493-446	2,6-diphenylpyrid-4-yl, 4',4''-Cl2; NH(2-Bu)	C23H24Cl2N2O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CNC(C)CC)c2	3.61	415.36
T-1493-463	2,6-diphenylpyrid-4-yl, 4',4''-Cl2; NH-Bu	C23H24Cl2N2O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CNCCCC)c2	3.60	415.36
T-1493-472	2,6-diphenylpyrid-4-yl, 4',4''-Cl2; N(Et)2	C23H24Cl2N2O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CN(CC)CC)c2	3.54	415.36
T-1493-157	phenanthrene-9-yl, 1,3-Me2, 6-CF3; 2-Pip	C23H24F3NO	c1(C)cc(C)cc2c3cc(C(F)(F)F)ccc3c(C(O)C4CCCCN4)cc12	3.80	387.45
T-5353-016	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-016	C23H24N6	c1cnccc1c2cc(c3cc(C)c(C)cc3)nc(n2)NCCCN4ccnc4	1.57	384.49
T-5353-018	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-018	C23H24N6O2	c1cnccc1c2cc(c3c(OC)ccc(OC)c3)nc(n2)NCCCN4ccnc4	1.57	416.49
T-1493-227	2-phenyl-quinolin-4-yl, 6,8-Me2, 4'-Cl; 2-Pip	C23H25ClN2O	c1cc(Cl)ccc1c2nc3c(C)cc(C)cc3c(C(O)C4CCCCN4)c2	3.49	380.92
T-5305-017	WR 073898	C23H25ClN2O	Cc1cc(C)cc2c(C(O)C3CCCCN3)cc(c5ccc(Cl)cc5)nc12	3.49	380.92
T-1493-370	2-phenoxy-quinolin-4-yl, 6,8-Me2, 4'-Cl; 2-Pip	C23H25ClN2O2	n1c(Oc3ccc(Cl)cc3)cc(C(O)C4CCCCN4)c2cc(C)cc(C)c12	3.36	396.92
T-5305-013	WR 122950	C23H25ClN2O2	Cc1cc(C)cc2c(C(O)C3CCCCN3)cc(Oc5ccc(Cl)cc5)nc12	3.36	396.92
T-1493-373	2-(N-phenyl)amino-quinolin-4-yl, 6,4'-Cl2; 2-Pip	C23H25Cl2N3O2	n1c(C(O)CNc3ccc(Cl)cc3)cc(C(O)C4CCCCN4)c2cc(Cl)ccc12	4.20	446.38
T-1493-043	phenanthrene-9-yl, 2,3,5,7-Cl4; N(Bu)2	C23H25Cl4NO	c1c(Cl)c(Cl)cc2c3c(Cl)cc(Cl)cc3c(C(O)CN(CCC)CC)cc12	5.42	473.27
T-1493-258	2-phenyl-quinolin-4-yl, 6,8-Me2, 4'-F; 2-Pip	C23H25FN2O	c1cc(F)ccc1c2nc3c(C)cc(C)cc3c(C(O)C4CCCCN4)c2	3.45	364.46
T-1493-374	2-(N-phenyl)amino-quinolin-4-yl, 4'-Cl; 2-Pip	C23H26ClN3O2	n1c(C(O)CNc3ccc(Cl)cc3)cc(C(O)C4CCCCN4)c2ccc12	4.10	411.93
T-1493-298	2-phenyl-quinolin-4-yl, 7,4'-Cl2, 8-Me; N(i-pent)2	C23H26Cl2N2O	c1cc(Cl)ccc1c2nc3c(C)c(Cl)ccc3c(C(O)CNCCC(C)C)c2	3.53	417.38
T-1493-368	2-phenyl-quinolin-4-yl, 6 Me; 2-Pip	C23H26N2O	c1cccc1c2nc3ccc(C)cc3c(C(O)CN4CCCCC4)c2	3.50	346.47
T-1493-506	monothiophene deriv (III).; 3-CF3, 6-Cl; N(Bu)2	C23H27ClF3NOS	c1cc(C(F)(F)F)cc2c3cc(Cl)sc3c(C(O)CN(CCCC)CC)cc12	3.77	457.99
T-1493-294	2-phenyl-quinolin-4-yl, 6-Cl, 3',4'-(OMe)2; N(Et)2	C23H27ClN2O3	c1c(OC)c(OC)ccc1c2nc3ccc(Cl)cc3c(C(O)CN(CC)CC)c2	3.04	414.93
T-1493-354	2-phenyl-quinolin-4-yl, 7-Cl, 3',4'-(OMe)2; N(Et)2	C23H27ClN2O3	c1c(OC)c(OC)ccc1c2nc3cc(Cl)ccc3c(C(O)CN(CC)CC)c2	3.04	414.93
T-1493-550	fluorenon-1-yl, 3,6-Cl2; N(Bu)2	C23H27Cl2NO2	c1(C(O)CN(CCCC)CCCC)cc(Cl)cc2C(=O)c3cc(Cl)ccc3c12	3.91	420.38
T-5353-025	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-025	C23H27N5O	c1cnccc1c2cc(c3ccc(C)cc3)nc(n2)NCCCN4CCOCC4	2.78	389.50
T-5353-028	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-028	C23H27N5O2	c1cnccc1c2cc(c3ccc(OC)cc3)nc(n2)NCCCN4CCOCC4	2.69	405.50
T-5353-026	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-026	C23H27N5OS	c1cnccc1c2cc(c3ccc(SC)cc3)nc(n2)NCCCN4CCOCC4	2.30	421.57
T-1493-547	6-aza-phenanthrene-9-yl, 1,3-Cl2; N(Bu)2	C23H28Cl2N2O	c1(Cl)cc(Cl)cc2c3cnccc3c(C(O)CN(CCCC)CCCC)c12	3.47	419.40
T-1493-629	2-aza-phenanthrene-9-yl, 5,7-Cl2; N(Bu)2	C23H28Cl2N2O	c1nccc2c3c(Cl)cc(Cl)cc3c(C(O)CN(CCCC)CCCC)c12	3.47	419.40
T-1493-630	3-aza-phenanthrene-9-yl, 5,7-Cl2; N(Bu)2	C23H28Cl2N2O	c1cncc2c3c(Cl)cc(Cl)cc3c(C(O)CN(CCCC)CCCC)c12	3.47	419.40
T-1493-517	monothiophene deriv (II).; 3-CF3; N(Bu)2	C23H28F3NOS	c1cc(C(F)(F)F)cc2c3sccc3c(C(O)CN(CCCC)CCCC)cc12	3.77	423.54
T-1493-518	monothiophene deriv (I).; 6-CF3; N(Bu)2	C23H28F3NOS	c1csc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCC)CCCC)cc12	3.77	423.54
T-1493-555	monothiophene deriv. (III); 3-CF3; N(Bu)2	C23H28F3NOS	c1cc(C(F)(F)F)cc2c3ccsc3c(C(O)CN(CCCC)CCCC)cc12	3.77	423.54
T-1493-501	2-phenyl-6-trifluoromethylpyrid-4-yl, 2-CF3, 4''-CF3; N(Bu)2	C23H28F6N2O	c1cc(C(F)(F)F)ccc1c2cc(C(O)CN(CCCC)CCCC)cc(C(F)(F)F)n2	3.21	462.48

T-1493-127	2-phenyl-6-trifluoromethylpyrid-4-yl, 3,6-(CF <sub>3</sub> ) <sub>2</sub> ; NH-(CH <sub>2</sub> ) <sub>3</sub> -CH(OEt) <sub>2</sub>	C23H28F6N2O3	c1cccc1c2c(C(F)(F)F)c(C(O)CNCCCC(OCC)OCC)cc(C(F)(F)F)n2	3.50	494.48
T-1493-549	fluoren-1-yl, 3,6-Cl <sub>2</sub> ; N(Bu) <sub>2</sub>	C23H29Cl <sub>2</sub> NO	c1(C(O)CN(CCCC)CCCC)cc(Cl)cc2Cc3cc(Cl)ccc3c12	5.09	406.40
T-1493-511	monothiophene deriv. (III).; 1,3-C <sub>2</sub> , 6-Me; N(Bu) <sub>2</sub>	C23H29Cl <sub>2</sub> NOS	c1(Cl)cc(Cl)cc2c3cc(C)sc3c(C(O)CN(CCCC)CCCC)cc12	3.95	438.46
T-1493-573	monothiophene deriv. (III); 3-Br, 6-Me; N(Bu) <sub>2</sub>	C23H30BrNOS	c1cc(Br)cc2c3cc(C)sc3c(C(O)CN(CCCC)CCCC)cc12	3.80	448.47
T-1493-340	2-(thien-2-yl)-quinolin-1-yl, 5'-Br; N(Bu) <sub>2</sub>	C23H30N <sub>2</sub> OS	s1(cccc1c2nc3cccc3c(C(O)CN(CCCC)CCCC)c2	3.12	382.57
T-3238-005	artemisinin deriv.; T-3238-005	C23H30O <sub>7</sub>	[H][C@]12OC3(C)CC[C@]4([H])C(C)CCC(C24O3)[C@@H](C)[C@H](OCc5ccc(cc5)C(=O)O)O1	4.08	418.49
T-5359-005	antimalarial cpd.; T-5359-005	C23H31N <sub>3</sub> O <sub>2</sub>	c1cccc1OCC(=O)NCCCNC3CCN(CC3)Cc4cccc4	4.48	381.52
T-5359-007	antimalarial cpd.; T-5359-007	C23H31N <sub>3</sub> O <sub>3</sub> S	c1cc(S(=O)(=O)C)ccc1C(=O)NCCCNC3CCN(CC3)Cc4cccc4	0.90	429.58
T-1493-339	2-(tert-butyl)-quinolin-1-yl, 2-(t-Bu), 6-Cl; N(Bu) <sub>2</sub>	C23H35ClN <sub>2</sub> O	CC(C)(C)c2nc3cc(Cl)cc3c(C(O)CN(CCCC)CCCC)c2	3.63	391.00
T-1493-255	2-phenyl-quinolin-4-yl, 6,8,3',4'-Cl <sub>4</sub> ; NH-CH <sub>2</sub> -C <sub>6</sub> H <sub>5</sub>	C24H18Cl <sub>4</sub> N <sub>2</sub> O	c1c(Cl)c(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CNCc4cccc4)c2	5.78	492.23
T-1493-210	phenanthrene-9-yl, 6-Br; 2-(1,2,3,4-H <sub>4</sub> -quinoline)	C24H20BrNO	c1cccc2c3cc(Br)ccc3c(C(O)C5CCc4cccc4N5)cc12	5.65	418.34
T-1493-286	2-phenyl-quinolin-4-yl, 7,8-(CH=CH) <sub>2</sub> , 4'-Cl; 2-Pip	C24H21ClN <sub>2</sub>	c1cc(Cl)ccc1c2nc3c(cccc7)c7ccc3c(C4CCCCN4)c2	6.33	372.90
T-1493-302	2-phenyl-quinolin-4-yl, 7,8-(CH=CH) <sub>2</sub> , 2-Pip	C24H22N <sub>2</sub>	c1cccc1c2nc3c(cccc7)c7ccc3c(C4CCCCN4)c2	6.35	338.45
T-1493-001	phenanthrene-9-yl, 2,4-(CF <sub>3</sub> ) <sub>2</sub> , 6,7-Cl <sub>2</sub> ; N(Pr) <sub>2</sub>	C24H23Cl <sub>2</sub> F <sub>6</sub> NO	c1c(C(F)(F)F)cc(C(F)(F)F)c2c3cc(Cl)c(Cl)cc3c(C(O)CN(CCC)CCC)cc12	3.63	526.35
T-1493-249	2-phenyl-quinolin-4-yl, 3,2'-C <sub>2</sub> H <sub>4</sub> , 6,8,4'-Cl <sub>3</sub> ; N-Pip	C24H23Cl <sub>3</sub> N <sub>2</sub> O	c1cc(Cl)cc4c1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN5CCC(C)5)c2(CC4)	3.42	461.82
T-1493-260	2-phenyl-quinolin-4-yl, 3,2'-C <sub>2</sub> H <sub>4</sub> , 6,8,3'-Cl <sub>3</sub> ; N-Pip	C24H23Cl <sub>3</sub> N <sub>2</sub> O	c1c(Cl)ccc4c1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN5CCC(C)5)c2(CC4)	3.42	461.82
T-1493-108	phenanthrene-9-yl, 3,6-(CF <sub>3</sub> ) <sub>2</sub> ; NH-(c-C <sub>6</sub> H <sub>11</sub> )	C24H23F <sub>6</sub> NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CNC4CCCC4)cc12	3.66	455.44
T-1493-450	2,6-diphenylpyrid-4-yl, 4'-CF <sub>3</sub> , NH-Bu	C24H25F <sub>3</sub> N <sub>2</sub> O	c1cc(C(F)(F)F)ccc1c2nc(c3cccc3)cc(C(O)CNCCC)C)c2	3.41	414.47
T-1493-021	phenanthrene-9-yl, 2,4-(CF <sub>3</sub> ) <sub>2</sub> ; N(Pr) <sub>2</sub>	C24H25F <sub>6</sub> NO	c1c(C(F)(F)F)cc(C(F)(F)F)c2c3cccc3c(C(O)CN(CCC)CCC)cc12	3.64	457.46
T-1493-077	phenanthrene-9-yl, 3,6-(CF <sub>3</sub> ) <sub>2</sub> ; N(Pr) <sub>2</sub>	C24H25F <sub>6</sub> NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCC)CCC)cc12	3.64	457.46
T-1493-098	phenanthrene-9-yl, 3,6-(CF <sub>3</sub> ) <sub>2</sub> ; NH-(Hex)	C24H25F <sub>6</sub> NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CNCCC)cc12	3.67	457.46
T-1493-460	2,6-diphenylpyrid-4-yl, 4',4"-Cl <sub>2</sub> ; N(Me)-Bu	C24H26Cl <sub>2</sub> N <sub>2</sub> O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CN(C)CCC)C)c2	3.53	429.39
T-1493-461	2,6-diphenylpyrid-4-yl, 4',4"-Cl <sub>2</sub> ; N(Me)-(2-Bu)	C24H26Cl <sub>2</sub> N <sub>2</sub> O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CN(C)C(C)C)C)c2	3.56	429.39
T-1493-468	2,6-diphenylpyrid-4-yl, 4',4"-Cl <sub>2</sub> ; N(Me)-(i-Bu)	C24H26Cl <sub>2</sub> N <sub>2</sub> O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CN(C)CC(C)C)C)c2	3.52	429.39
T-5353-019	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-019	C24H26N <sub>6</sub> O <sub>3</sub>	c1cnccc1c2cc(c3c(OC)cc(OC)c(OC)c3)nc(n2)NCCN4ccnc4	1.57	446.51
T-5353-020	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-020	C24H26N <sub>6</sub> O <sub>3</sub>	c1cnccc1c2cc(c3cc(OC)c(OC)c(OC)c3)nc(n2)NCCN4ccnc4	1.57	446.51
T-1493-044	phenanthrene-9-yl, 2,3,5,6-Cl <sub>4</sub> ; N(Bu) <sub>2</sub>	C24H27Cl <sub>4</sub> NO	c1c(Cl)c(Cl)cc2c3c(Cl)c(Cl)ccc3c(C(O)CN(CCCC)CCC)cc12	5.36	487.30
T-1493-045	phenanthrene-9-yl, 2,3,6,7-Cl <sub>4</sub> ; N(Bu) <sub>2</sub>	C24H27Cl <sub>4</sub> NO	c1c(Cl)c(Cl)cc2c3cc(Cl)c(Cl)cc3c(C(O)CN(CCCC)CCC)cc12	5.36	487.30
T-1493-063	phenanthrene-9-yl, 1,3,5,7-Cl <sub>4</sub> ; N(Bu) <sub>2</sub>	C24H27Cl <sub>4</sub> NO	c1(Cl)cc(Cl)cc2c3c(Cl)cc(Cl)cc3c(C(O)CN(CCCC)CCC)cc12	5.36	487.30
T-1493-148	phenanthrene-9-yl, 1,2,6,7-Cl <sub>4</sub> ; N(Bu) <sub>2</sub>	C24H27Cl <sub>4</sub> NO	c1(Cl)c(Cl)ccc2c3cc(Cl)c(Cl)cc3c(C(O)CN(CCCC)CCC)cc12	5.36	487.30

T-1493-162	phenanthrene-9-yl, 6-Br; 2-Pip-NBu	C24H28BrNO	c1cccc2c3cc(Br)ccc3c(C(O)C4CCCCN4CCCC)cc12	4.54	426.40
T-1493-039	phenanthrene-9-yl, 1,3,6-Br3; N(Bu)2	C24H28Br3NO	c1(Br)cc(Br)cc2c3cc(Br)ccc3c(C(O)CN(CCCC)CCC)cc12	4.56	586.22
T-1493-071	phenanthrene-9-yl, 2,3,6-Br3; N(Bu)2	C24H28Br3NO	c1c(Br)c(Br)cc2c3cc(Br)ccc3c(C(O)CN(CCCC)CCC)cc12	4.56	586.22
T-1493-192	phenanthrene-9-yl, 2,7,10-Br3; N(Bu)2	C24H28Br3NO	c1c(Br)ccc2c3ccc(Br)cc3c(C(O)CN(CCCC)CCC)c(Br)c12	4.56	586.22
T-1493-337	2-(N-phenyl)amino-quinolin-4-yl, 6-Me, 4'-Cl; 2-Pip	C24H28ClN3O2	n1c(C(O)CNc3ccc(Cl)cc3)cc(C(O)C4CCCCN4)c2cc(C)ccc12	4.29	425.96
T-1493-034	phenanthrene-9-yl, 2,4,6-Cl3; N(Bu)2	C24H28Cl3NO	c1c(Cl)cc(Cl)c2c3cc(Cl)ccc3c(C(O)CN(CCCC)CCC)cc12	4.80	452.85
T-1493-035	phenanthrene-9-yl, 3,5,7-Cl3; N(Bu)2	C24H28Cl3NO	c1cc(Cl)cc2c3c(Cl)cc(Cl)cc3c(C(O)CN(CCCC)CCC)cc12	4.80	452.85
T-1493-048	phenanthrene-9-yl, 2,4,7-Cl3; N(Bu)2	C24H28Cl3NO	c1(Cl)cc(Cl)cc2c3ccc(Cl)cc3c(C(O)CN(CCCC)CCC)cc12	4.80	452.85
T-1493-079	phenanthrene-9-yl, 2,5,7-Cl3; N(Bu)2	C24H28Cl3NO	c1c(Cl)ccc2c3c(Cl)cc(Cl)cc3c(C(O)CN(CCCC)CCC)cc12	4.80	452.85
T-1493-106	phenanthrene-9-yl, 1,3,6-Cl3; N(Bu)2	C24H28Cl3NO	c1(Cl)cc(Cl)cc2c3cc(Cl)ccc3c(C(O)CN(CCCC)CCC)cc12	4.80	452.85
106635-80-7	tafenoquine; SB-252263; formerly WR-238605	C24H28F3N3O3	Cc1cc(OC)nc2c(NC(C)CCCN)cc(OC)c(c12)Oc3cc(C(F)(F)F)ccc3	4.10	463.50
T-1493-033	phenanthrene-9-yl, 2,4-Br2; N(Bu)2	C24H29Br2NO	c1c(Br)cc(Br)c2c3cccc3c(C(O)CN(CCCC)CCC)cc12	4.53	507.32
T-1493-046	phenanthrene-9-yl, 2,6-Br2; N(Bu)2	C24H29Br2NO	c1c(Br)ccc2c3cc(Br)ccc3c(C(O)CN(CCCC)CCC)cc12	4.53	507.32
T-1493-117	phenanthrene-9-yl, 3,6-Br2; N(Bu)2	C24H29Br2NO	c1cc(Br)cc2c3cc(Br)ccc3c(C(O)CN(CCCC)CCC)cc12	4.53	507.32
T-1493-160	phenanthrene-9-yl, 6,10-Br2; N(Bu)2	C24H29Br2NO	c1cccc2c3cc(Br)ccc3c(C(O)CN(CCCC)CCC)c(Br)c12	4.53	507.32
T-1493-183	phenanthrene-9-yl, 1,6-Br2; N(Bu)2	C24H29Br2NO	c1(Br)cccc2c3cc(Br)ccc3c(C(O)CN(CCCC)CCC)cc12	4.53	507.32
T-1493-092	phenanthrene-9-yl, 2,6-Cl2; N(Bu)2	C24H29Cl2NO	c1c(Cl)ccc2c3cc(Cl)ccc3c(C(O)CN(CCCC)CCC)cc12	4.63	418.41
T-1493-095	phenanthrene-9-yl, 3,6-Cl2; N(Bu)2	C24H29Cl2NO	c1cc(Cl)cc2c3cc(Cl)ccc3c(C(O)CN(CCCC)CCC)cc12	4.63	418.41
T-1493-521	anthracene-1-yl, 4,8-Cl2; N(Bu)2	C24H29Cl2NO	c1(Cl)ccc(C(O)CN(CCCC)CCC)c2cc3c(Cl)cccc3cc12	5.03	418.41
T-1493-528	anthracene-9-yl, 2,3-Cl2; N(Bu)2	C24H29Cl2NO	c1cccc2c(C(O)CN(CCCC)CCC)c3cc(Cl)c(Cl)cc3cc12	5.03	418.41
T-1493-543	phenanthrene-1-yl, 3',4'-Cl2; N(Bu)2	C24H29Cl2NO	c1(C(O)CN(CCCC)CCC)cccc2c3cc(Cl)c(Cl)cc3cc12	4.63	418.41
T-1493-560	anthracene-9-yl, 4,5-Cl2; N(Bu)2	C24H29Cl2NO	c1(Cl)cccc2c(C(O)CN(CCCC)CCC)c3cccc(Cl)c3cc12	5.03	418.41
T-1493-584	anthracene-1-yl, 6,7-Cl2; N(Bu)2	C24H29Cl2NO	c1ccc(C(O)CN(CCCC)CCC)c2cc3cc(Cl)c(Cl)cc3cc12	5.03	418.41
T-1493-627	anthracene-9-yl, 2,3-Cl2; N(Bu)2	C24H29Cl2NO	c1c(Cl)c(Cl)cc2c(C(O)CN(CCCC)CCC)c3cccc3cc12	5.03	418.41
T-5353-027	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-027	C24H29N5O	c1cnccc1c2cc(c3cc(C)c(C)cc3)nc(n2)NCCCN4COC4	2.88	403.53
T-5353-029	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-029	C24H29N5O3	c1cnccc1c2cc(c3c(OC)ccc(OC)c3)nc(n2)NCCCN4COC4	2.69	435.53
T-1493-134	phenanthrene-9-yl, 2-Br; N(Bu)2	C24H30BrNO	c1c(Br)ccc2c3cccc3c(C(O)CN(CCCC)CCC)cc12	4.54	428.42
T-1493-204	phenanthrene-9-yl, 10-Br; N(Bu)2	C24H30BrNO	c1cccc2c3cccc3c(C(O)CN(CCCC)CCC)c(Br)c12	4.54	428.42
T-1493-591	anthracene-9-yl, 10-Br; N(Bu)2	C24H30BrNO	c1cccc2c(C(O)CN(CCCC)CCC)c3cccc3c(Br)c12	5.09	428.42
T-1493-613	phenanthrene-1-yl, 7-Br; N(Bu)2	C24H30BrNO	c1(C(O)CN(CCCC)CCC)cccc2c3cccc3c(Br)cc12	4.54	428.42
T-1493-623	phenanthrene-4-yl, 5-Br; N(Bu)2	C24H30BrNO	c1ccc(C(O)CN(CCCC)CCC)c2c3c(Br)cccc3cc12	4.54	428.42

T-1493-172	phenanthrene-9-yl, 2-Cl; N(Bu)2	C24H30ClNO	c1c(Cl)ccc2c3ccccc3c(C(O)CN(CCCC)CCCC)cc12	4.58	383.96
T-1493-186	phenanthrene-9-yl, 6-Cl; N(Bu)2	C24H30ClNO	c1cccc2c3cc(Cl)ccc3c(C(O)CN(CCCC)CCCC)cc12	4.58	383.96
T-1493-187	phenanthrene-9-yl, 5-Cl; N(Bu)2	C24H30ClNO	c1cccc2c3c(Cl)ccc3c(C(O)CN(CCCC)CCCC)cc12	4.58	383.96
T-1493-188	phenanthrene-9-yl, 1-Cl; N(Bu)2	C24H30ClNO	c1(Cl)cccc2c3ccccc3c(C(O)CN(CCCC)CCCC)cc12	4.58	383.96
T-1493-205	phenanthrene-9-yl, 7-Cl; N(Bu)2	C24H30ClNO	c1cccc2c3ccc(Cl)cc3c(C(O)CN(CCCC)CCCC)cc12	4.58	383.96
T-1493-525	anthracene-9-yl, 10-Cl; N(Bu)2	C24H30ClNO	c1cccc2c(C(O)CN(CCCC)CCCC)c3ccccc3c(Cl)c12	5.11	383.96
T-1493-587	anthracene-1-yl, 5-Cl; N(Bu)2	C24H30ClNO	c1ccc(C(O)CN(CCCC)CCCC)c2cc3cccc(Cl)c3cc12	5.11	383.96
T-1493-612	phenanthrene-1-yl, 7-Cl; N(Bu)2	C24H30ClNO	c1(C(O)CN(CCCC)CCCC)cccc2c3ccccc3c(Cl)cc12	4.58	383.96
T-1493-622	phenanthrene-4-yl, 5-Cl; N(Bu)2	C24H30ClNO	c1ccc(C(O)CN(CCCC)CCCC)c2c3c(Cl)cccc3ccc12	4.58	383.96
T-1493-345	2-phenyl-3-aza-quinolin-1-yl, 4'-Cl; N(Bu)2	C24H30ClN3O	c1cc(Cl)ccc1c2nc3ccccc3c(C(O)CN(CCCC)CCCC)n2	3.13	411.98
T-1493-198	phenanthrene-9-yl, 6-F; N(Bu)2	C24H30FNO	c1cccc2c3cc(F)ccc3c(C(O)CN(CCCC)CCCC)cc12	4.52	367.51
T-1493-212	phenanthrene-9-yl, 3-F; N(Bu)2	C24H30FNO	c1cc(F)cc2c3ccccc3c(C(O)CN(CCCC)CCCC)cc12	4.52	367.51
T-1493-570	monothiophene deriv. (III); 3-CF3, 6-Me; N(Bu)2	C24H30F3NOS	c1cc(C(F)(F)F)cc2c3cc(C)sc3c(C(O)CN(CCCC)CCCC)cc12	3.77	437.57
T-1493-408	quinolin-4-yl, quinine: O-succinate	C24H30N2O6	c1cc([C@](O)([H])[C@]3([H])N(CC4)C[C@]([H])(C=C)C4C3)c2cc(OC)ccc2[n+].1.[O-]C(=O)CCC(=O)O	2.32	442.51
T-1493-401	quinolin-4-yl, 7,8-(CH=CH)2, 3-Me, 6-Cl; N(Bu)2	C24H31ClN2O	n1c2c(cccc7)c7c(Cl)cc2c(C(O)CN(CCCC)CCCC)c(C)c1	3.53	398.98
T-1493-498	2-styryl-6-trifluoromethylpyrid-4-yl, 2-CF3, 4"-Cl; N(Bu)2	C24H31F3N2O	c1cc(Cl)ccc1/C=C/c2cc(C(O)CN(CCCC)CCCC)cc(C(F)(F)F)n2	3.07	454.96
T-1493-163	phenanthrene-9-yl, 3,6-(t-Bu)2; N(Bu)2	C24H31NO	c1cccc2c3ccccc3c(C(O)CN(CCCC)CCCC)cc12	4.55	349.52
T-1493-203	phenanthrene-9-yl, 10 -Cl; N(Bu)2	C24H31NO	c1cccc2c3ccccc3c(C(O)CN(CCCC)CCCC)cc12	4.55	349.52
T-1493-215	phenanthrene-9-yl, 8 -Cl; N(Bu)2	C24H31NO	c1cccc2c3ccccc3c(C(O)CN(CCCC)CCCC)cc12	4.55	349.52
T-1493-586	anthracene-1-yl, -; N(Bu)2	C24H31NO	c1ccc(C(O)CN(CCCC)CCCC)c2cc3ccccc3cc12	5.14	349.52
T-1493-588	anthracene-2-yl, -; N(Bu)2	C24H31NO	c1cc(C(O)CN(CCCC)CCCC)cc2cc3ccccc3cc12	5.14	349.52
T-1493-593	anthracene-9-yl, -; N(Bu)2	C24H31NO	c1cccc2c(C(O)CN(CCCC)CCCC)c3ccccc3cc12	5.14	349.52
T-1493-615	phenanthrene-1-yl, -; N(Bu)2	C24H31NO	c1(C(O)CN(CCCC)CCCC)cccc2c3ccccc3ccc12	4.55	349.52
T-1493-626	phenanthrene-4-yl, -; N(Bu)2	C24H31NO	c1ccc(C(O)CN(CCCC)CCCC)c2c3ccccc3ccc12	4.55	349.52
T-3238-014	artemisinin deriv.; T-3238-014	C24H31NO9	[H][C@]12OC3(C)CC[C@@]4([H])C(C)CCC(C24O3)[C@@H](C)[C@@H](O)[C@H](CC(=O)O)c5ccc(N(=O)=O)cc5)O1	3.52	477.51
T-1493-414	quinolin-4-yl, 7,8-(CH=CH)2, 3-Me; N(Bu)2	C24H32N2O	n1c2c(cccc7)c7ccc2c(C(O)CN(CCCC)CCCC)c(C)c1	3.47	364.53
14561-42-3	menoctone	C24H32O3	O=C2c1cccc1C(=O)C(O)=C2CCCCCCCC3([H])CCCC3	1.41	368.52
T-1493-546	5-aza-phenanthrene-9-yl, 1,3-Cl2; N(Bu)2	C24H38Cl2N2O	c1(Cl)cc(Cl)cc2c3cnc3ccccc3c(C(O)CN(CCCC)CCCC)cc12	1.11	441.49
T-1493-421	2-(tert-butyl)-quinolin-1-yl, 2-(t-Bu), 6-Me; N(Bu)2	C24H38N2O	CC(C)(C)c2nc3ccc(C)cc3c(C(O)CN(CCCC)CCCC)cc2	3.63	370.58
T-1493-438	2,6-diphenylpyrid-4-yl, 4',4''-(CF3)2; 2-Pip	C25H22F6N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)C4CCCCN4)c2	3.43	480.45
T-1493-452	2,6-diphenylpyrid-4-yl, 4',4''-(CF3)2; NH(c-C4H7)	C25H22F6N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CNC4CCC4)c2	3.42	480.45
T-5305-007	WR 007573	C25H23ClN2O	c1c(cccc4)c4cc2c(C(O)C3CCCCN3)cc(c5ccc(Cl)cc5)nc12	6.29	402.93

T-1493-441	2,6-diphenylpyrid-4-yl, 4',4''-(CF3)2; NH-Bu	C25H24F6N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CNCCCC)c2	3.43	482.47
T-1493-442	2,6-diphenylpyrid-4-yl, 4',4''-(CF3)2; NH-(2-Bu)	C25H24F6N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CNC(C)CC)c2	3.45	482.47
T-1493-451	2,6-diphenylpyrid-4-yl, 3',3''-(CF3)2; NH-Bu	C25H24F6N2O	c1c(C(F)(F)F)cccc1c2nc(c3cc(C(F)(F)F)ccc3)cc(C(O)CNCCCC)c2	3.43	482.47
T-5305-006	WR 007333	C25H24N2O	c1c(cccc4)c4cc2c(C(O)C3CCCCN3)cc(c5cccc5)n c12	6.32	368.48
T-1493-008	phenanthrene-9-yl, 3,6-(CF3)2.; CH2-NH-(c-C6H11)	C25H25F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CCNC4CCCC4)cc12	3.67	469.47
T-1493-284	2-phenyl-quinolin-4-yl, 7-Cl, 4'-Cl; NH-1-adamantyl	C25H26Cl2N2O	c1cc(Cl)ccc1c2nc3cc(Cl)ccc3c(C(O)CNC45CCC(C4)CC5)c2	3.46	441.40
T-1493-389	2-phenyl-quinolin-4-yl, 6,8-Cl2; NH-1-adamantyl	C25H26Cl2N2O	c1cccc1c2nc3c(Cl)cc(Cl)ccc3c(C(O)CNC45CCC(C4)CC5)c2	3.46	441.40
T-1493-261	2-phenyl-quinolin-4-yl, 6,8,4'-Cl; NH-1-adamantyl	C25H27ClN2O	c1cc(Cl)ccc1c2nc3cccc3c(C(O)CNC45CCC(CC4)CC5)c2	3.46	406.96
T-1493-020	phenanthrene-9-yl, 3,6-(CF3)2; NH-(4-Hept)	C25H27F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CNC(C)CCC)cc12	3.68	471.49
T-1493-032	phenanthrene-9-yl, 3,6-(CF3)2; CH2-N(Pr)2	C25H27F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CCN(C)CC)CCc12	3.66	471.49
T-1493-022	phenanthrene-9-yl, 2,3-Br2, 6-CF3; N(Bu)2	C25H28Br2F3NO	c1c(Br)c(Br)cc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCC)CCCC)cc12	3.83	575.32
T-1493-027	phenanthrene-9-yl, 2,4-Br2, 6-CF3; N(Bu)2	C25H28Br2F3NO	c1c(Br)cc(Br)c2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCC)CCCC)cc12	3.83	575.32
T-1493-025	phenanthrene-9-yl, 1,3-Cl2, 6-CF3; N(Bu)2	C25H28Cl2F3NO	c1(Cl)cc(Cl)cc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCC)CCCC)cc12	3.83	486.41
T-1493-070	phenanthrene-9-yl, 3,4-Cl2, 6-CF3; N(Bu)2	C25H28Cl2F3NO	c1cc(Cl)c(Cl)c2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCC)CCCC)cc12	3.83	486.41
T-1493-101	phenanthrene-9-yl, 2,4-Cl2, 6-CF3; N(Bu)2	C25H28Cl2F3NO	c1c(Cl)cc(Cl)c2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCC)CCCC)cc12	3.83	486.41
T-1493-126	phenanthrene-9-yl, 1,2-Cl2, 6-CF3; N(Bu)2	C25H28Cl2F3NO	c1(Cl)c(Cl)ccc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCC)CCCC)cc12	3.83	486.41
T-1493-462	2,6-diphenylpyrid-4-yl, 4',4''-Cl2; N(Bu)2-NO	C25H28Cl2N2O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc([N+][O-])(CCCC)CCCC)c2	3.68	443.42
T-1493-467	2,6-diphenylpyrid-4-yl, 4',4''-Cl2; N(Pr)2	C25H28Cl2N2O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CN(CCC)CC)c2	3.56	443.42
T-1493-223	2-phenyl-quinolin-4-yl, 3-F, 6,8,4'-Cl3; N(Bu)2	C25H28Cl3FN2O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)ccc3c(C(O)CN(CCCC)CCCC)c2(F)	3.55	497.87
T-1493-225	2-phenyl-quinolin-4-yl, 6,8-Cl2, 3',4'-Cl2; N(Bu)2	C25H28Cl4N2O	c1c(Cl)c(Cl)ccc1c2nc3c(Cl)cc(Cl)ccc3c(C(O)CN(CCC)CCCC)c2	3.61	514.32
T-1493-242	2-phenyl-quinolin-4-yl, 3,6,8,4'-Cl4; N(Bu)2	C25H28Cl4N2O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)ccc3c(C(O)CN(CCCC)CCCC)c2(Cl)	3.61	514.32
T-1493-254	2-phenyl-quinolin-4-yl, 6,8-Cl2, 2',4'-Cl2; N(Bu)2	C25H28Cl4N2O	c1(Cl)cc(Cl)ccc1c2nc3c(Cl)cc(Cl)ccc3c(C(O)CN(CCC)CCCC)c2	3.61	514.32
T-1493-386	2-phenyl-quinolin-4-yl, 6,8,2',6'-Cl4; N(Bu)2	C25H28Cl4N2O	c1(Cl)cccc(Cl)c1c2nc3c(Cl)cc(Cl)ccc3c(C(O)CN(CCC)CCCC)c2	3.61	514.32
T-1493-060	phenanthrene-9-yl, 2-Br, 6-CF3; N(Bu)2	C25H29BrF3NO	c1c(Br)ccc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCC)C(C)CC)cc12	3.80	496.42
T-1493-131	phenanthrene-9-yl, 4-Br, 6-CF3; N(Bu)2	C25H29BrF3NO	c1ccc(Br)c2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCC)C(C)CC)cc12	3.80	496.42
T-1493-087	phenanthrene-9-yl, 3-CF3, 6-Cl; N(Bu)2	C25H29ClF3NO	c1cc(C(F)(F)F)cc2c3cc(Cl)ccc3c(C(O)CN(CCCC)C(C)CC)cc12	3.81	451.96
T-1493-113	phenanthrene-9-yl, 2-Cl, 6-CF3; N(Bu)2	C25H29ClF3NO	c1c(Cl)ccc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCC)C(C)CC)cc12	3.81	451.96
T-1493-116	phenanthrene-9-yl, 3-Cl, 6-CF3; N(Bu)2	C25H29ClF3NO	c1cc(Cl)cc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCC)C(C)CC)cc12	3.81	451.96
T-1493-231	2-phenyl-quinolin-4-yl, 6,8-Cl2, 4'-F; N(Bu)2	C25H29Cl2FN2O	c1cc(F)ccc1c2nc3c(Cl)cc(Cl)ccc3c(C(O)CN(CCCC)CCCC)c2	3.51	463.42
T-1493-220	2-phenyl-quinolin-4-yl, 6,8-Cl2; 4'-I; N(Bu)2	C25H29Cl2IN2O	c1cc(I)ccc1c2nc3c(Cl)cc(Cl)ccc3c(C(O)CN(CCCC)C(C)CC)c2	3.56	571.33
T-1493-289	2-phenyl-quinolin-4-yl, 6,8-Cl2, 3'-I; N(Bu)2	C25H29Cl2IN2O	c1c(I)cccc1c2nc3c(Cl)cc(Cl)ccc3c(C(O)CN(CCCC)C(C)CC)c2	3.56	571.33

T-1493-230	2-phenyl-quinolin-4-yl, 6,8,4'-Cl3; N(Bu)2	C25H29Cl3N2O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN(CCCC)CCCC)c2	3.51	479.88
T-1493-551	2-phenyl-quinolin-5-yl, 6,8,4'-Cl3; N(Bu)2	C25H29Cl3N2O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)c(C(O)CN(CCCC)CCC)cc3cc2	3.51	479.88
T-1493-552	2-phenyl-quinolin-7-yl, 6,8,4'-Cl3; N(Bu)2	C25H29Cl3N2O	c1cc(Cl)ccc1c2nc3c(Cl)c(C(O)CN(CCCC)CCCC)c(Cl)cc3cc2	3.51	479.88
T-1493-640	2-phenyl-quinolin-3-yl, 6,8,4'-Cl3; N(Bu)2	C25H29Cl3N2O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3cc2(C(O)CN(CCCC)CCCC)	3.51	479.88
T-1493-109	phenanthrene-9-yl, 3-I, 6-CF3; N(Bu)2	C25H29F3INO	c1cc(I)cc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCC)CCC)cc12	3.81	543.41
T-1493-257	2-phenyl-quinolin-4-yl, 7-F, 4'-Cl; N(Bu)2	C25H30ClFN2O	c1cc(Cl)ccc1c2nc3cc(F)ccc3c(C(O)CN(CCCC)CCC)cc2	3.50	428.98
T-1493-372	2-(N-phenyl)amino-quinolin-4-yl, 6,8-Me2, 4'-Cl; 2-Pip	C25H30ClN3O2	n1c(C(O)CNc3ccc(Cl)cc3)cc(C(O)C4CCCCN4)c2cc(C)cc(C)c12	4.41	439.99
T-1493-219	2-phenyl-quinolin-4-yl, 6-Cl, 8-CF3, 4'-Cl; N(Bu)2	C25H30Cl2N2O	c1cc(Cl)ccc1c2nc3ccc(Cl)cc3c(C(O)CN(CCCC)CCC)cc2	3.49	445.43
T-1493-236	2-phenyl-quinolin-4-yl, 7-Cl, 4'-Cl; N(Bu)2	C25H30Cl2N2O	c1cc(Cl)ccc1c2nc3cc(Cl)ccc3c(C(O)CN(CCCC)CCC)cc2	3.49	445.43
T-1493-245	2-phenyl-quinolin-4-yl, 6-Cl, 4'-Cl; N(Bu)2	C25H30Cl2N2O	c1cc(Cl)ccc1c2nc3ccc(Cl)cc3c(C(O)CN(CCCC)CCC)cc2	3.49	445.43
T-1493-256	2-phenyl-quinolin-4-yl, 6,7-Cl2, 4'-OMe; N(Bu)2	C25H30Cl2N2O	c1ccccc1c2nc3cc(Cl)c(Cl)cc3c(C(O)CN(CCCC)CCC)cc2	3.49	445.43
T-1493-306	2-phenyl-quinolin-4-yl, 6,8-Cl2, 4'-OH; N(Bu)2	C25H30Cl2N2O	c1ccccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN(CCCC)CCC)cc2	3.49	445.43
T-1493-553	2-phenyl-quinolin-8-yl, 6,4'-Cl2; N(Bu)2	C25H30Cl2N2O	c1cc(Cl)ccc1c2nc3c(C(O)CN(CCCC)CCCC)cc(Cl)cc3cc2	3.49	445.43
T-1493-641	2-phenyl-quinolin-3-yl, 7,4'-Cl2; N(Bu)2	C25H30Cl2N2O	c1cc(Cl)ccc1c2nc3cc(Cl)ccc3cc2(C(O)CN(CCCC)CCC)	3.49	445.43
T-1493-266	2-phenyl-quinolin-4-yl, 7-I, 4'-Cl; N(Bu)2	C25H30ClIN2O	c1cc(Cl)ccc1c2nc3cc(I)ccc3c(C(O)CN(CCCC)CCC)cc2	3.53	536.89
T-1493-367	2-phenyl-quinolin-4-yl, 7-F, 4'-F; N(Bu)2	C25H30F2N2O	c1cc(F)ccc1c2nc3cc(F)ccc3c(C(O)CN(CCCC)CCC)cc2	3.49	412.52
T-1493-097	phenanthrene-9-yl, 2-CF3; N(Bu)2	C25H30F3NO	c1c(C(F)(F)F)ccc2c3ccccc3c(C(O)CN(CCCC)CCC)cc12	3.80	417.52
T-1493-159	phenanthrene-9-yl, 6-CF3; N(Bu)2	C25H30F3NO	c1cccc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCC)CCC)cc12	3.80	417.52
T-1493-185	phenanthrene-9-yl, 3-CF3; N(Bu)2	C25H30F3NO	c1cc(C(F)(F)F)cc2c3ccccc3c(C(O)CN(CCCC)CCC)cc12	3.80	417.52
T-1493-620	phenanthrene-3-yl, 5-CF3; N(Bu)2	C25H30F3NO	c1cc(C(O)CN(CCCC)CCCC)cc2c3c(C(F)(F)F)cccc3ccc12	3.80	417.52
T-1493-224	2-phenyl-quinolin-4-yl, 6,4'-I2; N(Bu)2	C25H30I2N2O	c1cc(I)ccc1c2nc3ccc(I)cc3c(C(O)CN(CCCC)CCCC)cc2	3.57	628.34
T-1493-074	phenanthrene-9-yl, 2,7-Br2, 10-OMe; N(Bu)2	C25H31Br2NO2	c1c(Br)ccc2c3ccc(Br)cc3c(C(O)CN(CCCC)CCCC)cc(OC)c12	4.31	537.35
T-1493-226	2-phenyl-quinolin-4-yl, 7-CF3, 4'-Cl; N(Bu)2	C25H31ClN2O	c1cc(Cl)ccc1c2nc3ccccc3c(C(O)CN(CCCC)CCCC)cc2	3.49	410.99
T-1493-250	2-phenyl-quinolin-4-yl, 8-CF3, 4'-Cl; N(Bu)2	C25H31ClN2O	c1cc(Cl)ccc1c2nc3ccccc3c(C(O)CN(CCCC)CCCC)cc2	3.49	410.99
T-1493-295	2-phenyl-quinolin-4-yl, 6-F, 4'-Cl; N(Bu)2	C25H31ClN2O	c1cc(Cl)ccc1c2nc3ccccc3c(C(O)CN(CCCC)CCCC)cc2	3.49	410.99
T-1493-299	2-phenyl-quinolin-4-yl, 7-Cl, 3',4'-OCH2O; N(Bu)2	C25H31ClN2O	c1ccccc1c2nc3cc(Cl)ccc3c(C(O)CN(CCCC)CCCC)cc2	3.49	410.99
T-1493-303	2-phenyl-quinolin-4-yl, 6,7-OCH2O, 4'-Cl; N(Bu)2	C25H31ClN2O	c1cc(Cl)ccc1c2nc3ccccc3c(C(O)CN(CCCC)CCCC)cc2	3.49	410.99
T-1493-375	2-phenyl-quinolin-4-yl, 4'-Cl; N(Bu)2	C25H31ClN2O	c1cc(Cl)ccc1c2nc3ccccc3c(C(O)CN(CCCC)CCCC)cc2	3.49	410.99
T-1493-643	2-phenyl-quinolin-5-yl, 8-Cl; N(Bu)2	C25H31ClN2O	c1ccccc1c2nc3c(Cl)ccc(C(O)CN(CCCC)CCCC)cc3cc2	3.49	410.99
T-1493-644	2-phenyl-quinolin-6-yl, 8-Cl; N(Bu)2	C25H31ClN2O	c1ccccc1c2nc3c(Cl)cc(C(O)CN(CCCC)CCCC)cc3cc2	3.49	410.99
T-1493-110	phenanthrene-9-yl, 2,7-Cl2, 10-OMe; N(Bu)2	C25H31Cl2NO2	c1c(Cl)ccc2c3ccc(Cl)cc3c(C(O)CN(CCCC)CCCC)cc(OC)c12	4.38	448.43

T-1493-102	phenanthrene-9-yl, 2-SO <sub>2</sub> -Me, 6,7-Cl <sub>2</sub> ; N(Bu) <sub>2</sub>	C <sub>25</sub> H <sub>31</sub> Cl <sub>2</sub> NO <sub>3</sub> S	c1c(S(=O)(=O)C)ccc2c3cc(Cl)c(Cl)cc3c(C(O)CN(CCC)CCCC)cc12	0.70	496.50
T-1493-122	phenanthrene-9-yl, 2-SO <sub>2</sub> Me, 5,6-Cl <sub>2</sub> ; N(Bu) <sub>2</sub>	C <sub>25</sub> H <sub>31</sub> Cl <sub>2</sub> NO <sub>3</sub> S	c1c(S(=O)(=O)C)ccc2c3c(Cl)c(Cl)ccc3c(C(O)CN(CCC)CCCC)cc12	0.70	496.50
T-1493-086	phenanthrene-9-yl, 2,4-Cl <sub>2</sub> , 6-SMe; N(Bu) <sub>2</sub>	C <sub>25</sub> H <sub>31</sub> Cl <sub>2</sub> NOS	c1c(Cl)cc(Cl)c2c3cc(SC)ccc3c(C(O)CN(CCCC)CC(C)CC)cc12	3.19	464.50
T-1493-091	phenanthrene-9-yl, 2-SMe, 5,6-Cl <sub>2</sub> ; N(Bu) <sub>2</sub>	C <sub>25</sub> H <sub>31</sub> Cl <sub>2</sub> NOS	c1c(SC)ccc2c3c(Cl)c(Cl)ccc3c(C(O)CN(CCCC)CC(C)CC)cc12	3.19	464.50
T-1493-100	phenanthrene-9-yl, 2-SMe, 6,7-Cl <sub>2</sub> ; N(Bu) <sub>2</sub>	C <sub>25</sub> H <sub>31</sub> Cl <sub>2</sub> NOS	c1c(SC)ccc2c3cc(Cl)c(Cl)cc3c(C(O)CN(CCCC)CC(C)CC)cc12	3.19	464.50
T-5353-030	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-030	C <sub>25</sub> H <sub>31</sub> N <sub>5</sub> O <sub>4</sub>	c1cnccc1c2cc(c3c(OC)cc(OC)c(OC)c3)nc(n2)NCCCN4CCOCC4	2.61	465.55
T-5353-031	4-pyrido-5-aryl-2-[R]-pyrimidine deriv.; 5353-031	C <sub>25</sub> H <sub>31</sub> N <sub>5</sub> O <sub>4</sub>	c1cnccc1c2cc(c3cc(OC)c(OC)c(OC)c3)nc(n2)NCCCN4CCOCC4	2.61	465.55
T-1493-180	phenanthrene-9-yl, 2-Br, 6-SO <sub>2</sub> Me; N(Bu) <sub>2</sub>	C <sub>25</sub> H <sub>32</sub> BrNO <sub>3</sub> S	c1c(Br)ccc2c3cc(S(=O)(=O)C)ccc3c(C(O)CN(CCCC)CCCC)cc12	0.70	506.51
T-1493-193	phenanthrene-9-yl, 2-Br, 6-SMe, N(Bu) <sub>2</sub>	C <sub>25</sub> H <sub>32</sub> BrNOS	c1c(Br)ccc2c3cc(SC)ccc3c(C(O)CN(CCCC)CCCC)cc12	3.11	474.51
T-1493-207	phenanthrene-9-yl, 3-Cl, 6-OMe; N(Bu) <sub>2</sub>	C <sub>25</sub> H <sub>32</sub> ClNO <sub>2</sub>	c1cc(Cl)cc2c3cc(OC)ccc3c(C(O)CN(CCCC)CCCC)cc12	4.26	413.99
T-1493-344	2-phenyl-quinolin-4-yl, 6,8,3',4'-Cl <sub>4</sub> ; N(Bu) <sub>2</sub>	C <sub>25</sub> H <sub>32</sub> Cl <sub>4</sub> N <sub>2</sub> O	c1c(Cl)c(Cl)ccc1C2Nc3c(Cl)cc(Cl)cc3C(C(O)CN(CCCC)CCCC)C2	4.67	518.36
T-1493-567	monothiophene deriv. (III); 3-CF <sub>3</sub> ; N(Pent) <sub>2</sub>	C <sub>25</sub> H <sub>32</sub> F <sub>3</sub> NOS	c1cc(C(F)(F)F)cc2c3ccc3c(C(O)CN(CCCC)CCCC)CC)cc12	3.77	451.60
T-1493-505	2-phenyl-6-trifluoromethylpyrid-4-yl, 2-CF <sub>3</sub> , 4"-CF <sub>3</sub> ; N(i-Pent) <sub>2</sub>	C <sub>25</sub> H <sub>32</sub> F <sub>6</sub> N <sub>2</sub> O	c1cc(C(F)(F)F)ccc1c2cc(C(O)CN(CCC(C)C)CCC(C)C)cc(C(F)(F)F)n2	3.42	490.53
T-1493-359	2-phenyl-quinolin-4-yl, 6,8,4'-Me <sub>3</sub> ; N(Bu) <sub>2</sub>	C <sub>25</sub> H <sub>32</sub> N <sub>2</sub> O	c1cccc1c2nc3ccccc3c(C(O)CN(CCCC)CCCC)c2	3.49	376.54
T-1493-366	2-phenyl-quinolin-4-yl, -; N(Bu) <sub>2</sub>	C <sub>25</sub> H <sub>32</sub> N <sub>2</sub> O	c1cccc1c2nc3ccccc3c(C(O)CN(CCCC)CCCC)c2	3.49	376.54
T-1493-179	phenanthrene-9-yl, 10-Me; N(Bu) <sub>2</sub>	C <sub>25</sub> H <sub>33</sub> NO	c1cccc2c3ccccc3c(C(O)CN(CCCC)CCCC)c(C)c12	4.44	363.55
T-1493-209	phenanthrene-9-yl, -; CH <sub>2</sub> -N(Bu) <sub>2</sub>	C <sub>25</sub> H <sub>33</sub> NO	c1cccc2c3ccccc3c(C(O)CCN(CCCC)CCCC)cc12	4.57	363.55
T-3238-012	artemisinin deriv.; T-3238-012	C <sub>25</sub> H <sub>34</sub> O <sub>7</sub>	[H][C@]12OC3(C)CC[C@]4([H])C(C)CCC(C24O3)[C@]5H(C)[C@]6H(O[C@]7H)(C)c5ccc(C(=O)OC)cc5)O1	4.59	446.54
T-3238-013	artemisinin deriv.; T-3238-013	C <sub>25</sub> H <sub>34</sub> O <sub>7</sub>	[H][C@]12OC3(C)CC[C@]4([H])C(C)CCC(C24O3)[C@]5H(C)[C@]6H(O[C@]7H)(C)c5ccc(C(=O)OC)cc5)O1	4.59	446.54
T-5359-042	antimalarial cpd.; T-5359-042	C <sub>25</sub> H <sub>35</sub> N <sub>3</sub> O <sub>4</sub>	c1cccc1COC2c(OC)cc(cc2OC)C(=O)NCCCNC3CN(CC3)C	3.04	441.57
T-4790-001	N <sub>1</sub> ,N <sub>8</sub> -bis(2,3-dihydroxybenzoyl)spermidine hydrobromide, R= C <sub>4</sub> H <sub>9</sub>	C <sub>25</sub> H <sub>36</sub> BrN <sub>3</sub> O <sub>6</sub>	c1ccc(O)c(O)c1C(=O)NCCCC[N+](CCCC)CCCNC(=O)c2c(O)c(O)ccc2.[Br-]	2.77	554.49
74129-03-6	tebuquine	C <sub>26</sub> H <sub>25</sub> Cl <sub>2</sub> N <sub>3</sub> O	Cl/C1=C/C=C2C(=C1)N=C/C=C2/N/C3=C/C(CNC(C)C)C=C(O)C(=C3)C4=C/C=C(C/Cl)C=C4	4.45	466.41
T-1493-054	phenanthrene-9-yl, 3,6-(CF <sub>3</sub> ) <sub>2</sub> ; 2-(H <sub>8</sub> -quinoline)	C <sub>26</sub> H <sub>25</sub> F <sub>6</sub> NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)C4CC5CCCCC5N4)cc12	3.66	481.48
T-1493-435	2,6-diphenylpyrid-4-yl, 4',4"-(CF <sub>3</sub> ) <sub>2</sub> ; NH-(2-Pent)	C <sub>26</sub> H <sub>26</sub> F <sub>6</sub> N <sub>2</sub> O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CNC(C)CCC)c2	3.51	496.50
T-1493-440	2,6-diphenylpyrid-4-yl, 4',4"-(CF <sub>3</sub> ) <sub>2</sub> ; NH-Pent	C <sub>26</sub> H <sub>26</sub> F <sub>6</sub> N <sub>2</sub> O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CNC(C)CCC)c2	3.48	496.50
T-1493-360	2-phenyl-quinolin-4-yl, 2-phenyl-quinine	C <sub>26</sub> H <sub>28</sub> N <sub>2</sub> O <sub>2</sub>	c1(c4cccc4)cc([C@](O)([H])[C@]3([H])N(CC4)C[C@]([H])(C=C)C4C3)c2cc(OC)ccc2n1	3.44	400.52
T-1493-228	2-phenyl-quinolin-4-yl, 6,8-Cl <sub>2</sub> , 4'-CF <sub>3</sub> ; N(Bu) <sub>2</sub>	C <sub>26</sub> H <sub>29</sub> Cl <sub>2</sub> F <sub>3</sub> N <sub>2</sub> O	c1cc(C(F)(F)F)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN(CCCC)CCCC)c2	3.42	513.43
T-1493-235	2-phenyl-quinolin-4-yl, 6,8-Cl <sub>2</sub> , 3'-CF <sub>3</sub> ; N(Bu) <sub>2</sub>	C <sub>26</sub> H <sub>29</sub> Cl <sub>2</sub> F <sub>3</sub> N <sub>2</sub> O	c1c(C(F)(F)F)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN(CCCC)CCCC)c2	3.42	513.43
T-1493-418	2-phenoxy-quinolin-4-yl, 6,8-Cl <sub>2</sub> , 3'-CF <sub>3</sub> ; N(Bu) <sub>2</sub>	C <sub>26</sub> H <sub>29</sub> Cl <sub>2</sub> F <sub>3</sub> N <sub>2</sub> O <sub>2</sub>	n1c(Oc3cc(C(F)(F)F)ccc3)cc(C(O)CN(CCCC)CCCC)c2cc(Cl)cc(Cl)c12	3.98	529.43

T-1493-330	2-benzoyl-quinolin-4-yl, 6,3',4'-Cl3, 8-CF3 N(Bu)2	C26H29Cl3N2O2	n1c(C(=O)c3cc(Cl)c(Cl)cc3)cc(C(O)CN(CCCC)CCC)C)c2cc(Cl)ccc12	3.58	507.89
T-1493-331	2-benzoyl-quinolin-4-yl, 6,8,4'-Cl3; N(Bu)2	C26H29Cl3N2O2	n1c(C(=O)c3ccc(Cl)cc3)cc(C(O)CN(CCCC)CCCC)C)c2cc(Cl)cc(Cl)c12	3.58	507.89
T-1493-561	3-phenoxy-naphth-1-yl, 5,7,3',5'-Cl4; N(Bu)2	C26H29Cl4NO2	c1(C(O)CN(CCCC)CCCC)cc(Oc3cc(Cl)cc(Cl)c3)cc2c(Cl)cc(Cl)cc12	5.41	529.34
T-1493-599	3-phenoxy-naphth-1-yl, 5,7,3',4'-Cl4; N(Bu)2	C26H29Cl4NO2	c1(C(O)CN(CCCC)CCCC)cc(Oc3cc(Cl)c(Cl)cc3)cc2c(Cl)cc(Cl)cc12	5.41	529.34
T-1493-056	phenanthrene-9-yl, 3,6-(CF3)2; N(Bu)2	C26H29F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCC)CCCC)cc12	3.67	485.51
T-1493-596	3-phenoxy-naphth-1-yl, 4-Br, 6,4'-Cl2; N(Bu)2	C26H30BrCl2NO2	c1(C(O)CN(CCCC)CCCC)cc(Oc3ccc(Cl)cc3)c(Br)c2cc(Cl)ccc12	4.74	539.35
T-1493-431	2-(alpha,alpha-difluorobenzyl)-quinolin-4-yl, 6,8-Cl2; N(Bu)2	C26H30Cl2F2N2O	n1c(C(F)(F)c3ccccc3)cc(C(O)CN(CCCC)CCCC)C)c2c(Cl)cc(Cl)c12	3.54	495.44
T-1493-012	phenanthrene-9-yl, 1,3-Cl2, 6-CF3; CH2-N(Bu)2	C26H30Cl2F3NO	c1(Cl)cc(Cl)cc2c3cc(C(F)(F)F)ccc3c(C(O)CCN(CCCC)CCCC)cc12	3.83	500.43
T-1493-444	2,6-diphenylpyrid-4-yl, 4',4''-Cl2; NH-(4-Hept)	C26H30Cl2N2O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CNC(CCC)CC)c2	3.71	457.45
T-1493-333	2-benzoyl-quinolin-4-yl, 6,8-Cl2; N(Bu)2	C26H30Cl2N2O2	n1c(C(=O)c3ccccc3)cc(C(O)CN(CCCC)CCCC)C)c2cc(Cl)cc(Cl)c12	3.49	473.44
T-1493-529	3-phenyl-naphth-1-yl, 6-Cl, 3',4'-Cl2; N(Bu)2	C26H30Cl3NO	c1(C(O)CN(CCCC)CCCC)cc(c3cc(Cl)c(Cl)cc3)cc2c(Cl)ccc12	5.74	478.89
T-1493-542	4-phenyl-naphth-1-yl, 5,7-Cl2, 4'-Cl; N(Bu)2	C26H30Cl3NO	c1(C(O)CN(CCCC)CCCC)ccc(c3ccc(Cl)cc3)c2c(Cl)cc(Cl)c12	5.74	478.89
T-1493-597	3-phenoxy-naphth-1-yl, 5,7,4'-Cl3; N(Bu)2	C26H30Cl3NO2	c1(C(O)CN(CCCC)CCCC)cc(Oc3ccc(Cl)cc3)cc2c(Cl)cc(Cl)cc12	4.87	494.89
T-1493-600	3-phenoxy-naphth-1-yl, 5,7,4'-Cl3; N(Bu)2	C26H30Cl3NO2	c1(C(O)CN(CCCC)CCCC)cc(Oc3ccc(Cl)cc3)cc2c(Cl)cc(Cl)cc12	4.87	494.89
T-1493-218	2-phenyl-quinolin-4-yl, 6,8,3',4'-Cl4; CH2-N(Bu)2	C26H30Cl4N2O	c1c(Cl)c(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CCN(CCCC)CCCC)C)c2	3.63	528.35
T-1493-347	2-phenyl-quinolin-4-yl, 3-Me, 6,8,2',4'-Cl4; N(Bu)2	C26H30Cl4N2O	c1(Cl)cc(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN(CCCC)CCCC)C)c2(C)	3.69	528.35
T-1493-432	2-(alpha,alpha-difluorobenzyl)-quinolin-4-yl, 8-Cl; N(Bu)2	C26H31ClF2N2O	n1c(C(F)(F)c3ccccc3)cc(C(O)CN(CCCC)CCCC)C)c2ccc(Cl)c12	3.52	461.00
T-1493-530	3-phenyl-naphth-1-yl, 6-Cl,4'-Cl; N(Bu)2	C26H31Cl2NO	c1(C(O)CN(CCCC)CCCC)cc(c3ccc(Cl)cc3)cc2cc(Cl)ccc12	5.29	444.45
T-1493-349	2-phenyl-quinolin-4-yl, 3-Me, 6,8,4'-Cl3; N(Bu)2	C26H31Cl3N2O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN(CCCC)CCCC)C)c2(C)	3.61	493.91
69756-53-2	halofantrine	C26H32Cl2F3NO	c1c(C(F)(F)F)ccc2c(C(O)CCN(CCCC)CCCC)cc3c(Cl)CC(Cl)cc3c12	3.81	504.46
T-1493-222	2-phenyl-quinolin-4-yl, 6-Me, 7-Cl, 4'-Cl; N(Bu)2	C26H32Cl2N2O	c1cc(Cl)ccc1c2nc3cc(Cl)c(C)cc3c(C(O)CN(CCCC)CCCC)C)c2	3.57	459.46
T-1493-429	2-benzyl-quinolin-4-yl, 6,8-Cl2; N(Bu)2	C26H32Cl2N2O	n1c(Cc3ccccc3)cc(C(O)CN(CCCC)CCCC)C)c2cc(Cl)cc(Cl)c12	3.51	459.46
T-1493-241	2-phenyl-quinolin-4-yl, 6-OMe, 7,4'-Cl2; N(Bu)2	C26H32Cl2N2O2	c1cc(Cl)ccc1c2nc3cc(Cl)c(OC)cc3c(C(O)CN(CCCC)CCCC)C)c2	3.47	475.46
T-1493-273	2-phenyl-quinolin-4-yl, 6-OMe, 3',4'-Cl2; N(Bu)2	C26H32Cl2N2O2	c1c(Cl)c(Cl)ccc1c2nc3ccc(OC)cc3c(C(O)CN(CCCC)CCCC)C)c2	3.47	475.46
T-1493-285	2-phenyl-quinolin-4-yl, 7-OMe, 3',4'-Cl2; N(Bu)2	C26H32Cl2N2O2	c1c(Cl)c(Cl)ccc1c2nc3cc(OC)ccc3c(C(O)CN(CCCC)CCCC)C)c2	3.47	475.46
T-1493-357	2-phenyl-quinolin-4-yl, 6,4'-Cl2, 7-OMe; N(Bu)2	C26H32Cl2N2O2	c1cc(Cl)ccc1c2nc3cc(OC)c(Cl)cc3c(C(O)CN(CCCC)CCCC)C)c2	3.47	475.46
T-1493-352	2-phenyl-quinolin-4-yl, 6-OMe, 3',4'-Cl2; N(C2H4OEt)2	C26H32Cl2N2O4	c1c(Cl)c(Cl)ccc1c2nc3ccc(OC)cc3c(C(O)CN(CCOCC)CCOCC)C)c2	2.99	507.46
T-1493-417	quinolin-4-yl, 6-OEt; quinuclidine-5-Et	C26H32NO2	c1cccc2c3cc(OC)ccc3c(C(O)CN4CCC(CC4)CC5CC)cc12	4.43	390.55
T-1493-105	phenanthrene-9-yl, 3,6-Br2; N(Pent)2	C26H33Br2NO	c1cc(Br)cc2c3cc(Br)ccc3c(C(O)CN(CCCCC)CCCC)C)cc12	4.50	535.37
T-1493-430	2-benzyl-quinolin-4-yl, 8-Cl; N(Bu)2	C26H33ClN2O	n1c(Cc3ccccc3)cc(C(O)CN(CCCC)CCCC)C)c2cccc(Cl)c12	3.51	425.02

T-1493-234	2-phenyl-quinolin-4-yl, 6-OMe, 8-CF3, 4'-Cl; N(Bu)2	C26H33ClN2O2	c1cc(Cl)ccc1c2nc3ccc(OC)cc3c(C(O)CN(CCCC)CCC)c2	3.42	441.02
T-1493-277	2-phenyl-quinolin-4-yl, 6-OMe, 7-Cl, 4'-OMe; N(Bu)2	C26H33ClN2O2	c1ccccc1c2nc3cc(Cl)c(OC)cc3c(C(O)CN(CCCC)CCC)c2	3.42	441.02
T-1493-068	phenanthrene-9-yl, 2,6-Cl2; N(Pent)2	C26H33Cl2NO	c1c(Cl)ccc2c3cc(Cl)ccc3c(C(O)CN(CCCCC)CCCCC)c12	4.55	446.46
36167-63-2	Halofantrine hydrochloride	C26H33Cl3F3NO	c1c(C(F)(F)F)ccc2c(C(O)CC[N+](CCCC)CCCC)cc3c(Cl)CC(Cl)cc3c12.[Cl-]	3.76	540.93
T-1493-533	3-phenylnaphth-1-yl, 4 -Cl; N(Bu)2	C26H33NO	c1(C(O)CN(CCCC)CCCC)cc(c3ccccc3)cc2ccccc12	4.96	375.56
T-1493-614	phenanthrene-1-yl, 7-Cl; N(Pent)2	C26H34ClNO	c1(C(O)CN(CCCCC)CCCC)cccc2c3ccccc3c(Cl)cc12	4.51	412.02
T-1493-305	2-phenyl-quinolin-4-yl, 6-OMe; N(Bu)2	C26H34N2O2	c1ccccc1c2nc3ccc(OC)cc3c(C(O)CN(CCCC)CCCC)c2	3.38	406.57
T-1493-610	phenanthrene-1-yl, -; N(Pent)2	C26H35NO	c1(C(O)CN(CCCCC)CCCC)cccc2c3ccccc3ccc12	4.49	377.57
T-1493-154	phenanthrene-9-yl, 2,6-(SMe)2; N(Bu)2	C26H35NOS2	c1c(SC)ccc2c3cc(SC)ccc3c(C(O)CN(CCCC)CCCC)c12	3.02	441.70
T-1493-575	dithiophene deriv.; 6-Cl; N(Hept)2	C26H38ClNOS2	s1ccc2c3cc(Cl)sc3c(C(O)CN(CCCCC)CCCCC)cc12	4.17	480.18
T-3238-010	artemisinin deriv.; T-3238-010	C26H38O5	[H][C@]12OC3(C)CC[C@@]4([H])C(C)CCC(C24O3)[C@@H](C)[C@@H](O[C@H](CCC)C5ccccc5)O1	4.60	430.59
T-3238-011	artemisinin deriv.; T-3238-011	C26H38O5	[H][C@]12OC3(C)CC[C@@]4([H])C(C)CCC(C24O3)[C@@H](C)[C@@H](O[C@H](CCC)C5ccccc5)O1	4.60	430.59
T-1493-576	dithiophene deriv.; -; N(Hept)2	C26H39NOS2	s1ccc2c3ccsc3c(C(O)CN(CCCCC)CCCCC)cc12	4.25	445.73
P1S-287-339	7-chloro-N-[12-(piperidin-1-yl)dodecanyl]quinolin-4-amine	C26H40ClN3	c1c(Cl)ccc2c(ccnc12)NCCCCCCCCCCCN3CCC	4.44	430.08
T-1493-363	2-phenyl-quinolin-4-yl, 6,8-Cl2; 4-Ph-piperazine	C27H25Cl2N3O	c1ccccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN4CCN(c5ccc5)CC4)c2	5.15	478.42
T-1493-439	2,6-diphenylpyrid-4-yl, 4',4'-(CF3)2; NH-(c-C6H11)	C27H26F6N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CNC4CCCC4)c2	3.52	508.51
T-1493-493	2-phenyl-6-styrylpyrid-4-yl, 4',4'-(CF3)2; NH-Bu	C27H26F6N2O	c1cc(C(F)(F)F)ccc1/C=C/c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CNC4CCCC4)c2	3.50	508.51
T-1493-470	2,6-diphenylpyrid-4-yl, 4',4'-Cl2; NH-1-adamantyl	C27H28Cl2N2O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CNC45CC(C)4)CC5)c2	3.60	467.44
T-1493-327	2-benzoyl-quinolin-4-yl, 6,3',5'-Cl3, 8-CF3; N(Bu)2	C27H28Cl3F3N2O2	n1c(C(=O)c3cc(Cl)cc(Cl)c3)cc(C(O)CN(CCCC)CCC)cc2cc(Cl)cc(C(F)(F)F)c12	3.78	575.89
T-1493-449	2,6-diphenylpyrid-4-yl, 4',4'-(CF3)2; NH(Hex)	C27H28F6N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CNC4CCCC4)c2	3.53	510.52
T-1493-326	2-benzoyl-quinolin-4-yl, 6,8-Cl2, 4'-CF3; N(Bu)2	C27H29Cl2F3N2O2	n1c(C(=O)c3ccc(C(F)(F)F)cc3)cc(C(O)CN(CCCC)CCC)cc2cc(Cl)cc(Cl)c12	3.71	541.44
T-1493-332	2-benzoyl-quinolin-4-yl, 6,4'-Cl2, 8-CF3; N(Bu)2	C27H29Cl2F3N2O2	n1c(C(=O)c3ccc(Cl)cc3)cc(C(O)CN(CCCC)CCCC)cc2cc(Cl)cc(C(F)(F)F)c12	3.71	541.44
T-1493-598	3-phenoxy-naphth-1-yl, 5,7-Cl2, 3-CF3; N(Bu)2	C27H30Cl2F3NO2	c1(C(O)CN(CCCC)CCCC)cc(Oc3cc(C(F)(F)F)ccc3)cc2c(Cl)cc(Cl)cc12	4.30	528.44
T-1493-484	2,6-diphenylpyrid-4-yl, 3',4',3'',4''-Cl4; N(Bu)2NO	C27H30Cl4N2O	c1c(Cl)c(Cl)ccc1c2nc(c3cc(Cl)c(Cl)cc3)cc(C(O)CN(CCCC)CCCC)c2	3.72	540.36
T-1493-486	2,6-diphenylpyrid-4-yl, 3',4',3'',4''-Cl4; N(Bu)2	C27H30Cl4N2O	c1c(Cl)c(Cl)ccc1c2nc(c3cc(Cl)c(Cl)cc3)cc(C(O)CN(CCCC)CCCC)c2	3.72	540.36
T-1493-416	quinolin-4-yl, quinine: OCO-C6H5	C27H30N2O4	c1cc([C@](O)([H])[C@@]3([H])N(CC4)C[C@]([H])(C=C)C4C3)c2cc(OC)ccc2[n+].1.[O-]C(=O)c4ccccc4	3.17	446.55
T-1493-307	2-phenyl-quinolin-4-yl, 5,8-(OMe)2, 4'-Cl; NH-1-adamantyl	C27H31ClN2O3	c1cc(Cl)ccc1c2nc3c(OC)ccc(OC)cc3c(C(O)CNC45CC(C)4)CC5)c2	3.32	467.01
T-1493-479	2,6-diphenylpyrid-4-yl, 3'',4'',4'''-Cl3; N(Bu)2	C27H31Cl3N2O	c1cc(Cl)ccc1c2nc(c3cc(Cl)c(Cl)cc3)cc(C(O)CN(CCCC)CCCC)c2	3.62	505.92
T-1493-066	phenanthrene-9-yl, 3,6-(CF3)2; CH2-N(Bu)2	C27H31F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CCN(CCCC)CCCC)cc12	3.67	499.54

T-1493-466	2,6-diphenylpyrid-4-yl, 4',4"-Br <sub>2</sub> ; N(Bu) <sub>2</sub> {	C27H32Br <sub>2</sub> N <sub>2</sub> O	c1cc(Br)ccc1c2nc(c3ccc(Br)cc3)cc(C(O)CN(CCCC)CCCC)c2	3.71	560.38
T-1493-029	phenanthrene-9-yl, 3,4-Cl <sub>2</sub> , 6-CF <sub>3</sub> ; N(Pent) <sub>2</sub>	C27H32Cl <sub>2</sub> F <sub>3</sub> NO	c1cc(Cl)c(Cl)c2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCC)CCCC)c12	3.84	514.46
T-1493-453	2,6-diphenylpyrid-4-yl, 4',4"-Cl <sub>2</sub> ; N(Bu) <sub>2</sub>	C27H32Cl <sub>2</sub> N <sub>2</sub> O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CN(CCCC)CCCC)c2	3.63	471.47
T-1493-457	2,6-diphenylpyrid-4-yl, 4',4"-Cl <sub>2</sub> ; N(Bu) <sub>2</sub> ; O-succinate	C27H32Cl <sub>2</sub> N <sub>2</sub> O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CN(CCCC)CCCC)c2	3.63	471.47
T-1493-539	3-phenyl-naphth-1-yl, 6,3',4'-Cl <sub>3</sub> , 7-OMe; N(Bu) <sub>2</sub>	C27H32Cl <sub>3</sub> NO <sub>2</sub>	c1(C(O)CN(CCCC)CCCC)ccc(c3cc(Cl)c(Cl)cc3)cc2c(Cl)c(OC)cc12	5.73	508.92
T-1493-469	2,6-diphenylpyrid-4-yl, 4',4"-F <sub>2</sub> ; N(Bu) <sub>2</sub>	C27H32F <sub>2</sub> N <sub>2</sub> O	c1cc(F)ccc1c2nc(c3ccc(F)cc3)cc(C(O)CN(CCCC)CCC)c2	3.77	438.56
T-1493-465	2,6-diphenylpyrid-4-yl, 4'-Cl, 4"-Br; N(Bu) <sub>2</sub>	C27H33ClN <sub>2</sub> O	c1cc(Cl)ccc1c2nc(c3ccccc3)cc(C(O)CN(CCCC)CCC)c2	3.68	437.03
T-1493-483	2,6-diphenylpyrid-4-yl, 4'-Cl, 4"-OMe; N(Bu) <sub>2</sub>	C27H33ClN <sub>2</sub> O	c1cc(Cl)ccc1c2nc(c3ccccc3)cc(C(O)CN(CCCC)CCC)c2	3.68	437.03
T-1493-540	3-phenyl-naphth-1-yl, 6-Cl, 7-OMe, 4'-Cl; N(Bu) <sub>2</sub>	C27H33Cl <sub>2</sub> N <sub>2</sub> O <sub>2</sub>	c1(C(O)CN(CCCC)CCCC)ccc(c3ccc(Cl)cc3)cc2cc(Cl)c(OC)cc12	5.22	474.47
T-1493-548	1,2-diphenylethylen-1-yl, 3,6-(CF <sub>3</sub> ) <sub>2</sub> ; N(Bu) <sub>2</sub>	C27H33F <sub>6</sub> NO	c1cc(C(F)(F)F)ccc1/C(C(O)CN(CCCC)CCCC)=C(C)\c2ccc(C(F)(F)F)cc2	3.57	501.56
T-5359-004	antimalarial cpd.; T-5359-004	C27H33N <sub>3</sub> O <sub>2</sub>	c1ccc2ccccc2c1OCC(=O)NCCCNC3CCN(CC3)C4CCCC4	4.47	431.58
T-1493-532	3-phenyl-naphth-1-yl, 7-OMe, 4'-Cl; N(Bu) <sub>2</sub>	C27H34ClNO <sub>2</sub>	c1(C(O)CN(CCCC)CCCC)ccc(c3ccc(Cl)cc3)cc2ccc(OC)cc12	4.88	440.03
T-1493-480	2,6-diphenylpyrid-4-yl, 4"-Cl; N(Bu) <sub>2</sub>	C27H34N <sub>2</sub> O	c1ccccc1c2nc(c3ccccc3)cc(C(O)CN(CCCC)CCCC)c2	3.74	402.58
T-1493-490	2,6-diphenylpyrid-4-yl, -; N(Bu) <sub>2</sub>	C27H34N <sub>2</sub> O	c1ccccc1c2nc(c3ccccc3)cc(C(O)CN(CCCC)CCCC)c2	3.74	402.58
T-1493-384	2-phenyl-quinolin-4-yl, 6,8-Me <sub>2</sub> , 4'-Cl; CH(Me)N(Bu) <sub>2</sub>	C27H35ClN <sub>2</sub>	c1cc(Cl)ccc1c2nc3c(C)cc(C)cc3c(C)N(CCCC)CCC)c2	3.79	423.04
T-1493-237	2-phenyl-quinolin-4-yl, 6,8-Me <sub>2</sub> , 4'-Cl; N(Bu) <sub>2</sub>	C27H35ClN <sub>2</sub> O	c1cc(Cl)ccc1c2nc3c(C)cc(C)cc3c(C(O)CN(CCCC)CCC)c2	3.63	439.04
T-1493-274	2-phenyl-quinolin-4-yl, 6-Cl, 3',4'-(OMe) <sub>2</sub> ; N(Bu) <sub>2</sub>	C27H35ClN <sub>2</sub> O <sub>3</sub>	c1c(OC)c(OC)ccc1c2nc3ccc(Cl)cc3c(C(O)CN(CCCC)CCCC)c2	3.10	471.04
T-1493-376	2-phenyl-quinolin-4-yl, 6-Cl, 7-OMe, 4'-OMe; N(Bu) <sub>2</sub>	C27H35ClN <sub>2</sub> O <sub>3</sub>	c1cc(OC)ccc1c2nc3cc(OC)c(Cl)cc3c(C(O)CN(CCCC)CCCC)c2	3.10	471.04
T-1493-380	2-phenyl-quinolin-4-yl, 5,8-(OMe) <sub>2</sub> , 4'-Cl; N(Bu) <sub>2</sub>	C27H35ClN <sub>2</sub> O <sub>3</sub>	c1cc(Cl)ccc1c2nc3c(OC)ccc(OC)c3c(C(O)CN(CCCC)CCCC)c2	3.10	471.04
T-1493-572	monothiophene deriv. (III); 3-CF <sub>3</sub> ; N(Hex) <sub>2</sub>	C27H36F <sub>3</sub> NOS	c1cc(C(F)(F)F)cc2c3ccsc3c(C(O)CN(CCCCC)CCCC)c12	3.80	479.65
T-1493-378	2-phenyl-quinolin-4-yl, -; N(pent) <sub>2</sub>	C27H36N <sub>2</sub> O	c1ccccc1c2nc3ccccc3c(C(O)CN(CCCCC)CCCC)c2	3.52	404.60
T-1493-338	2-(tert-butyl)-quinolin-1-yl, 2-(t-Bu), 6-Cl, 7,8-(CH=CH) <sub>2</sub> ; N(Bu) <sub>2</sub>	C27H37ClN <sub>2</sub> O	CC(C)(C)c2nc3c(cccc7)c7c(Cl)cc3c(C(O)CN(CCCC)CCCC)c2	3.63	441.06
T-1493-343	2-adamant-1-yl-quinolin-4-yl, 2-adamant-1-yl, 6,8-Cl <sub>2</sub> ; N(Bu) <sub>2</sub>	C27H38Cl <sub>2</sub> N <sub>2</sub> O	n1c2c(Cl)cc(Cl)cc2c(C(O)CN(CCCC)CCCC)cc1C45CCC(CC4)CC5	3.25	477.52
T-1493-420	2-(tert-butyl)-quinolin-1-yl, 2-(t-Bu), 7,8-(CH=CH) <sub>2</sub> ; N(Bu) <sub>2</sub>	C27H38N <sub>2</sub> O	CC(C)(C)c2nc3c(cccc7)c7ccc3c(C(O)CN(CCCC)CCC)c2	3.63	406.61
T-1493-428	2-adamant-1-yl-quinolin-4-yl, 2-adamant-1-yl, 6-Cl; N(Bu) <sub>2</sub>	C27H39ClN <sub>2</sub> O	n1c2ccc(Cl)cc2c(C(O)CN(CCCC)CCCC)cc1C45CCC(CC4)CC5	3.22	443.08
T-1493-404	quinolin-4-yl, -; N(Oct) <sub>2</sub>	C27H44N <sub>2</sub> O	n1c2ccccc2c(C(O)CN(CCCCCCCC)CCCCCCCC)c1	3.49	412.66
T-1493-328	2-benzoyl-quinolin-4-yl, 6,8-Cl <sub>2</sub> , 3',5'-(CF <sub>3</sub> ) <sub>2</sub> ; N(Bu) <sub>2</sub>	C28H28Cl <sub>2</sub> F <sub>6</sub> N <sub>2</sub> O <sub>2</sub>	n1c(C(=O)c3cc(C(F)(F)F)cc(C(F)(F)F)c3)cc(C(O)CN(CCCC)CCCC)c2cc(Cl)cc(Cl)c12	3.85	609.44
T-1493-329	2-benzoyl-quinolin-4-yl, 6-Cl, 8,3'-(CF <sub>3</sub> ) <sub>2</sub> ; N(Bu) <sub>2</sub>	C28H29ClF <sub>6</sub> N <sub>2</sub> O <sub>2</sub>	n1c(C(=O)c3cc(C(F)(F)F)ccc3)cc(C(O)CN(CCCC)CCC)c2cc(Cl)cc(C(F)(F)F)c12	3.80	574.99
T-1493-436	2,6-diphenylpyrid-4-yl, 4',4"-CF <sub>3</sub> ) <sub>2</sub> ; NH-(4-Hept)	C28H30F <sub>6</sub> N <sub>2</sub> O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CNC(CCC)CCC)c2	3.60	524.55
T-1493-443	2,6-diphenylpyrid-4-yl, 4',4"-CF <sub>3</sub> ) <sub>2</sub> ; N(4-Hept) <sub>2</sub>	C28H30F <sub>6</sub> N <sub>2</sub> O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CNC(CCC)CCC)c2	3.60	524.55

T-1493-458	2,6-diphenylpyrid-4-yl, 4',4"-(CF3)2; NH(Hept)	C28H30F6N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CNCCCCCCC)c2	3.58	524.55
T-1493-175	phenanthrene-9-yl, 6 Br, NEt(2-MeO-5-NH2-Bzl)	C28H31BrN2O3	c1cccc2c3cc(Br)ccc3c(C(O)CN(CC)Cc4c(OC)ccc(C(O)CN)c4)cc12	5.55	523.48
T-1493-475	2,6-diphenylpyrid-4-yl, 4'-CF3, 3",4"-Cl2; N(Bu)2	C28H31Cl2F3N2O	c1c(Cl)c(C(F)(F)F)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CN(CCCC)CCCC)c2	3.63	539.47
T-1493-482	2,6-diphenylpyrid-4-yl, 3'-CF3, 3",4"-Cl2; N(Bu)2	C28H31Cl2F3N2O	c1c(C(F)(F)F)c(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CN(CCCC)CCCC)c2	3.63	539.47
T-1493-459	2,6-diphenylpyrid-4-yl, 4'-CF3, 4"-Br; N(Bu)2	C28H33F3N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccccc3)cc(C(O)CN(CC)CCCC)c2	3.61	470.58
T-1493-481	2,6-diphenylpyrid-4-yl, 4'-CF3, 4"-Cl; N(Bu)2	C28H33F3N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccccc3)cc(C(O)CN(CC)CCCC)c2	3.61	470.58
T-5359-023	antimalarial cpd.; T-5359-023	C28H33N3O2	c1cccc1COc2ccc(cc2)NC(=O)CCNC3CCN(CC3)C4CCCC4	4.26	443.59
T-1493-485	2,6-diphenylpyrid-4-yl, 3',4'-Cl2, 4"-OMe; N(Bu)2	C28H34Cl2N2O2	c1c(Cl)c(Cl)ccc1c2nc(c3ccc(OC)cc3)cc(C(O)CN(CCC)CCCC)c2	3.52	501.50
T-1493-133	phenanthrene-9-yl, 3,6-Br2; N(Hex)2	C28H37Br2NO	c1cc(Br)cc2c3cc(Br)ccc3c(C(O)CN(CCCCC)CCC)CCc12	4.50	563.43
T-1493-283	2-phenyl-quinolin-4-yl, 3-OMe, 6,8-Me2, 4'-Cl; N(Bu)2	C28H37ClN2O2	c1cc(Cl)ccc1c2nc3c(C)cc(C)cc3c(C(O)CN(CCCC)CCC)c2(OC)	3.52	469.07
T-5359-041	antimalarial cpd.; T-5359-041	C28H37N5O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCNC3CCN(CC3)Cc4nnc4	4.19	507.64
T-1493-140	phenanthrene-9-yl, 6-Br; N(Hept)2-NO	C28H38BrNO	c1cccc2c3cc(Br)ccc3c([N+][O-])(CCCCC)CCCCC)c12	4.62	484.53
T-1493-562	phenanthrene-1-yl, 7-Br; N(Hex)2	C28H38BrNO	c1(C(O)CN(CCCCC)CCCC)cccc2c3ccccc3c(Br)cc12	4.49	484.53
T-1493-621	phenanthrene-4-yl, 5-Br; N(Hex)2	C28H38BrNO	c1ccc(C(O)CN(CCCCC)CCCC)c2c3c(Br)cccc3ccc12	4.49	484.53
T-1493-608	phenanthrene-1-yl, 7-Cl; N(Hex)2	C28H38ClNO	c1(C(O)CN(CCCCC)CCCC)cccc2c3ccccc3c(Cl)cc12	4.50	440.07
T-1493-568	monothiophene deriv. (III); 1,3,6-Cl3; N(Hept)2	C28H38Cl3NOS	c1(Cl)cc(Cl)cc2c3cc(Cl)sc3c(C(O)CN(CCCCC)CCCC)cc12	4.59	543.04
T-1493-512	monothiophene deriv (III).; 1,3-Cl2; N(Hept)2	C28H39Cl2NOS	c1(Cl)cc(Cl)cc2c3ccsc3c(C(O)CN(CCCCC)CCC)CCCC)c12	4.55	508.60
T-1493-578	monothiophene deriv (II).; 1,3-Cl2; N(Hept)2	C28H39Cl2NOS	c1(Cl)cc(Cl)cc2c3scsc3c(C(O)CN(CCCCC)CCC)CCCC)c12	4.55	508.60
T-1493-342	2-adamant-1-yl-quinolin-4-yl, 2-adamant-1yl, 8-CF3; N(Bu)2	C28H39F3N2O	n1c2c(C(F)(F)F)cccc2c(C(O)CN(CCCC)CCCC)cc1C45CCC(CC4)CC5	3.28	476.63
T-1493-213	phenanthrene-9-yl, -; N(Hex)2	C28H39NO	c1cccc2c3ccccc3c(C(O)CN(CCCCC)CCCC)cc12	4.49	405.63
T-1493-616	phenanthrene-1-yl, -; N(Hex)2	C28H39NO	c1(C(O)CN(CCCCC)CCCC)cccc2c3ccccc3ccc12	4.49	405.63
T-1493-624	phenanthrene-4-yl, -; N(Hex)2	C28H39NO	c1ccc(C(O)CN(CCCCC)CCCC)c2c3ccccc3ccc12	4.49	405.63
T-5359-014	antimalarial cpd.; T-5359-014	C28H39N3O2	c1cccc1Oc2ccc(cc2)C(=O)NCCCNC3CCN(CC3)C4CCCC4	3.31	449.64
T-1493-579	monothiophene deriv (II).; 3-Br; N(Hept)2	C28H40BrNOS	c1cc(Br)cc2c3scsc3c(C(O)CN(CCCCC)CCCC)CC)cc12	4.60	518.61
T-1493-581	monothiophene deriv (I).; 6-Br; N(Hept)2	C28H40BrNOS	c1csc2c3cc(Br)ccc3c(C(O)CN(CCCCC)CCCC)CC)cc12	4.60	518.61
T-1493-423	2-(tert-butyl)-quinolin-1-yl, 2-(t-Bu), 6-Me, 7,8-(CH=CH)2; N(Bu)2	C28H40N2O	CC(C)(C)c2nc3c(ccc7)c7c(C)cc3c(C(O)CN(CCCC)CCCC)c2	3.63	420.64
T-5359-027	antimalarial cpd.; T-5359-027	C28H41N3O3S	c1cccc1COc2ccc(cc2)S(=O)(=O)NCCCNC3CCN(CC3)CC4CCCC4	2.46	499.72
T-1493-601	naphth-1-yl, 4-Br; N(Oct)2	C28H44BrNO	c1(C(O)CN(CCCCC)CCCC)ccc(Br)c2ccc12	6.24	490.58
74847-35-1	pyronaridine	C29H32ClN5O2	n1c(OC)ccc2nc3cc(Cl)ccc3c(c12)Nc4cc(CN5CCCC5)c(O)c(CN6CCCC6)c4	4.12	518.06
T-1493-445	2,6-diphenylpyrid-4-yl, 4,4"-(CF3)2; N(Bu)2	C29H32F6N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CN(CCCC)CCCC)c2	3.60	538.58

T-1493-455	2,6-diphenylpyrid-4-yl, 4',4''-(CF3)2; NH(Oct)	C29H32F6N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CN(CCCCCC)C)C2	3.62	538.58
T-1493-301	2-phenyl-quinolin-4-yl, 7,8-(CH=CH)2, 3,2',4'-Me3, 6-Cl; N(Bu)2	C29H33ClN2O	c1cccc1c2nc3c(cccc7)c7c(Cl)cc3c(C(O)CN(CCCCC)CCCC)C2	6.29	461.05
T-1493-085	phenanthrene-9-yl, 3,6-(CF3)2; CH2-N(Pent)2	C29H35F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CCN(CCCCC)CCCC)CC12	3.68	527.59
T-5359-024	antimalarial cpd.; T-5359-024	C29H35N3O2	c1cccc1COc2ccc(cc2)NC(=O)CCCNC3CCN(CC3)Cc4cccc4	4.35	457.62
T-1493-477	2,6-diphenylpyrid-4-yl, 4',4''-Cl2; N(Pent)2	C29H36Cl2N2O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CN(CCCCC)CCCC)C2	3.70	499.53
T-5359-022	antimalarial cpd.; T-5359-022	C29H36N2O2	c1cccc1COc2ccc(cc2)COCNC3CCN(CC3)Cc4cccc4	4.25	444.62
T-1493-269	2-phenyl-quinolin-4-yl, 6,8-Cl2, 4'-Cl; N(Hex)2	C29H37Cl3N2O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN(CCCCC)CCCC)C2	3.68	535.99
T-1493-251	2-phenyl-quinolin-4-yl, 7-CF3, 3',4'-Cl2; N(Hex)2	C29H38Cl2N2O	c1c(Cl)c(Cl)ccc1c2nc3cccc3c(C(O)CN(CCCCC)CCCC)C2	3.63	501.54
T-1493-271	2-phenyl-quinolin-4-yl, 6,7-Cl2, 4'-OMe; N(Hex)2	C29H38Cl2N2O	c1cccc1c2nc3cc(Cl)c(Cl)cc3c(C(O)CN(CCCCC)CCCC)C2	3.63	501.54
T-1493-272	2-phenyl-quinolin-4-yl, 6,8-Cl2; N(Hex)2	C29H38Cl2N2O	c1cccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN(CCCCC)CCCC)C2	3.63	501.54
T-1493-279	2-phenyl-quinolin-4-yl, 8-Cl, 4'-Cl; N(Hex)2	C29H38Cl2N2O	c1cc(Cl)ccc1c2nc3c(Cl)ccc3c(C(O)CN(CCCCC)CCCC)C2	3.63	501.54
T-1493-282	2-phenyl-quinolin-4-yl, 7,4'-Cl2; N(Hex)2	C29H38Cl2N2O	c1cc(Cl)ccc1c2nc3cc(Cl)ccc3c(C(O)CN(CCCCC)CCCC)C2	3.63	501.54
T-1493-491	2,6-diphenylpyrid-4-yl, 4',4''-(OMe)2; N(Bu)2	C29H38N2O3	c1cc(OC)ccc1c2nc(c3ccc(OC)cc3)cc(C(O)CN(CCCCC)CCCC)C2	3.03	462.63
T-1493-510	monothiophene deriv (III); 3-CF3, 6-Cl; N(Hept)2	C29H39ClF3NOS	c1cc(C(F)(F)F)cc2c3cc(Cl)sc3c(C(O)CN(CCCCC)CCCC)CC12	3.89	542.15
T-1493-262	2-phenyl-quinolin-4-yl, 7-CF3, 4'-Cl; N(Hex)2	C29H39ClN2O	c1cc(Cl)ccc1c2nc3cccc3c(C(O)CN(CCCCC)CCCC)CC12	3.58	467.10
T-1493-351	2-phenyl-quinolin-4-yl, 7-CF3, 4'-Cl; N(Hex)2	C29H39ClN2O	c1cc(Cl)ccc1c2nc3cccc3c(C(O)CN(CCCCC)CCCC)CC12	3.58	467.10
T-5359-044	antimalarial cpd.; T-5359-044	C29H39N3O3	c1cccc1COc2ccc(cc2)C(=O)NCCCNC3CCN(CC3)C(=O)C4CCCC4	3.35	477.65
T-1493-515	monothiophene deriv (II); 3-CF3; N(Hept)2	C29H40F3NOS	c1cc(C(F)(F)F)cc2c3sccc3c(C(O)CN(CCCCC)CCCC)CC12	3.87	507.70
T-1493-556	monothiophene deriv. (III); 3-CF3; N(Hept)2	C29H40F3NOS	c1cc(C(F)(F)F)cc2c3ccsc3c(C(O)CN(CCCCC)CCCC)CC12	3.87	507.70
T-1493-580	monothiophene deriv (I); 6-CF3; N(Hept)2	C29H40F3NOS	c1csc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCCC)CCCC)CC12	3.87	507.70
30562-34-6	geldanamycin	C29H40N2O9	C[C@@H]1[C@@H](O)[C@@H](OC)C[C@@H](C)C2=C(OC)C(=O)C=C(C2=O)NC(=O)/C(C)=C/C/[C@@H](OC)[C@@H](OC(=O)N)/C(C)=C1	1.21	560.64
T-1493-635	7-aza-phenanthrene-9-yl, 3-Cl; N(Hept)2	C29H41ClN2O	c1cc(Cl)cc2c3ccncc3c(C(O)CN(CCCCC)CCCC)CC12	3.56	469.11
T-1493-508	monothiophene deriv (III); 1,3-Cl2, 6-Me; N(Hept)2	C29H41Cl2NOS	c1(Cl)cc(Cl)cc2c3cc(C)sc3c(C(O)CN(CCCCC)CCCC)CC12	4.58	522.62
T-1493-202	phenanthrene-9-yl, 1-OH; CH2-N(Hex)2	C29H41NO	c1ccc2c3ccccc3c(C(O)CCN(CCCCC)CCCC)CC12	4.55	419.65
T-5359-015	antimalarial cpd.; T-5359-015	C29H41N3O	c1cccc1Cc2ccc(cc2)C(=O)NCCCNC3CCN(CC3)C4CCCC4	3.47	447.67
T-5359-011	antimalarial cpd.; T-5359-011	C29H41N3O2	c1cccc1COc2ccc(cc2)C(=O)NCCCNC3CCN(CC3)CC4CCCC4	3.44	463.67
T-5359-025	antimalarial cpd.; T-5359-025	C29H41N3O2	c1cccc1COc2ccc(cc2)CNCCC(=O)NC3CCN(CC3)CC4CCCC4	4.58	463.67
T-1493-545	4-aza-phenanthrene-9-yl, -; N(Hept)2	C29H42N2O	c1cnc2c3ccccc3c(C(O)CN(CCCCC)CCCC)CC12	3.50	434.67
T-1493-628	2-aza-phenanthrene-9-yl, -; N(Hept)2	C29H42N2O	c1nccc2c3ccccc3c(C(O)CN(CCCCC)CCCC)CC12	3.50	434.67
T-1493-631	3-aza-phenanthrene-9-yl, -; N(Hept)2	C29H42N2O	c1cncc2c3ccccc3c(C(O)CN(CCCCC)CCCC)CC12	3.50	434.67

82186-77-4	lumefantrine; Benflumetol	C30H32Cl3NO	Clc4ccc3c1c(cc(Cl)cc1[C@](O)([H])CN(CCCC)CCC C)/C(=C)c2ccc(Cl)cc2)c3c4	5.51	528.95
T-1493-434	2,6-diphenylpyrid-4-yl, 4',4''-(CF3)2; CH2-N(Bu)2	C30H34F6N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C O)CCN(CCCC)CCCC)c2	3.64	552.60
T-1493-195	phenanthrene-9-yl, 10-OC6H5; N(Bu)2	C30H35NO2	c1cccc2c3ccccc3c(C(O)CN(CCCC)CCCC)c(Oc4cc ccc4)c12	6.02	441.62
T-1493-278	2-phenyl-quinolin-4-yl, 6,8-Cl2, 3'-CF3; N(Hex)2	C30H37Cl2F3N2O	c1c(C(F)(F)F)cccc1c2nc3c(Cl)cc(Cl)cc3c(C(O)CN CCCC)CCCCC)c2	3.69	569.54
T-5359-016	antimalarial cpd.; T-5359-016	C30H37N3O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCNC3CC N(CC3)Cc4cccc4	3.58	503.64
T-5359-018	antimalarial cpd.; T-5359-018	C30H39N3O3	c1cccc1COc2c(OC)cc(cc2OC)CNCNC3CCN(CC 3)Cc4cccc4	3.79	489.66
T-1493-191	phenanthrene-9-yl, 2,7,10-Br3; N(Hept)2	C30H40Br3NO	c1c(Br)ccc2c3ccc(Br)cc3c(C(O)CN(CCCCC)CC CCCC)c(Br)c12	4.57	670.38
T-1493-243	2-phenyl-quinolin-4-yl, 7-Cl, 8-Me, 4'-Cl; N(Hex)2	C30H40Cl2N2O	c1cc(Cl)ccc1c2nc3c(Cl)c(Cl)ccc3c(C(O)CN(CCCCC C)CCCCC)c2	3.71	515.57
T-1493-270	2-phenyl-quinolin-4-yl, 6-OMe, 3',4'-Cl2; N(Hex)2	C30H40Cl2N2O2	c1c(Cl)c(Cl)ccc1c2nc3ccc(OC)cc3c(C(O)CN(CCCC C)CCCCC)c2	3.59	531.57
T-1493-297	2-phenyl-quinolin-4-yl, 7-OMe, 3',4'-Cl2; N(Hex)2	C30H40Cl2N2O2	c1c(Cl)c(Cl)ccc1c2nc3cc(OC)ccc3c(C(O)CN(CCCC C)CCCCC)c2	3.59	531.57
T-1493-300	2-phenyl-quinolin-4-yl, 6-OMe, 7-Cl, 4'-Cl; N(Hex)2	C30H40Cl2N2O2	c1cc(Cl)ccc1c2nc3cc(Cl)c(OC)cc3c(C(O)CN(CCCC C)CCCCC)c2	3.59	531.57
T-1493-355	2-phenyl-quinolin-4-yl, 6,4'-Cl2, 7-OMe; N(Hex)2	C30H40Cl2N2O2	c1cc(Cl)ccc1c2nc3cc(OC)c(Cl)cc3c(C(O)CN(CCCC C)CCCCC)c2	3.59	531.57
T-1493-138	phenanthrene-9-yl, 3,6-Br2; N(Hept)2	C30H41Br2NO	c1cc(Br)cc2c3cc(Br)ccc3c(C(O)CN(CCCCC)CC CCCC)c12	4.53	591.48
T-1493-143	phenanthrene-9-yl, 6,10-Br2; N(Hept)2	C30H41Br2NO	c1cccc2c3cc(Br)ccc3c(C(O)CN(CCCCC)CCCC CC)c(Br)c12	4.53	591.48
T-1493-150	phenanthrene-9-yl, 1,6-Br2; N(Hept)2	C30H41Br2NO	c1(Br)cccc2c3cc(Br)ccc3c(C(O)CN(CCCCC)CC CCCC)c12	4.53	591.48
T-1493-377	2-phenyl-quinolin-4-yl, 6-Cl, 7,4'-(OMe)2; N(Hex)2	C30H41ClN2O2	c1cc(OC)ccc1c2nc3ccc(Cl)cc3c(C(O)CN(CCCCC C)CCCCC)c2	3.51	497.12
T-1493-168	phenanthrene-9-yl, 3,6-Cl2; N(Hept)2	C30H41Cl2NO	c1cc(Cl)cc2c3cc(Cl)ccc3c(C(O)CN(CCCCC)CC CCCC)c12	4.51	502.57
T-1493-194	phenanthrene-9-yl, 2,5- or 7-Cl; N(Hept)2	C30H41Cl2NO	c1c(Cl)ccc2c3c(Cl)cccc3c(C(O)CN(CCCCC)CC CCCC)c12	4.51	502.57
T-1493-520	anthracene-1-yl, 4,8-Cl2; N(Hept)2	C30H41Cl2NO	c1(C(O)CN(CCCCC)CCCC)ccc(Cl)c2cc3c(Cl) cccc3cc12	4.93	502.57
T-1493-523	anthracene-9-yl, 4,5-Cl2; N(Hept)2	C30H41Cl2NO	c1(Cl)cccc2c(C(O)CN(CCCCC)CCCC)ccc3cc cc(Cl)c3cc12	4.93	502.57
T-1493-544	phenanthrene-1-yl, 3',7-Cl2; N(Hept)2	C30H41Cl2NO	c1(C(O)CN(CCCCC)CCCC)cccc2c3cc(Cl)c cc3c(Cl)cc12	4.51	502.57
T-1493-563	phenanthrene-1-yl, 3',4'-Cl2, 7-Cl; N(Hept)2	C30H41Cl2NO	c1(C(O)CN(CCCCC)CCCC)cccc2c3ccc(Cl) cc3c(Cl)cc12	4.51	502.57
T-1493-604	phenanthrene-1-yl, 3',4'-Cl2; N(Hept)2	C30H41Cl2NO	c1(C(O)CN(CCCCC)CCCC)cccc2c3cc(Cl)c (Cl)cc3cc12	4.51	502.57
T-5359-012	antimalarial cpd.; T-5359-012	C30H41N3O	c1cccc1/C=C/c2ccc(cc2)C(=O)NCCNC3CCN(C C3)CC4CCCC4	3.58	459.68
T-1493-125	phenanthrene-9-yl, 6-Br; N(Hept)2	C30H42BrNO	c1cccc2c3cc(Br)ccc3c(C(O)CN(CCCCC)CCCC CC)c12	4.54	512.58
T-1493-151	phenanthrene-9-yl, 10-Br; N(Hept)2	C30H42BrNO	c1cccc2c3ccccc3c(C(O)CN(CCCCC)CCCCC C)c(Br)c12	4.54	512.58
T-1493-606	phenanthrene-1-yl, 2-Br; N(Hept)2	C30H42BrNO	c1(C(O)CN(CCCCC)CCCC)ccc2c3ccc cc3cc12	4.54	512.58
T-1493-611	phenanthrene-1-yl, 8-Br; N(Hept)2	C30H42BrNO	c1(C(O)CN(CCCCC)CCCC)cccc2c3ccccc3 cc(Br)c12	4.54	512.58
T-1493-169	phenanthrene-9-yl, 2-Cl; N(Hept)2	C30H42ClNO	c1c(Cl)ccc2c3ccccc3c(C(O)CN(CCCCC)CCCC CC)c12	4.53	468.13
T-1493-170	phenanthrene-9-yl, 5-Cl; N(Hept)2	C30H42ClNO	c1cccc2c3c(Cl)cccc3c(C(O)CN(CCCCC)CCCC CC)c12	4.53	468.13
T-1493-176	phenanthrene-9-yl, 7-Cl; N(Hept)2	C30H42ClNO	c1cccc2c3cc(Cl)cc3c(C(O)CN(CCCCC)CCCC CC)c12	4.53	468.13

T-1493-184	phenanthrene-9-yl, 4-Cl; N(Hept)2	C30H42ClNO	c1ccc(Cl)c2c3ccccc3c(C(O)CN(CCCCCC)CCCCC)cc12	4.53	468.13
T-1493-197	phenanthrene-9-yl, 6-Cl; N(Hept)2	C30H42ClNO	c1cccc2c3cc(Cl)ccc3c(C(O)CN(CCCCCC)CCCCC)cc12	4.53	468.13
T-1493-199	phenanthrene-9-yl, 1-Cl; N(Hept)2	C30H42ClNO	c1(Cl)cccc2c3ccccc3c(C(O)CN(CCCCCC)CCCCC)cc12	4.53	468.13
T-1493-211	phenanthrene-9-yl, 3-Cl; N(Hept)2	C30H42ClNO	c1cc(Cl)cc2c3ccccc3c(C(O)CN(CCCCCC)CCCCC)cc12	4.53	468.13
T-1493-524	anthracene-9-yl, 10-Cl; N(Hept)2	C30H42ClNO	c1cccc2c(C(O)CN(CCCCCC)CCCCCCC)c3ccccc3c(Cl)c12	5.04	468.13
T-1493-583	anthracene-1-yl, 8-Cl; N(Hept)2	C30H42ClNO	c1ccc(C(O)CN(CCCCCC)CCCCCCC)c2cc3c(Cl)cccc3cc12	5.04	468.13
T-1493-585	anthracene-1-yl, 5-Cl; N(Hept)2	C30H42ClNO	c1ccc(C(O)CN(CCCCCC)CCCCCCC)c2cc3cccc(Cl)c3cc12	5.04	468.13
T-1493-605	phenanthrene-1-yl, 3'-Cl; N(Hept)2	C30H42ClNO	c1(C(O)CN(CCCCCC)CCCCCCC)cccc2c3cc(Cl)ccc3cc12	4.53	468.13
T-1493-607	phenanthrene-1-yl, 7-Cl; N(Hept)2	C30H42ClNO	c1(C(O)CN(CCCCCC)CCCCCCC)cccc2c3ccccc3c(Cl)cc12	4.53	468.13
T-1493-171	phenanthrene-9-yl, 6-F; N(Hept)2	C30H42FNO	c1cccc2c3cc(F)ccc3c(C(O)CN(CCCCCC)CCCCC)cc12	4.46	451.67
T-1493-214	phenanthrene-9-yl, 3-F; N(Hept)2	C30H42FNO	c1cc(F)cc2c3ccccc3c(C(O)CN(CCCCCC)CCCCC)cc12	4.46	451.67
T-1493-268	2-phenyl-quinolin-4-yl, 6-OMe, 7-Cl, 4'-OMe; N(Hex)2	C30H42N2O2	c1cccc1c2nc3ccc(OC)cc3c(C(O)CN(CCCCC)CCCC)cc12	3.45	462.68
T-1493-158	phenanthrene-9-yl, 7,8-(CH)4; N(Hept)2	C30H43NO	c1cccc2c3ccccc3c(C(O)CN(CCCCCC)CCCCCCC)cc12	4.56	433.68
T-1493-173	phenanthrene-9-yl, -; N(Hept)2	C30H43NO	c1cccc2c3ccccc3c(C(O)CN(CCCCCC)CCCCCCC)cc12	4.56	433.68
T-1493-177	phenanthrene-9-yl, -; N(Hept)2	C30H43NO	c1cccc2c3ccccc3c(C(O)CN(CCCCCC)CCCCCCC)cc12	4.56	433.68
T-1493-527	anthracene-9-yl, -: N(Hept)2	C30H43NO	c1cccc2c(C(O)CN(CCCCCC)CCCCCCC)c3ccccc3cc12	5.12	433.68
T-1493-589	anthracene-2-yl, -: N(Hept)2	C30H43NO	c1cc(C(O)CN(CCCCCC)CCCCCCC)cc2cc3ccccc3cc12	5.12	433.68
T-1493-603	phenanthrene-1-yl, -: N(Hept)2	C30H43NO	c1(C(O)CN(CCCCCC)CCCCCCC)cccc2c3ccccc3ccc12	4.56	433.68
T-1493-609	phenanthrene-1-yl, 3'-CF3; N(Hept)2	C30H43NO	c1(C(O)CN(CCCCCC)CCCCCCC)cccc2c3ccccc3ccc12	4.56	433.68
T-1493-625	phenanthrene-4-yl, -: N(Hept)2	C30H43NO	c1ccc(C(O)CN(CCCCCC)CCCCCCC)c2c3ccccc3ccc12	4.56	433.68
T-5359-013	antimalarial cpd.; T-5359-013	C30H43N3O	c1cccc1CCc2ccc(cc2)C(=O)NCCCNC3CCN(CC3)CC4CCCC4	3.53	461.69
T-5359-026	antimalarial cpd.; T-5359-026	C30H43N3O2	c1cccc1COc2ccc(cc2)CNCCCC(=O)NC3CCN(CC3)CC4CCCC4	4.57	477.69
T-4790-002	N1,N8-bis(2,3-dihydroxybenzoyl)spermidine hydrobromide, R= C9H19	C30H46BrN3O6	c1ccc(O)c(O)c1C(=O)NCCCC[N+](CCCCCCCC)CCCNC(=O)c2c(O)c(O)ccc2.[Br-]	3.23	624.62
T-1493-564	5-aza-phenanthrene-9-yl, 1,3-Cl2; N(Hept)2	C30H50Cl2N2O	c1(Cl)cc(Cl)cc2c3cncccc3c(C(O)CN(CCCCCC)CCCCC)cc12	0.98	525.65
T-1493-633	5-aza-phenanthrene-9-yl, 3-Cl; N(Hept)2	C30H51ClN2O	c1cc(Cl)cc2c3cncccc3c(C(O)CN(CCCCCC)CCCCC)cc12	0.96	491.20
T-1493-634	5-aza-phenanthrene-9-yl, -: N(Hept)2	C30H52N2O	c1cccc2c3cncccc3c(C(O)CN(CCCCCC)CCCCC)cc12	0.96	456.76
T-1493-492	2-phenyl-6-styrylpyrid-4-yl, 4',4''-(CF3)2; N(Bu)2	C31H34F6N2O	c1cc(C(F)(F)F)ccc1/C=C/c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CN(CCCC)CCCC)c2	3.62	564.61
T-1493-495	2,6-distyrylpyrid-4-yl, 4',4''-Cl2; N(Bu)2	C31H36Cl2N2O	c1cc(Cl)ccc1/C=C/c2nc(/C=C/c3ccc(Cl)cc3)cc(C(O)CN(CCCC)CCCC)c2	4.14	523.55
T-1493-448	2,6-diphenylpyrid-4-yl, 4',4''-(CF3)2; N(Pent)2	C31H36F6N2O	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(O)CN(CCCCC)CCCC)c2	3.69	566.63
T-5359-002	antimalarial cpd.; T-5359-002	C31H39N3O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCNC3CCN(CC3)Cc4cccc4	3.63	517.67
T-1493-076	phenanthrene-9-yl, 3,4-Cl2, 6-CF3; N(Hept)2	C31H40Cl2F3NO	c1cc(Cl)c(Cl)c2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCCC)CCCCC)cc12	3.95	570.57

T-1493-129	phenanthrene-9-yl, 1,3-Cl2, 6-CF3; N(Hept)2	C31H40Cl2F3NO	c1(Cl)cc(Cl)cc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCC)CCCCC)cc12	3.95	570.57
T-1493-474	2,6-diphenylpyrid-4-yl, 4',4"-Cl2; N(Hex)2	C31H40Cl2N2O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CN(CCCC)CCCC)cc2	3.77	527.58
T-1493-488	2,6-diphenylpyrid-4-yl, 4',4"-F2; N(Hex)2	C31H40F2N2O	c1cc(F)ccc1c2nc(c3ccc(F)cc3)cc(C(O)CN(CCCCC)CCCC)cc2	3.89	494.67
T-5359-021	antimalarial cpd.; T-5359-021	C31H40N2O4	c1cccc1COc2c(OC)cc(cc2OC)COCCNC3CCN(C3)C4cccc4	3.26	504.67
T-1493-114	phenanthrene-9-yl, 2-Cl, 6-CF3; N(Hept)2	C31H41ClF3NO	c1c(Cl)ccc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCCC)CCCC)cc12	3.89	536.12
T-1493-119	phenanthrene-9-yl, 3-Cl, 6-CF3; N(Hept)2	C31H41ClF3NO	c1cc(Cl)cc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCCC)CCCC)cc12	3.89	536.12
T-1493-182	phenanthrene-9-yl, 3-CF3, 6-Cl; N(Hept)2	C31H41ClF3NO	c1cc(C(F)(F)F)cc2c3cc(Cl)ccc3c(C(O)CN(CCCCC)CCCC)cc12	3.89	536.12
T-1493-639	2-phenyl-quinolin-3-yl, 6,8,4'-Cl3; N(Hept)2	C31H41Cl3N2O	c1cc(Cl)ccc1c2nc3c(Cl)cc(Cl)cc3cc2(C(O)CN(CCCC)CCCC)cc12	3.75	564.04
T-1493-124	phenanthrene-9-yl, 3-I, 6-CF3; N(Hept)2	C31H41F3INO	c1cc(I)cc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCCC)CCCC)cc12	3.92	627.57
T-5359-019	antimalarial cpd.; T-5359-019	C31H41N3O3	c1cccc1COc2c(OC)cc(cc2OC)CNCCNC3CCN(C3)C4cccc4	3.96	503.69
T-1493-646	2-phenyl-quinolin-8-yl, 6,4'-Cl2; N(Hept)2	C31H42Cl2N2O	c1cc(Cl)ccc1c2nc3c(C(O)CN(CCCCC)CCCC)cc(Cl)cc3cc2	3.67	529.60
T-1493-123	phenanthrene-9-yl, 6-CF3; N(Hept)2	C31H42F3NO	c1cccc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCCC)CCCC)cc12	3.86	501.68
T-1493-142	phenanthrene-9-yl, 1-Br, 6-CF3; N(Hept)2	C31H42F3NO	c1cccc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCCC)CCCC)cc12	3.86	501.68
T-1493-167	phenanthrene-9-yl, 3 -CF3; N(Hept)2	C31H42F3NO	c1cc(C(F)(F)F)cc2c3cccc3c(C(O)CN(CCCCC)CCCC)cc12	3.86	501.68
T-1493-619	phenanthrene-3-yl, 5-CF3; N(Hept)2	C31H42F3NO	c1cc(C(O)CN(CCCCC)CCCC)cc2c3c(C(F)(F)F)cccc3cc12	3.86	501.68
T-1493-146	phenanthrene-9-yl, 2,7-Br2, 10-OMe; N(Hept)2	C31H43Br2NO2	c1c(Br)ccc2c3ccc(Br)cc3c(C(O)CN(CCCCC)CCCC)c(OC)c12	4.38	621.51
T-1493-246	2-phenyl-quinolin-4-yl, 6,8-Me, 4'-Cl; N(Hex)2	C31H43ClN2O	c1cc(Cl)ccc1c2nc3c(C)cc(C)cc3c(C(O)CN(CCCCC)CCCC)cc2	3.70	495.15
T-1493-293	2-phenyl-quinolin-4-yl, 8-CF3,4'-Cl; N(Hept)2	C31H43ClN2O	c1cc(Cl)ccc1c2nc3cccc3c(C(O)CN(CCCCC)CCCC)cc2	3.59	495.15
T-1493-565	2-adamant-1-yl-6-styrylpyrid-4-yl, 4"-Cl; N(Bu)2	C31H43ClN2O	c1cc(Cl)ccc1/C=C/c2cc(C(O)CN(CCCC)CCCC)cc(C45CCC(CC4)CC5)n2	3.41	495.15
T-1493-275	2-phenyl-quinolin-4-yl, 6-Cl, 3',4' -(OMe)2; N(Hex)2	C31H43ClN2O3	c1c(OC)c(OC)ccc1c2nc3ccc(Cl)cc3c(C(O)CN(CCCC)CCCC)cc2	3.29	527.15
T-1493-280	2-phenyl-quinolin-4-yl, 7-Cl, 3',4'-(OMe)2; N(Hex)2	C31H43ClN2O3	c1c(OC)c(OC)ccc1c2nc3cc(Cl)ccc3c(C(O)CN(CCCC)CCCC)cc2	3.29	527.15
T-1493-149	phenanthrene-9-yl, 2,7-Cl2 10-OMe; N(Hept)2	C31H43Cl2NO2	c1c(Cl)ccc2c3ccc(Cl)cc3c(C(O)CN(CCCCC)CCCC)c(OC)c12	4.37	532.60
T-1493-174	phenanthrene-9-yl, 3-Cl, 6-OMe; N(Hept)2	C31H44ClNO2	c1cc(Cl)cc2c3cc(OC)ccc3c(C(O)CN(CCCCC)CCCC)cc12	4.35	498.15
T-1493-290	2-phenyl-quinolin-4-yl, 6,4'-(OMe)2; N(Hex)2	C31H44N2O3	c1cc(OC)ccc1c2nc3ccc(OC)cc3c(C(O)CN(CCCCC)CCCC)cc2	3.24	492.70
T-1493-206	phenanthrene-9-yl, 10-OMe; N(Hept)2	C31H45NO2	c1cccc2c3cccc3c(C(O)CN(CCCCC)CCCC)c(OC)c12	4.33	463.71
T-5359-028	antimalarial cpd.; T-5359-028	C31H45N3O2	c1cccc1COc2ccc(cc2)C(=O)N(CC)CCNC3CCN(CC3)CC4CCCC4	3.79	491.72
T-5359-010	antimalarial cpd.; T-5359-010	C31H45N3O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCNC3CCN(CC3)CC4CCCC4	3.52	523.72
T-5359-045	antimalarial cpd.; T-5359-045	C31H47N3O3	c1cccc1COc2c(OC)cc(cc2OC)CNCCNC3CCN(C3)CC4CCCC4	3.98	509.74
T-1493-494	2,6-distyrylpyrid-4-yl, 4',4"-(CF3)2; NH-(4-Hept)	C32H34F6N2O	c1cc(C(F)(F)F)ccc1/C=C/c2nc(/C=C/c3ccc(C(F)(F)F)cc3)cc(C(O)CNC(CCC)CCC)cc2	3.47	576.63
T-1493-497	2-benzoy-6-styrylpyrid-4-yl, 4',4"-(CF3)2; N(Bu)2	C32H34F6N2O2	c1cc(C(F)(F)F)ccc1C(=O)c2nc(/C=C/c3ccc(C(F)(F)F)cc3)cc(C(O)CN(CCCC)CCCC)cc2	4.01	592.62
T-1493-281	2-phenyl-quinolin-4-yl, 7,8-(CH=CH)2, 6-Cl, 3',4',5'-(OMe)3; N(Bu)2	C32H39ClN2O4	c1c(OC)c(OC)c(OC)cc1c2nc3c(ccc7)c7c(Cl)cc3c(C(O)CN(CCCC)CCCC)cc2	3.28	551.13

T-5359-038	antimalarial cpd.; T-5359-038	C32H39N3O6	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCNC3CCN(CC3)Cc4cc(OCO5)c5cc4	3.54	561.68
T-1493-084	phenanthrene-9-yl, 3,6-(CF3)2; N(Hept)2	C32H41F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CN(CCCCC)CCCCC)cc12	3.68	569.67
T-5359-017	antimalarial cpd.; T-5359-017	C32H41N3O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCNC3CCN(CC3)Cc4cccc4	3.66	531.70
T-5359-029	antimalarial cpd.; T-5359-029	C32H41N3O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCN(C)C3CCN(CC3)Cc4cccc4	3.82	531.70
T-5359-034	antimalarial cpd.; T-5359-034	C32H41N3O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCNC3CCN(CC3)Cc4cccc4	3.66	531.70
T-5359-039	antimalarial cpd.; T-5359-039	C32H41N3O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCNC3CCN(CC3)Cc4cc(C)ccc4	3.65	531.70
T-1493-594	3-phenyl-naphth-1-yl, 6,3',4'-Cl3; N(Hept)2	C32H42Cl3NO	c1(C(O)CN(CCCCC)CCCCC)cc(c3cc(Cl)c(Cl)cc3)cc2cc(Cl)ccc12	5.58	563.05
T-5359-020	antimalarial cpd.; T-5359-020	C32H43N3O3	c1cccc1COc2c(OC)cc(cc2OC)CNCCCNC3CCN(CC3)Cc4cccc4	4.05	517.71
T-1493-130	phenanthrene-9-yl, 6-Br; N(Hept)2: O-succinate	C32H44BrNO4	c1cccc2c3cc(Br)ccc3c([N+](CCCC)CCCC)cc12.[O-]C(=O)CCC(=O)O	4.09	586.62
T-1493-535	3-phenyl-naphth-1-yl, 4'-Cl; N(Hept)2	C32H44ClNO	c1(C(O)CN(CCCCC)CCCCC)cc(c3ccc(Cl)cc3)cc2cccc12	4.88	494.16
T-1493-200	phenanthrene-9-yl, -; N(Oct)2	C32H47NO	c1cccc2c3cccc3c(C(O)CN(CCCCC)CCCC)cc12	4.69	461.73
T-1493-496	2,6-distyrylpyrid-4-yl, 4',4''-(CF3)2; N(Bu)2	C33H36F6N2O	c1cc(C(F)(F)F)ccc1/C=C/c2nc(/C=C/c3ccc(C(F)(F)F)cc3)cc(C(O)CN(CCCC)CCCC)c2	3.41	590.65
T-1493-437	2,6-diphenylpyrid-4-yl, 4,4''-(CF3)2; N(Bu)2: O-succinate	C33H36F6N2O4	c1cc(C(F)(F)F)ccc1c2nc(c3ccc(C(F)(F)F)cc3)cc(C(OC(=O)CCC(=O)O)CN(CCCC)CCCC)c2	4.21	638.65
T-5359-030	antimalarial cpd.; T-5359-030	C33H41N3O5	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCN(C(=O)C)C3CCN(CC3)Cc4cccc4	3.72	559.71
T-1493-107	phenanthrene-9-yl, 3,6-(CF3)2; C2H4-N(Hept)2	C33H43F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CCN(CCCCC)CCCC)cc12	3.68	583.70
T-1493-190	phenanthrene-9-yl, 3,6-(CF3)2; CH2-N(Hept)2	C33H43F6NO	c1cc(C(F)(F)F)cc2c3cc(C(F)(F)F)ccc3c(C(O)CCN(CCCCC)CCCC)cc12	3.68	583.70
T-5359-040	antimalarial cpd.; T-5359-040	C33H43N3O5	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCNC3CCN(CC3)CCOCc4cccc4	3.60	561.72
T-1493-487	2,6-diphenylpyrid-4-yl, 4',4''-Cl2; N(Hept)2	C33H44Cl2N2O	c1cc(Cl)ccc1c2nc(c3ccc(Cl)cc3)cc(C(O)CN(CCCC)CCCC)cc2	3.81	555.63
T-1493-595	3-phenyl-naphth-1-yl, 6,3',4'-Cl3, 7-Ome; N(Hept)2	C33H44Cl3NO2	c1(C(O)CN(CCCCC)CCCCC)cc(c3cc(Cl)c(Cl)cc3)cc2cc(Cl)c(OC)cc12	5.47	593.08
T-1493-489	2,6-diphenylpyrid-4-yl, 4',4''-F2; N(Hept)2	C33H44F2N2O	c1cc(F)ccc1c2nc(c3ccc(F)cc3)cc(C(O)CN(CCCCC)CCCC)cc2	3.89	522.72
T-1493-537	3-phenyl-naphth-1-yl, 6-Cl, 7-Ome, 4'-Cl; N(Hept)2	C33H45Cl2NO2	c1(C(O)CN(CCCCC)CCCCC)cc(c3ccc(Cl)cc3)cc2cc(Cl)c(OC)cc12	4.91	558.63
T-1493-531	3-phenyl-naphth-1-yl, 7-Ome, 4'-Cl; N(Hept)2	C33H46ClNO2	c1(C(O)CN(CCCCC)CCCCC)cc(c3ccc(Cl)cc3)cc2ccc(OC)cc12	4.71	524.19
T-1493-353	2-phenyl-quinolin-4-yl, 7-Cl; N(Oct)2	C33H47ClN2O	c1cccc1c2nc3cc(Cl)ccc3c(C(O)CN(CCCCC)CCCC)cc2	3.59	523.21
T-1493-196	phenanthrene-9-yl, 1-OH; CH2-N(Oct)2	C33H49NO	c1cccc2c3cccc3c(C(O)CCN(CCCCC)CCCC)cc12	4.79	475.76
T-4790-003	FR-160; N1,N8-bis(2,3-dihydroxybenzoyl)spermidine hydrobromide, R= C12H25	C33H52BrN3O6	c1ccc(O)c(O)c1C(=O)NCCCC[N+](CCCCCCCC)CCCCNC(=O)c2c(O)c(O)ccc2.[Br-]	3.37	666.70
609-78-9	cycloguanil embonate	C34H30ClN5O6	Oc4c(Cc2c1cccc1cc(c2O)C([O-])=O)c3cccc3cc4C(O)=O.CC1(C)N=C([N+])N=C(N)N1c2ccc(Cl)cc2	3.61	640.10
T-4789-002	trioxaquine; DU-1102	C34H34ClN3O3	c1c(Cl)ccc2c(ccnc12)NCCNC3CCC4(CC3)OC5C=C(c6cccc6)CC5(c7cccc7)OO4	5.31	568.12
T-5359-035	antimalarial cpd.; T-5359-035	C34H42N4O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCNC3CCN(CC3)Cc4cn(C)c5cccc54	3.79	570.73
T-1493-618	phenanthrene-1-yl, 7,8-(CH=CH)2; N(Hept)2	C34H45NO	c1(C(O)CN(CCCCC)CCCC)cccc2c3cccc3c(ccc8)c8c12	6.57	483.74
T-1493-559	anthracene-1-yl, 3-Cl; N(Bu)2	C34H51ClN2O2	c1(C(O)CN(CCCC)CCCC)cc(Cl)c(C(O)CN(CCCC)CCC)cc2cc3cccc3cc12	4.52	555.25

T-1493-526	anthracene-9-yl, -: N(Non)2	C34H51NO	c1cccc2c(C(O)CN(CCCCCCCC)CCCCCCCC)c3cccc3cc12	5.14	489.79
T-5359-048	antimalarial cpd.; T-5359-048	C35H39N3O2	c1cccc1COc2ccc(cc2)NC(=O)CCNC3CCN(CC3)C(c4cccc4)c5cccc5	5.27	533.72
T-5359-036	antimalarial cpd.; T-5359-036	C35H41N3O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCNC3CCN(CC3)Cc4ccc5cccc5c4	4.49	567.73
T-1493-292	2-phenyl-quinolin-4-yl, 6-Cl, 3',4'-(OMe)2; N(Oct)2	C35H51ClN2O3	c1c(OC)c(OC)ccc1c2nc3ccc(Cl)cc3c(C(O)CN(CCC(CCCCC)CCCCCCCC)c2	3.45	583.26
T-1493-296	2-phenyl-quinolin-4-yl, 6-Cl, 3',4'-(OMe)2; N(Oct)2	C35H51ClN2O3	c1c(OC)c(OC)ccc1c2nc3ccc(Cl)cc3c(C(O)CN(CCC(CCCCC)CCCCCCCC)c2	3.45	583.26
T-5359-031	antimalarial cpd.; T-5359-031	C35H53N3O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCN(CC(C)C)C3CCN(CC3)CC4CCCCC4	3.77	579.83
T-5359-043	antimalarial cpd.; T-5359-043	C36H41N3O2	c1cccc1COc2ccc(cc2)C(=O)NCCNC3CCN(CC3)CC(c4cccc4)c5cccc5	5.10	547.74
T-5359-047	antimalarial cpd.; T-5359-047	C36H43N3O	c1cccc1COc2ccc(cc2)CNCCNC3CCN(CC3)CC(c4cccc4)c5cccc5	5.55	533.76
T-5359-037	antimalarial cpd.; T-5359-037	C37H43N3O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCNC3CCN(CC3)Cc4ccc(cc4c5cccc5	4.97	593.77
T-5359-033	antimalarial cpd.; T-5359-033	C38H45N3O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCNC3CCN(CC3)CC(c4cccc4)c5cccc5	4.94	607.80
T-5359-001	antimalarial cpd.; T-5359-001	C38H45N3O5	c1cccc1COc2c(OC)cc(cc2OC)C(=O)N[C@@H](Cc3cccc3)[C@@H](O)CNC4CCN(CC4)Cc5cccc5	4.34	623.79
T-5359-046	antimalarial cpd.; T-5359-046	C38H47N3O3	c1cccc1COc2c(OC)cc(cc2OC)CNCCNC3CCN(CC3)CC(c4cccc4)c5cccc5	5.43	593.81
T-5359-032	antimalarial cpd.; T-5359-032	C38H51N3O4	c1cccc1COc2c(OC)cc(cc2OC)C(=O)NCCCN(Cc5cccc5)C3CCN(CC3)CC4CCCCC4	4.10	613.84
T-4790-004	N1,N8-bis(2,3-dihydroxybenzoyl)spermidine hydrobromide, R= C18H37	C39H64BrN3O6	c1ccc(O)c(O)c1C(=O)NCCCC[N+](CCCCCCCCCCCCCCCC)CCCN(=O)c2c(O)c(O)ccc2.[Br-]	3.51	750.87
T-1493-099	phenanthrene-9-yl, 6-Br; N(Hept)2: OPO(OPh)2	C42H53BrNO5P	c1cccc2c3cc(Br)ccc3c(C(O)C[N+](CCCCC)CCC(CCC)cc12.O=P([O-])(Oc1cccc1)Oc2cccc2	6.46	762.77
T-1493-558	anthracene-1-yl, 3-Cl; N(Hept)2	C46H75ClN2O2	c1(C(O)CN(CCCCC)CCCCC)cc(Cl)c(C(O)CN(CCCCC)CCCCC)c2cc3cccc3cc12	4.50	723.57
T-1493-522	anthracene-1-yl, -: N(Hept)2	C46H76N2O2	c1(C(O)CN(CCCCC)CCCCC)ccc(C(O)CN(CCCCC)CCCCC)c2cc3cccc3cc12	4.51	689.13
T-4467-013	Omphalotin A	C70H116N12O12	CCC(C)[C@@H]1N(C)C(=O)[C@H](C(C)C)NC(=O)CN(C)C(=O)[C@@H](C(C)CC)N(C)C(=O)[C@H](C(C)C)N(C)C(=O)CN(C)C(=O)[C@H](C(C)C)N(C)C(=O)[C@H](C(C)C)C(C)C(=O)[C@H](C(C)CC)NC(=O)[C@H](C(C)C)N(C)C(=O)[C@H](Cc2cnc3cccc23)NC(=O)CN(C)C1=O	-0.32	1317.77
<p><b>You may freely use this material, but you must acknowledge its source in any publication resulting from its use.</b></p> <p><b>Copyright © 2005, TerraBase Inc.</b></p>					